



CITY OF SAINT PAUL

Business Licensing  
375 Jackson Street, Suite 220  
Saint Paul, Minnesota 55101-1806

Telephone: 651-266-8989  
Facsimile: 651-266-9124  
Web: [www.stpaul.gov/dsi](http://www.stpaul.gov/dsi)

### Sound Level Variance Application

#### Legislative Code Chapter 293. - Noise Regulations

Application and \$175 fee should be submitted a minimum of sixty (60) days prior to the event date to allow ample time for required public notification period and scheduling of a Council public hearing. Applications submitted within sixty (60) days of the event date may not satisfy the processing timeline requirements.

- 1. Organization/person seeking variance: Pangea World Theater
- 2. Event Name: The Missouri River Water Walk (A Play with Music)
- 3. Address and physical description of noise source location (Event, Worksite): Hidden Falls Regional Park, 1415 Mississippi River Blvd S. St Paul MN 55116
- 4. Responsible person: Suzanne Cross Title: Stage Manager, Pangea World Theater
- 5. Telephone: 763 587-1493 E-Mail: Suzanne@pangeaworldtheater.org
- 6. Date(s) variance requested: May 21, 22, 23 2021
- 7. Noise source - Time(s) of operation: 2pm - 9:30 pm  
- Time(s) of pre-event sound check: 4pm

- 8. Sound level requested (dBA/Decibels): \_\_\_\_\_
- 9. Mailing address w/zip code: 711 West Lake St. #101 Mpls, MN 55408

10. Briefly describe the noise source and equipment involved: we will be using Amplified Sound. This is a musical/Theater presentation. 4 speakers, 8 cast members with microphones

11. Describe the steps that will be taken to minimize the noise levels: There will be no booming sound. It will not be concert level noise. It will be down the hill away from the road

12. State reason for seeking variance (example - music, announcements, construction, etc.): We were advised "precaution" for music & sound level

13. Maximum number of attendees: 150

14. Describe steps that will be taken to prevent COVID-19 virus spread: Pangea World Theater has strict protocols for performers & audiences. - Social distancing

15. A site diagram & map must be attached showing location of noise source(s), streets, stages, tents, etc. (If there will be amplified sound, indicate location and direction that all speakers will be facing). Multiple MASHS locations may require more than one application.

16. Submit completed application, site diagram/map, and \$175.00 fee to:  
CITY OF SAINT PAUL  
DEPARTMENT OF SAFETY AND INSPECTIONS  
375 JACKSON STREET, SUITE 220  
SAINT PAUL, MN 55101-1806

Multiple MASHS Required  
- Sanitation Station  
- Document Available upon Request

I understand that any social gathering associated with this variance must be managed in full compliance with all applicable Governor Walz COVID-19 orders relating to distancing, masks and attendance limits.

Signature of responsible person: [Signature] Date: 5/4/21