

STAMP - Activities

[New Search](#)
[Help using this report](#)
Run Date: 02/28/18 12:12
PM

Sort by Most Recent Date
Starting Date:
House#:
Folder
Ending Date:
**Street
Name:**
Type:
Folder Count: 113




**Include Same PIN
Addresses: Yes**

 Click on [address link](#) to access
GISmo, MapIT, and Ramsey County Info

 Click on [ID# link](#) below to view detail

PIN:352923230200

Address	In Date	ID #	Status	Type	Description
981 University Ave W - Johnny Baby's					
	02/26/2018	18 031991	Open	CS - CSO Complaint - Snow Walk - Complaint	02/26/2018 Snow Walk Complaint Received.
	12/14/2017	17 222126	Pending	XL - ECLIPS License - Liquor - Liquor On Sale - 2 AM Closing	Licensee Johathan Matthew Jc & Mtm Inc Johnny Baby's - ECLIPS License# 20040000766
	09/29/2017	17 166326	Open	RE - Real Estate Assessments	Owner Kelley Oneil/Oneil
	06/02/2017	17 046124	Pending	CO - Certificate of Occupancy - Assembly	Responsible Party Jonathon Price/Johnny Baby's
	04/06/2017	17 026850	Active/Issued	B - Building Permit - Commercial - Express Repair	Contractor Pro Edge Construction Company Ltd - REPLACE 8 SQUARES OF ROOF
	02/22/2017	17 013226	Resolved	CS - CSO Complaint - Garbage Rubbish - Complaint	Litter in back of parking lot on corner of Sherburne and Chatsworth on the fence line
	09/14/2016	16 079330	Finaled	RW - PW Right of Way Permit - Obstruction - Traffic Lane	Contractor Weldon Broberg Weldon Broberg Construction LLC - ELIMINATE DRIVEWAY ENTRANCE STARGING ~50' W OF CHATSWORTH ST -OBSTRUCT ~100' OF (1 OF 4) TRAFFIC LANES ON W-BOUND UNIVERSITY AVE
	09/14/2016	16 079086	Finaled	SK - PW Sidewalk Permit	Contractor George Sullivan Hardstone Concrete - Removing 144 sq. ft. of 6" concrete driveway apron and replacing 24 lin. ft. of B6234 Curb and Gutter. Replacing 96 sq. ft. of 6" mainline walk.
	08/26/2016	16 073032	Active/Issued	B - Building Permit - Accessory Structure - Repair	Contractor Tom O'Malley Reiling Construction Co Inc - JOHNNY BABY'S - ALTERATIONS TO EXISTING PARKING LOT, INCLUDING NEW CONCRETE PAVING, BENCH, BIKE RACK, LANDSCAPING
	06/24/2016	16 051346	Approved	SR - Site Plan Review - Parking Lot - Commercial	Applicant Mr Paul Gates Paul Gates Architect - Creation of a new parklet in existing parking lot. Modifications to existing surface parking lot and adjacent right-of-way: close 1 curb cut, partial removal of existing bituminous paving, installation of

05/03/2016	16 032392	Finald	E - Electrical Permit - Electrical - Commercial Repair/Alter	new landscaping, concrete paving, bench and bike rack. Contractor Charles Howard Pulse Electric Inc. - PROVIDE AND INSTALL WIRING, INCLUDING TIME CLOCK, FOR NEW EXTERIOR SIGN.
03/29/2016	16 022565	Finald	E - Electrical Permit - Service & Circuits - Commercial Repair/Alter	Contractor Global Green Electrical - JOHNNY BABY'S - OUTSIDE THE BUILDING IN THE PARKING LOT. TAKING SIGN DOWN & CAPPING WIRES.
03/18/2016	16 019588	Active/Issued	BS - Billboard / Sign - Signs - Commercial New	Contractor Shelly Rees Signminds Inc - COPY TO READ "JOHNNY BABY'S" Electric Cont. Pulse Electric Anthony Ryan 651.324.8427 
03/14/2016	16 018054	Transferred - Closed	CS - CSO Complaint - Graffiti - Complaint	Graffiti on building.
03/11/2016	16 018055	Closed	PA - Parks Summary Abatement - Graffiti	Owner Kelley Oneil/Oneil - Graffiti on building.
01/27/2016	16 006216	In Compliance	CS - CSO Complaint - Snow Walk - Complaint	01/27/2016 Snow Walk Complaint Received.
05/20/2015	15 037780	Closed	RF - Referral - Citizen Complaint	Owner Kelley Oneil/Oneil - Sinkhole in parking lot right at entrance to lot - very large and causing damage to vehicles.
05/20/2015	15 037779	In Compliance	CS - CSO Complaint - Certificate of Occupancy - Complaint	Sinkhole in parking lot right at entrance to lot - very large and causing damage to vehicles.
12/10/2013	13 256380	Certified	CO - Certificate of Occupancy - Assembly	Responsible Party Jonathon Price/Johnny Baby's
07/30/2013	13 215896	Inspected	W - Warm Air, Ventilation & General Sheet - Ventilation Only - Commercial Replace	Contractor Ricky Anderson Anderson's Residential Heating & A/C Inc
07/05/2013	13 206300	Finald	M - Mechanical Permit - Refrigeration - Commercial Replace	Contractor Ricky Anderson Anderson's Residential Heating & A/C Inc
04/16/2013	13 174162	In Compliance	CS - CSO Complaint - Zoning - Complaint	Banners without permits.
06/05/2012	12 064754	Scheduled	RS - Restaurant Inspection - Medium Risk - Plan Review Inspection	Establishment Johnny Baby's
05/25/2012	10 927222	History	RS - Restaurant Inspection - Medium Risk - Plan Review Inspection	Establishment Johnny Baby's
04/26/2012	12 049850	Finald	RW - PW Right of Way Permit - Excavation - Utility	Contractor Micheal Madigan/ Irma Taubenheim Cc: Nick Schauer Xcel Energy Gas - Install Anode on House Pipe side of address XCEL PROJECT- 11608928 GSOC TKT- 121152273 CROSS STREET- CHATSWORTH ST N 5x4 HOLE IN SW/BLVD; 60' OF PARKING LANE FOR EQUIPMENT REQUESTED BY- TED KLEIN 651-229-2381  FAX - 651-229-2396 
06/13/2011	11 237975	Closed	RF - Referral - C of O	Owner Kelley Oneil/Oneil - Follow up on C of O folder approved with corrections.
06/13/2011	11 237973	History	CO - Certificate of Occupancy - Assembly	Responsible Party Jonathon Price/Johnny Baby's - 352923230095
06/10/2011	11 237511	Finald		

06/10/2011	11 237502	Finaled	RW - PW Right of Way Permit - Excavation - Joint Sewer Permit SS - PW Sewer Permit - Sanitary - Repair	Contractor Raymond Vinzant Roto -Rooter Services Company - Joint Sewer Excavation Permit Contractor Raymond Vinzant Roto -Rooter Services Company - Repair a sag in the pipe under the sidewalk and line (CIPP) to the Main. 9/22/11 CIPP dvd reviewed and approved. JZ See remarks. BA
06/03/2011	11 150149	Active/Issued	PG - Plumbing/Gasfitting/Inside Water Piping - Sewer/Disposal Only - Commercial Repair	Contractor Ronnie Sletten / Ray Vinzant Roto Rooter Services CO
05/25/2011	11 146270	Finaled	PG - Plumbing/Gasfitting/Inside Water Piping - Sewer/Disposal Only - Commercial Replace	Contractor Ronnie Sletten / Ray Vinzant Roto Rooter Services CO
11/22/2010	09 071055	History	RS - Restaurant Inspection - Medium Risk - Plan Review Inspection	Establishment Johnny Baby's
03/17/2010	10 123471	Open	GT - General Activity Tracking - License	03/17/2010 Mailed to Jonathan Price Entertainment B petition information, 350' property ownership radius map, and advised to prepare detailed before/after floorplan and siteplan then contact DSI to schedule preliminary meeting to review zoning requirements (may also be building code issues depending upon what's proposed). Preliminarily appears location may not have sufficient off-street parking to support addition of Entertainment B license. JWF
05/13/2009	09 065089	History	RS - Restaurant Inspection - Medium Risk - Plan Review Inspection	Establishment Johnny Baby's
05/01/2009	08 095711	History	RS - Restaurant Inspection - Medium Risk - Routine Inspection	Establishment Johnny Baby's
04/23/2009	09 060769	History	CO - Certificate of Occupancy - Assembly	Responsible Party Jonathon Price/Johnny Baby's - 352923230095
06/16/2008	07 209610	History	RS - Restaurant Inspection - Medium Risk - Routine Inspection	Establishment Johnny Baby's
06/05/2008	08 087865	Closed	CL - Compliance Checks - Liquor Compliance Check	Licensee Johathan Matthew Jc & Mtm Inc Johnny Baby's - ECLIPS License# 20040000766
05/28/2008	08 042107	Canceled	XF - ECLIPS Food Related - Restaurant (4) - 51-150 Seats	Licensee Johathan Matthew Jc & Mtm Inc Johnny Baby's - ECLIPS License# 20040000766
05/28/2008	08 042166	Active/Issued	XL - ECLIPS License - Liquor - Liquor On Sale - 101-180 Seats	Licensee Johathan Matthew Jc & Mtm Inc Johnny Baby's - ECLIPS License# 20040000766
05/07/2008	08 068687	Canceled	XL - ECLIPS License - Liquor - Liquor On Sale - 2 AM Closing	Licensee Johathan Matthew Jc & Mtm Inc Johnny Baby's - ECLIPS License# 20040000766
03/31/2008	08 049815	In Compliance	CL - Compliance Checks - Liquor Compliance Check	Licensee Johathan Matthew Jc & Mtm Inc Johnny Baby's - ECLIPS License# 20040000766

03/14/2008	08 042167	Pending	CL - Compliance Checks - Liquor Compliance Check	Licensee Johathan Matthew Jc & Mtm Inc Johnny Baby's - ECLIPS License# 20040000766
03/05/2008	08 037435	Closed	PA - Parks Summary Abatement - Graffiti	Owner Kelley Oneil/Jeannie Oneil - Graffiti on side police report
03/05/2008	08 037434	Resolved	CS - CSO Complaint - Graffiti - Complaint	Graffiti on side police report
11/30/2007	06 065380	History	RS - Restaurant Inspection - Medium Risk - Routine Inspection	Establishment Johnny Baby's
11/15/2007	07 200016	Withdrawn	SP - Stucco/Plaster - Stucco/Plaster - Commercial Repair/Alter	11/15/2007 Contractor don't have STUCCO/PLASTER trade license. zt
11/06/2007	07 193014	Resolved	CS - CSO Complaint - Miscellaneous - Complaint	Emergency Boarding
11/06/2007	07 193044	Expired	B - Building Permit - Commercial - Repair	Contractor Du All Service Construction Inc - Repair Wall. 11/10/2008: Automatically closed by system due to no activity in one year.
03/21/2007	07 048948	Closed	RF - Referral - C of O	Owner Kelley Oneil/Jeannie Oneil - Follow up on C of O folder approved with corrections.
03/21/2007	07 048946	History	CO - Certificate of Occupancy - Assembly	Responsible Party Jonathon Price/Johnny Baby's - 352923230095
11/03/2006	06 262830	Closed	CL - Compliance Checks - Liquor Compliance Check	Licensee Johathan Matthew Jc & Mtm Inc Johnny Baby's - ECLIPS License# 20040000766
04/10/2006	06 051188	History	RS - Restaurant Inspection - Medium Risk - Routine Inspection	Establishment Johnny Baby's
04/01/2006	06 052111	Canceled	XE - ECLIPS License - Entertainment - Gambling Manager	Licensee Laurie Gluesing Climb, Inc. - ECLIPS License# 20060000678
03/03/2006	06 050228	Open	BW - Building Warning - Project Facilitator	Owner Kelley Oneil/Jeannie Oneil - License holder proposing to add outdoor food service. Big Daddy's to provide the food service. EH must approve equipment and remodel to existing kitchen. Additional issues related to smoking and extended beverage service.
03/02/2006	06 050031	Withdrawn	XF - ECLIPS Food Related - Restaurant (A) - 0-12 seats	Licensee Ronald Whyte Big Daddy's - ECLIPS License# 20060000604
03/01/2006	06 014335	History	RS - Restaurant Inspection - Medium Risk - Plan Review Inspection	Establishment Johnny Baby's
01/30/2006	05 148678	History	RS - Restaurant Inspection - Medium Risk - Plan Review Inspection	Establishment Johnny Baby's
08/22/2005	04 093909	History	RS - Restaurant Inspection - Medium Risk - Complaint Inspection	Establishment Johnny Baby's
08/17/2005	05 146611	Closed	LC - DSI Env Health Complaint - Health-Safety-Environment - Env Health - Food	RECEIVED ANONYMOUS COMPLAINT THAT A PERSON IS SET UP IN THE PARKING LOT OF THIS ESTABLISHMENT COOKING, SELLING, AND SERVING BARBEQUE WITHOUT A LICENSE.
08/04/2005	05 141600	Closed	LC - DSI Env Health Complaint - Health-Safety-	Complainant wishing to remain anonymous, informs us that a person is set up in the parking lot

		Environment - Env Health - Food	of Johnny Baby's (every day) cooking, selling, and serving barbeque without a license.
03/17/2005	05 077476	History	CO - Certificate of Occupancy - Assembly Responsible Party Jonathon Price/Johnny Baby's - 352923230095
05/28/2004	04 051568	Canceled	XF - ECLIPS Food Related - Restaurant (B) - more than 12 seats Licensee Johathan Matthew Jc & Mtm Inc Johnny Baby's - ECLIPS License# 20040000766
05/28/2004	04 051569	Active/Issued	XL - ECLIPS License - Liquor - Liquor On Sale - Sunday Licensee Johathan Matthew Jc & Mtm Inc Johnny Baby's - ECLIPS License# 20040000766
05/28/2004	04 051570	Canceled	XL - ECLIPS License - Liquor - Liquor On Sale - 100 seats or less Licensee Johathan Matthew Jc & Mtm Inc Johnny Baby's - ECLIPS License# 20040000766
05/28/2004	04 051572	Canceled	XL - ECLIPS License - Liquor - Liquor On Sale - 2 AM Closing Licensee Johathan Matthew Jc & Mtm Inc Johnny Baby's - ECLIPS License# 20040000766
05/28/2004	06 062697	Active/Issued	XE - ECLIPS License - Entertainment - Gambling Location Licensee Johathan Matthew Jc & Mtm Inc Johnny Baby's - ECLIPS License# 20040000766
05/27/2004	04 092558	History	RS - Restaurant Inspection - Medium Risk - Plan Review Inspection Establishment Herge's Bar
05/25/2004	04 089517	History	RS - Restaurant Inspection - Medium Risk - Plan Review Inspection Establishment Herge's Bar
05/17/2004	04 060793	History	RS - Restaurant Inspection - Medium Risk - Plan Review Inspection Establishment Herge's Bar
03/31/2004	04 039839	Canceled	XE - ECLIPS License - Entertainment - Gambling Manager Licensee Andrew Morse St Paul Wrestling Club Inc - ECLIPS License# 20040000475
03/24/2004	04 041400	History	RS - Restaurant Inspection - Medium Risk - Plan Review Inspection Establishment Herge's Bar
02/04/2004	03 300737	History	RS - Restaurant Inspection - Medium Risk - Change of Ownership Establishment Herge's Bar
08/06/2003	03 392554	Canceled	XL - ECLIPS License - Liquor - Liquor On Sale - 2 AM Closing Licensee Fred O'Neil Herge's Bar - ECLIPS License# 0019484
05/07/2003	02 141071	History	RS - Restaurant Inspection - Medium Risk - Plan Review Inspection Establishment Herge's Bar
04/14/2003	03 284923	History	CO - Certificate of Occupancy - Assembly Responsible Party Jonathon Price/Johnny Baby's - 4/14/05 - INVOICE THAT WAS SENT OUT 3/18/05 WAS RETURNED BY POST OFFICE. RESENT INOVICE. KJ
04/14/2003	03 284671	Closed No Action	PV - Project Facilitator Review Project Applicant Mr James Crofton
08/01/2002	02 003361	Canceled	XE - ECLIPS License - Entertainment - Gambling Manager Licensee Andrew Morse Inactive - St Paul Wrestling Club Inc - ECLIPS License# 20020003361
07/22/2002	99 003199	History	RS - Restaurant Inspection - Medium Risk - Routine Inspection Establishment Herge's Bar - POP HOLSTER-SOILED. DRAINLINE THRU SERVING ICE. INSIDE TOP OF ICE MACHINE. CO2 TANKS-BY MOP SINKNOT SECURED.
12/27/2001	01 243273	Closed	RF - Referral - Citizen Complaint Owner William Henthorne - This is to satisfy a court order-police chase. MUFC 1207.3- Reconfigure the door hardware as follows:

12/27/2001	01 243272	Closed	CS - CSO Complaint - Certificate of Occupancy - Complaint	University door-panic bar is only functioning hardware. Chatsworth door-thumb turn, no exit sign. Parking lot door-main door-double keyed cylinder with sign: This door to remain unlocked during business hours (1 inch letters). This is to satisfy a court order-police chase. Reconfigure the door hardware as follows: University door-panic bar is only functioning hardware. Chatsworth door-thumb turn, no exit sign. Parking lot door-main door-double keyed cylinder with sign: This door to remain unlocked during business hours (1 inch letters).
11/02/2001	01 004479	Canceled	XE - ECLIPS License - Entertainment - Gambling Manager	Licensee Ruby Steward The St Paul Wrestling Club Inc - ECLIPS License# 20010004479
05/18/2001	01 204017	Active	PS - Pre-Fire Survey - Assembly	Owner Bill Henthorne
04/01/2001	01 000983	Canceled	XE - ECLIPS License - Entertainment - Gambling Manager	Licensee Lee Hoffman National Multiple Sclerosis Society - ECLIPS License# 20010000983
03/13/2001	01 024380	History	CO - Certificate of Occupancy - Assembly	Responsible Party Herges Inc. - 352923230095
07/16/1999	99 021083	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Herge's Bar
08/25/1998	98 146942	Closed without Approval	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor Aaron Gunderson / Bob Grill Hunt Electric Corporation - Closed without final approval
06/17/1998	98 014494	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Herge's Bar
10/26/1997	97 066292	Canceled	XE - ECLIPS License - Entertainment - Gambling Manager	Licensee Percy Hyland Lower East Side Football Association - ECLIPS License# 0066292
06/01/1997	97 019553	Canceled	XE - ECLIPS License - Entertainment - Gambling Manager	Licensee Ernest Mutterer Epilepsy Foundation Of Mn/Herges - ECLIPS License# 0019553
05/27/1997	98 011786	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Herge's Bar
04/02/1997	97 119422	Final	W - Warm Air, Ventilation & General Sheet - Warm Air & Ventilation - Commercial Repair/Alter	Contractor Bill Henthorn
02/05/1997	97 025636	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Herge's Bar
07/15/1996	95 011428	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Herge's Bar
08/01/1995	95 058941	Canceled	XE - ECLIPS License - Entertainment - Gambling Manager	Licensee Sheri Zigan Neighborhood House Assn/Herges - ECLIPS License# 0058941
09/03/1994	94 010006	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Herge's Bar
04/28/1993	99 001205	History		Establishment Herge's Bar

		RS - Restaurant Inspection - No Risk - Routine Inspection	
04/01/1993	93 018926	Canceled	XE - ECLIPS License - Entertainment - Gambling Manager Licensee Linda Pederson Neighborhood House Assoc/Herges - ECLIPS License# 0018926
01/07/1993	93 019484	Canceled	XF - ECLIPS Food Related - Restaurant (B) - more than 12 seats Licensee Fred O'Neil Herge's Bar - ECLIPS License# 0019484
01/07/1993	93 019484	Canceled	XE - ECLIPS License - Entertainment - Gambling Location (Class C) Licensee Fred O'Neil Herge's Bar - ECLIPS License# 0019484
01/07/1993	93 019484	Canceled	XL - ECLIPS License - Liquor - Liquor On Sale - 100 seats or less Licensee Fred O'Neil Herge's Bar - ECLIPS License# 0019484
01/07/1993	93 019484	Canceled	XL - ECLIPS License - Liquor - Liquor On Sale - Sunday Licensee Fred O'Neil Herge's Bar - ECLIPS License# 0019484
01/07/1993	93 019484	Canceled	XL - ECLIPS License - Liquor - Malt Off Sale Licensee Fred O'Neil Herge's Bar - ECLIPS License# 0019484
01/07/1993	93 019484	Canceled	XS - ECLIPS License - Miscellaneous - Cigarette/Tobacco Licensee Fred O'Neil Herge's Bar - ECLIPS License# 0019484
03/05/1992	99 001269	History	RS - Restaurant Inspection - No Risk - Routine Inspection Establishment Herge's Bar
02/01/1992	92 020601	Canceled	XE - ECLIPS License - Entertainment - Gambling Manager Licensee Phillip Ravitzky Neighborhood House Assoc/Herges - ECLIPS License# 0020601
10/09/1991	99 001234	History	RS - Restaurant Inspection - No Risk - Routine Inspection Establishment Herge's Bar
06/03/1991	99 001251	History	RS - Restaurant Inspection - No Risk - Routine Inspection Establishment Herge's Bar
04/01/1991	91 060113	Canceled	XS - ECLIPS License - Miscellaneous - Cigarette/Tobacco Licensee Fred O'Neil Herge's Bar - ECLIPS License# 0060113
09/29/1989	89 061412	Canceled	XE - ECLIPS License - Entertainment - Gambling Manager Licensee Marlene Thilgen Lower East Side Football Association/Her - ECLIPS License# 0061412
09/29/1988	88 025109	Canceled	XE - ECLIPS License - Entertainment - Gambling Manager Licensee Alan Bloomquist Lower East Side Football - ECLIPS License# 0025109
10/23/1973	73 005605	History	CO - Certificate of Occupancy - Assembly Responsible Party Fred C Oneil Jr - 352923230095
10/23/1973	73 015604	History	CO - Certificate of Occupancy - Assembly Responsible Party Fred C Oneil Jr - 352923230095