



CITY OF SAINT PAUL
Christopher B. Coleman, Mayor

375 Jackson Street, Suite 220
Saint Paul, Minnesota 55101-1806

Telephone: 651-266-8989
Facsimile: 651-266-9124
Web: www.stpaul.gov/dsi

August 2, 2011

Caitlin LaFlash
1619 Dayton Ave
Saint Paul, MN 55104

Dear Ms. LaFlash:

This is to confirm that our office has received your application for a variance from the city's noise ordinance and that it is being processed.

The Department of Safety and Inspections has recommended that a variance be issued to allow the use of a PA sound system for speeches and musical performances from 2:00 p.m. until 7:00 p.m. on August 20, 2011 at the Family Tree Clinic at 1619 Dayton Ave, parking lot.

A public hearing on your request for a variance has been scheduled for **August 17, 2011 5:30 p.m.**, Third Floor, City Council Chambers, at the Saint Paul City Hall/Ramsey County Courthouse, 15 Kellogg Boulevard W., Saint Paul, Minnesota.

You may wish to be present at this hearing to answer any questions that the City Council might have. After the public hearing, the Council may grant, deny, or modify the variance request.

If you have any questions, you can reach Mark Kaisersatt, Environmental Health Specialist, at 651-266-1908, or e-mail him at Mark.Kaisersatt@ci.stpaul.mn.us

Sincerely,

Natasha Murphy
Department of Safety & Inspections
Office Assistant III