

STAMP - Activities

[New Search](#)

[Help using this report](#)

Run Date: 05/26/21 08:46 AM

Sort by Most Recent Date

Starting Date:

House#:

Folder Type: All Folder Types

Ending Date:

Street Name:

Folder Count: 250

Include Same PIN Addresses: Yes

Click on address links below to access mapping services and Ramsey County info.

Click on ID# link below to view detail

PIN:012823210271

Address	In Date	ID #	Status	Type	Description
<u>494 SELBY AVE - HISTORIC/ARCHIVED - Archived</u>					
	10/02/2017	17 172217	Open	RE - Real Estate Assessments	Owner Leo H Gadbois/Mcclay alton Plp
<u>498 Selby Ave - The Happy Gnome</u>					
	04/08/2021	21 251861	Pending	XE - ECLIPS License - Entertainment - Gambling Location	Licensee Bing Enterprises LLC The Gnome - ECLIPS License# 20200001393
	03/11/2021	20 103019	Pending	PF - Police Alarm Permit - Alarm Permit (New) - Commercial	Applicant Leo H Gadbois - Alarm Permit
	08/27/2020	20 069415	Closed	RF - Referral - C of O	Owner Leo H Gadbois/C/O Mcclay-Alton Plp - Follow up on C of O folder approved with corrections.
	08/27/2020	20 069414	Pending	CO - Certificate of Occupancy - Assembly	Responsible Party Purpose Driven Restaurants Llc
	08/17/2020	20 066204	Finaled	E - Electrical Permit - Electrical - Commercial New	Contractor Wallraff Electric Company - install new 100 amp service on back bldg
	08/03/2020	20 061264	Pending	CL - Compliance Checks - Liquor Compliance Check	Licensee Bing Enterprises LLC The Gnome - ECLIPS License# 20200001393
	08/03/2020	20 061261	Pending	CL - Compliance Checks - Liquor Compliance Check	Licensee Bing Enterprises LLC The Gnome - ECLIPS License# 20200001393
	08/03/2020	20 061259	Pending	CL - Compliance Checks - Liquor Compliance Check	Licensee Bing Enterprises LLC The Gnome - ECLIPS License# 20200001393
	08/03/2020	20 061251	Pending	CL - Compliance Checks - Liquor Compliance Check	Licensee Bing Enterprises LLC The Gnome - ECLIPS License# 20200001393
	07/30/2020	20 060718	Finaled	EG - Fire Engineering - Sprinkler / Standpipe Permit - Existing Building - Alter Systems	Contractor Escape Fire Protection - ADD 1 DRY PEND SPRINKLER HEAD IN COOLER
	07/27/2020	20 059102	Canceled	EG - Fire Engineering - Alarm Permit - Existing Building - Alter Systems	Contractor Wallraff Electric Company - Move Fire horn/strobe *****NO ALARM WORK***** 120V WORK ONLY*****
	07/27/2020	20 059100	Finaled	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor Wallraff Electric Company - Move Fire horn/strobe
	07/22/2020	20 058167	Finaled	W - Warm Air, Ventilation & General Sheet - Ventilation Only - Residential Repair/Alter	Contractor John Spencer All Systems Mechanical LLC - HAPPY GNOME REPLACE (4) 2 X 2 SUPPLY AIR DIFFUSERS IN THE KITCHEN WITH PERFORATED ONES.
	07/16/2020	20 056267	Closed	RF - Referral - Citizen Complaint	Owner Leo H Gadbois/C/O Mcclay-Alton Plp - Black plastic tube draining water to the public sidewalk MacKubin St.
	07/16/2020	20 056266	In Compliance	CS - CSO Complaint - Certificate of Occupancy - Complaint	Black plastic tube draining water to the public sidewalk MacKubin St.
	07/06/2020	20 048972	Finaled	PG - Plumbing/Gasfitting/Inside Water Piping - Gasfitting Only - Commercial Replace	Contractor Richard Peterson Cities 1 Plumbing And Heating Inc - RUN GAS TO GRILL, 2 COOKTOPS AND 2 FRYERS. INSTALL ANSUI VALVE
	06/25/2020	20 046387	Rejected	PG - Plumbing/Gasfitting/Inside	Contractor Richard Peterson Cities 1

			Water Piping - Gasfitting Only - Commercial Replace	Plumbing And Heating Inc - Replace / run gas lines to 5 gas fixtures - grill, 2 cooktops and 2 fryers. Install ansul valve.
06/22/2020	20 045112	Finald	EG - Fire Engineering - Special Extinguishing System - Existing Building - Alter Systems	Contractor Nardini Fire Equipment Co Inc - THE GNOME INSTALLATION OF A MANIFOLDED 6 GALLON R102 SYSTEM IN EXISTING HOOD
06/09/2020	20 040929	Finald	M - Mechanical Permit - Refrigeration - Commercial Repair/Alter	Contractor Marvin Huss Custom Refrigeration Inc - INSTALLATION OF REFRIGERATION SYSTEM ON TOP OF WALKIN BOX; NO MODIFICATIONS MADE TO STRUCTURE
06/08/2020	20 040662	Finald	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor Wallraff Electric Company - Restaurant remodel
06/05/2020	20 040360	Active Pending Ren	XL - ECLIPS License - Liquor - Liquor-Outdoor Service Area (Patio)	Licensee Bing Enterprises LLC The Gnome - ECLIPS License# 20200001393
06/05/2020	20 040353	Active Pending Ren	XE - ECLIPS License - Entertainment - Entertainment (B)	Licensee Bing Enterprises LLC The Gnome - ECLIPS License# 20200001393
06/05/2020	20 040359	Active Pending Ren	XL - ECLIPS License - Liquor - Liquor On Sale - 2 AM Closing	Licensee Bing Enterprises LLC The Gnome - ECLIPS License# 20200001393
06/05/2020	20 040351	Active Pending Ren	XL - ECLIPS License - Liquor - Liquor On Sale - Sunday	Licensee Bing Enterprises LLC The Gnome - ECLIPS License# 20200001393
06/05/2020	20 040357	Active Pending Ren	XL - ECLIPS License - Liquor - Liquor On Sale - 101-180 Seats	Licensee Bing Enterprises LLC The Gnome - ECLIPS License# 20200001393
06/03/2020	20 039332	Abandoned	M - Mechanical Permit - Refrigeration - Commercial New	Contractor Marvin Huss Custom Refrigeration Inc - dfljaskdjf;lasdf
06/03/2020	20 039322	Abandoned	M - Mechanical Permit - Refrigeration - Commercial New	Contractor Marvin Huss Custom Refrigeration Inc - Installation of customer supplied refrigeration system. Receive and set walk-in panels. Pull permit and start/test operation of system.
06/01/2020	20 038671	Finald	PG - Plumbing/Gasfitting/Inside Water Piping - Plumbing/Inside Water (All) - Commercial Repair	Contractor Merle Steinkraus Steinkraus Plumbing Inc - Add grease trap and bring 3-compartment sink and dish machine to code
05/27/2020	20 037740	Withdrawn	B - Building Permit - Commercial - Repair	Contractor Brian Ingram - WITHDRAWN - DUPLICATE PERMIT. REPLACE ROTTEN BASEBOARDS, NEW DRYWALL AND FRP IN AREAS IN KITCHEN, REPLACING ROTTEN BOARDS ON PATIO
05/27/2020	20 037717	Finald	B - Building Permit - Commercial - Repair	Contractor Brian Ingram Bing Concepts - Misc. Minor Repairs. THE GNOME REPLACE ROTTEN BASEBOARDS, NEW DRYWALL AND FRP IN AREAS IN KITCHEN, REPLACING ROTTEN BOARDS ON PATIO
05/19/2020	20 035419	Finald	EG - Fire Engineering - Sprinkler / Standpipe Permit - Repair	Contractor Brian Hoffman Dynamic Fire Protection Inc - capp off sprinklers feeding outside canopy getting demoed
02/21/2020	20 014666	In Compliance	CS - CSO Complaint - Snow Walk - Complaint	02/21/2020 Snow Walk Complaint Received regarding the large ice build-up on the sidewalk towards the back of the building by the parking lot exit.
01/13/2020	20 004857	Closed	RF - Referral - Citizen Complaint	Owner Leo H Gadbois/C/O Mcclay-Alton Plp - 1/13/2020 - SPRWS Shut-off list
01/13/2020	20 004856	Resolved	CS - CSO Complaint - Shut Off - Complaint	1/13/2020 - SPRWS Shut-off list
01/08/2020	20 003793	Closed	RF - Referral - Citizen Complaint	Owner Leo H Gadbois/C/O Mcclay-Alton Plp - 1/8/20 RF for vacant commercial space. gn

01/07/2020	20 003517	Closed	PA - Parks Summary Abatement - Garbage Rubbish	Owner Leo H Gadbois/C/O Mcclay-Alton Plp - Remove improperly stored or accumulated refuse which may include: garbage, rubbish, loose and scattered litter, discarded furniture, appliances, vehicle parts, scrap wood and metal, recycling materials, household items, building materials or rubble, tires, brush, etc., from entire property including yard, boulevard, alley, and driveway. REMOVE AND PROPERLY DISPOSE OF EXCESS GARBAGE NEAR BINS.
12/27/2019	19 111097	Resolved	CS - CSO Complaint - Garbage Rubbish - Complaint	trash has not been picked up at "The Happy Gnome"
06/28/2019	19 058978	Resolved	CS - CSO Complaint - Garbage Rubbish - Complaint	grease pan in the alley and grease all over the ground
04/03/2019	19 027698	Finaled	TP - Tent Permit - Tent	Tent Supplier Ultimate Events - FIRKIN FEST & WORLD'S LARGEST BLOODY MARY BAR (1) 50'L X 75'W = 3750 SQ FT & (1) 20'L X 40'W = 800 SQ FT
02/14/2019	19 011046	Resolved	CS - CSO Complaint - Snow Walk - Complaint	02/14/2019 Snow Walk Complaint Received.
01/31/2019	19 007576	Certified	CO - Certificate of Occupancy - Assembly	Responsible Party Purpose Driven Restaurants Llc
12/17/2018	18 131756	Expired	PG - Plumbing/Gasfitting/Inside Water Piping - Plumbing/Inside Water (All) - Commercial Replace	Contractor Joseph Peters Peters Plumbing LLC - Replace water heater
04/23/2018	18 055079	Finaled	EG - Fire Engineering - Hazardous Materials - Tank - Aboveground Outside	Contractor Craig Holmer Alliance Mechanical Services Inc - INSTALL 1 - 120 GALLON LP TANK FOR TENT HEAT
04/11/2018	18 051420	Canceled	EG - Fire Engineering - Hazardous Materials - Tank - Aboveground Outside	(1) 120 GAL TANK FOR EVENT. This Folder was Cancelled during the Automatic Add phase.
04/10/2018	18 050919	Closed	PA - Parks Summary Abatement - Snow Ice	Owner Leo H Gadbois/Mcclay alton Plp - Remove snow and ice from public sidewalk full width including sidewalk ramp to street, salt and sand as needed. Thanks!
04/05/2018	18 049767	Resolved	CS - CSO Complaint - Snow Walk - Complaint	04/05/2018 Snow Walk Complaint Received.
03/29/2018	18 047942	Canceled	TP - Tent Permit - Tent	Tent Supplier Ultimate Events - THE HAPPY GNOME - 04/07 & 8 /2018 - 2 FRAME TENTS: 50' X 90' & 20' X 40' TOTAL SQFT 5,300. 03/30/2018 Duplicated - Already emailed James P. to withdraw it. ZL
03/28/2018	18 047528	Finaled	TP - Tent Permit - Tent	Tent Supplier Ultimate Events - THE HAPPY GNOME -(1) 50' X 90' TENT, (1) 20' x 40' TENT
10/02/2017	17 172217	Open	RE - Real Estate Assessments	Owner Leo H Gadbois/Mcclay alton Plp
03/30/2017	17 024594	Finaled	TP - Tent Permit - Tent	Tent Supplier Ultimate Events - THE HAPPY GNOME - 4/8-4/9 - 5,300 SQ FT TENT, 4 SIDES ENCLOSED
03/21/2017	17 021413	Certified	CO - Certificate of Occupancy - Assembly	Responsible Party Happy Gnome/Weston Seifert
03/12/2017	17 018780	Finaled	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor Steve Sponsler Powerhouse Electric Services LLC - Wire two make up air
03/10/2017	17 018411	Abandoned	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor Steve Sponsler Powerhouse Electric Services LLC - Wire 2 new make up air units
03/10/2017	17 018396	Abandoned	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor Steve Sponsler Powerhouse Electric Services LLC - Wire 2 new make up air units
01/27/2017	17 007192	Finaled	M - Mechanical Permit - Gas - Commercial Replace	Contractor Clint Anderson Legacy Companies Inc - CHANGE OUT EXISTING MUA THAT SERVES THE 1ST FLR KITCHEN HOOD (LIKE FOR

01/27/2017	17 007185	Finaled	W - Warm Air, Ventilation & General Sheet - Warm Air & Ventilation - Commercial Replace	LIKE). ADD MUA AND PSP PANEL TO SERVE THE 2ND FLR KITCHEN HOOD (NO MUA PREVIOUS) AND GAS PIPING. Contractor Clint Anderson Legacy Companies Inc - CHANGE OUT EXISTING MUA THAT SERVES 1ST FLR KITCHEN HOOD (LIKE FOR LIKE), GAS DISCONNECT AND RE-CONNECT, ADD MUA AND PSP PANEL TO SERVE 2ND FLR EXISTING KITCHEN HOOD (NO MUA PREVIOUS), GAS, DUCT TO PSP PANEL.
01/25/2017	17 006409	Abandoned	M - Mechanical Permit - Gas - Commercial Replace	Contractor Clint Anderson Legacy Companies Inc - Change out MUA that serves 1st flr kitchen hood (like for like) Add MUA and PSP panel for 2nd flr kitchen hood (no MUA previous)
12/06/2016	16 104503	Finaled	EG - Fire Engineering - Sprinkler / Standpipe Permit - Repair	Contractor Diane Wendt Summit Companies - replace sprinkler head over glass washer with a non-corrosive sprinkler head.
12/06/2016	16 104502	Abandoned	EG - Fire Engineering - Sprinkler / Standpipe Permit - Repair	Contractor Diane Wendt Summit Companies - replace sprinkler head over glass washer with a non-corrosive sprinkler head.
03/03/2016	16 015422	Finaled	TP - Tent Permit - Tent	Tent Supplier Apres Event Decor & Tent Rental - THE HAPPY GNOME
03/30/2015	15 022102	Finaled	TP - Tent Permit - Tent	Tent Supplier Midway Party Rental - (2) TENTS AT FIRKIN FEST (1) 50' X 90' AND (1) 20' X 40'
03/18/2014	14 187616	History	CO - Certificate of Occupancy - Assembly	Responsible Party Happy Gnome/Weston Seifert
03/18/2014	14 187689	Finaled	EG - Fire Engineering - Hazardous Materials - Tank - Aboveground Outside	Contractor Ferrellgas - Install 4 - 120 gallon LP tanks for tent heat
03/12/2014	14 186422	Expired	B - Building Permit - Commercial - Repair	Contractor Ultimate Events - Other-See Comments. PLANS ON FILE WITH BRIAN KARPEN - "ESPAN"
02/21/2014	14 097334	Issued	FW - Fireworks - Display - Special Effects	Post Crashed Ice celebration
02/03/2014	14 092243	Resolved	CS - CSO Complaint - Snow Walk - Complaint	02/03/2014 Snow Walk Complaint Received.
09/09/2013	13 230078	Open	CS - CSO Complaint - Crime - Complaint	loud music and flashing lights can be heard/seen up to midnight from across the street with all windows of my residence closed. Upper floor
07/15/2013	13 209683	Finaled	EG - Fire Engineering - Sprinkler / Standpipe Permit - Existing Building - Alter Systems	Contractor Rich Poole Viking Automatic Sprinkler Company - Change out corroded head. Relocate head in hallway
06/07/2013	13 194690	Resolved	CS - CSO Complaint - Tall Grass - Complaint	06/07/2013 Tall Grass Complaint Received.
05/10/2013	13 183460	Scheduled	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment The Happy Gnome
04/23/2013	13 182830	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment The Happy Gnome
04/23/2013	12 017441	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment The Happy Gnome
03/26/2013	13 166830	Finaled	EG - Fire Engineering - Hazardous Materials - Tank - Aboveground Outside	Contractor Ferrellgas - (4) 120 gallon propane tanks for temp heat
03/13/2013	13 162959	Resolved	CS - CSO Complaint - Snow Walk - Complaint	03/13/2013 Snow Walk Complaint Received.
03/07/2013	13 160626	Finaled	TP - Tent Permit - Tent	Tent Supplier Ultimate Events - 2 TENTS (1) 60'X120' & (1) 20'X30' FIRKIN FEST 2013
01/22/2013	13 145790	Finaled	BS - Billboard / Sign - Temporary Sign - Commercial New	Contractor Catherine Pflueger The Happy Gnome - COPY TO READ "THE KALISPELL FIVE"
01/11/2013	13 143016	In Compliance	CS - CSO Complaint - Zoning - Complaint	Banners Without Permits

01/08/2013	13 141373	Finald	EG - Fire Engineering - Sprinkler / Standpipe Permit - Existing Building - Alter Systems	Contractor Diane Wendt Summit Companies - REPLACE WAFER CHECK VALVE
08/16/2012	12 090436	History	RS - Restaurant Inspection - High Risk - Plan Review Inspection	Establishment Bravura
08/14/2012	09 319978	Closed	FE - Food Special Event - No Risk - Routine Inspection	Establishment Saint Paul Scotch & Whiskey Fest - OCT 24, 2009 - THE HAPPY GNOME 498 SELBY
07/24/2012	12 090391	History	RS - Restaurant Inspection - High Risk - Plan Review Inspection	Establishment The Happy Gnome
07/13/2012	12 081358	Canceled	XF - ECLIPS Food Related - Food Vehicle	Licensee Leonard Anderson Bravura LLC - ECLIPS License# 20120003320
07/13/2012	12 081364	Canceled	XF - ECLIPS Food Related - Catering	Licensee Leonard Anderson Bravura LLC - ECLIPS License# 20120003320
05/02/2012	12 052240	Approved	HP - Heritage Preservation Cases - Administrative Review	Applicant Inna Bodnar CC: ERIC WASSATHER Intelligent Design Corp - Install EPDM on flat roof, fully adhere with brown drip edge to match existing.
04/27/2012	12 050141	Finald	B - Building Permit - Commercial - Repair	Contractor Inna Bodnar CC: ERIC WASSATHER Intelligent Design Corp - HAPPY GNOME Other-See Comments.
04/17/2012	12 046321	Closed	RF - Referral - Citizen Complaint	Owner Leo H Gadbois/Mcclay alton
04/17/2012	12 046320	In Compliance	CS - CSO Complaint - Certificate of Occupancy - Complaint	PIIp - Deteriorated fence on property. Deteriorated fence on property.
03/19/2012	12 034366	Finald	TP - Tent Permit - Tent	Tent Supplier Ultimate Events - Frikin Fest 2012
02/01/2012	12 012223	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment The Happy Gnome
01/24/2012	10 918636	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment The Happy Gnome
10/25/2011	11 292622	Finald	B - Building Permit - Commercial - Repair	Contractor Inna Bodnar CC: ERIC WASSATHER Intelligent Design Corp - N/A. HAPPY GNOME RESTAURANT - FAX PERMIT WHEN READY, FAX 763-315-6628.
10/24/2011	11 292147	Approved	HP - Heritage Preservation Cases - Administrative Review	Applicant Mr Larry Roepke - Note: Sent to DSI - 10-24-11 - BMW Remove and replace shingles on the hippe roof and tower. Shingles will be Owens Corning Architectural in the Teak color. The decorative metal work on the roof hips and tower will be painted brown to match the shingles. Low-profile vents will be installed on the hipped roof as well as a new metal ridge vent.
06/27/2011	11 243955	Resolved	CS - CSO Complaint - Tall Grass - Complaint	TGW
04/05/2011	11 116735	History	CO - Certificate of Occupancy - Assembly	Responsible Party Happy Gnome/Weston Seifert - 012823210271
03/30/2011	11 114014	Finald	EG - Fire Engineering - Sprinkler / Standpipe Permit - Existing Building - Alter Systems	Contractor Diane Wendt Summit Companies - replace corroded heads in womens 1st fl restroom, behind bar, near dishwasher, mop closet and in kitchen near hood. install head in 2nd fl kitchen, 2nd fl compressor room and 1st fl hallway by coolers
03/30/2011	11 114019	Finald	EG - Fire Engineering - Special Extinguishing System - Existing Building - Alter Systems	ADD NOZZLE PROTECTION OVER THE 6-BURNER RANGE AND GRIDDLE
03/23/2011	11 111719	Closed	RF - Referral - License Inspection	Owner Leo H Gadbois/Mcclay alton
03/03/2011	11 105466	Resolved	CS - CSO Complaint - Snow Walk - Complaint	PIIp - Tent permit and inspection
02/11/2011	11 015037	Resolved	CS - CSO Complaint - Tree -	tre branches hanging very low between

			Complaint	sidewalk/parking lot hitting pedestrians as they walk by
11/03/2010	10 904414	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment The Happy Gnome
09/29/2010	09 046885	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment The Happy Gnome
04/26/2010	10 311343	Final	SS - PW Sewer Permit - Sanitary - Repair	Contractor Anthony Curella Commercial Utilities - Contractor is doing a complete sewer service replacement, building to main.
04/26/2010	10 311357	Final	RW - PW Right of Way Permit - Excavation - Utility	Contractor Anthony Curella Commercial Utilities
03/16/2010	10 122491	Final	EG - Fire Engineering - Hazardous Materials - Existing Building - Alter Systems	Contractor Jim Johnson Quality Propane Inc - Install 3 aboveground, 420 lb, UL Listed, propane tank.
10/26/2009	09 305118	Resolved	CS - CSO Complaint - License - Complaint	Selling alcohol to minors.
10/23/2009	09 304310	Final	EG - Fire Engineering - Hazardous Materials - Existing Building - Alter Systems	Contractor Jim Johnson Quality Propane Inc - INSTALL 3, ABOVEGROUND, 420 #, UL LISTED, PROPANE TANKS.
05/06/2009	09 067186	History	CO - Certificate of Occupancy - Assembly	Responsible Party Happy Gnome/Weston Seifert - 012823210271
03/25/2009	08 023632	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment The Happy Gnome
03/25/2009	09 046432	Final	EG - Fire Engineering - Hazardous Materials - Tank - Aboveground Outside	Contractor Jim Johnson Quality Propane Inc - Install (3) Aboveground 420# UL listed Propane tanks.
12/04/2008	08 214956	Closed	CL - Compliance Checks - Liquor Compliance Check	Licensee The Happy Gnome - ECLIPS License# 20050004074
11/15/2008	08 138569	Canceled	XF - ECLIPS Food Related - Restaurant (5) - 151 and Over	Licensee The Happy Gnome - ECLIPS License# 20050004074
11/15/2008	08 138634	Canceled	XL - ECLIPS License - Liquor - Liquor On Sale - 181-290 Seats	Licensee The Happy Gnome - ECLIPS License# 20050004074
09/19/2008	08 157480	Closed	FE - Food Special Event - No Risk - Routine Inspection	Establishment October Fest - SEPT 19- 21, 2008 - 498 SELBY AVE
09/16/2008	08 151009	Closed	RF - Referral - Citizen Complaint	Owner Leo H Gadbois/C/O McClay-Alton Plp - Report of Inspection - 6/30/08 - Summit Fire
08/26/2008	08 138635	Closed	CL - Compliance Checks - Liquor Compliance Check	Licensee The Happy Gnome - ECLIPS License# 20050004074
08/13/2008	08 131826	Canceled	XL - ECLIPS License - Liquor - Liquor On Sale - 2 AM Closing	Licensee The Happy Gnome - ECLIPS License# 20050004074
06/27/2008	08 102434	Closed	CS - CSO Complaint - License - Complaint	The bar has entertainment that went until 11:20 on Wed. the 25th of June. Not sure if the music is on the patio or if the door is left open but it could be heard at their home. Called the bar when they could not get to sleep and was told it would be done at 10:30. Hopes this isn't an ongoing event.
03/17/2008	08 043213	Final	EG - Fire Engineering - Hazardous Materials - Tank - Aboveground Outside	Contractor Quality Propane Inc - INSTALL 3 - 420 LB LP CYLINDERS FOR TENT HEATING
02/06/2008	08 020234	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment The Happy Gnome
01/31/2008	07 027257	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment The Happy Gnome
11/20/2007	07 202893	Closed	CL - Compliance Checks - Liquor Compliance Check	Licensee The Happy Gnome - ECLIPS License# 20050004074
11/20/2007	07 202895	Closed	CL - Compliance Checks - Liquor Compliance Check	Licensee The Happy Gnome - ECLIPS License# 20050004074
10/17/2007	07 174816	Closed	RF - Referral - Citizen Complaint	Owner Leo H Gadbois/C/O McClay-Alton Plp - DEFICIENCY PER SUMMIT REPORT DATED 5/18/07
10/04/2007	07 168184	Closed	RF - Referral - Citizen Complaint	Owner Leo H Gadbois/C/O McClay-Alton Plp - HAPPY GNOME - ALARM DEFICIENCY PER NORTHLAND REPORT

09/17/2007	07 153124	Closed	FE - Food Special Event - No Risk - Routine Inspection	Establishment October Fest - SEP 28-30, 2007 - IN TENT AT 498 SELBY AVE
05/25/2007	07 084891	Closed	CS - CSO Complaint - Exterior Complaint	Boards stacked up against fence in back
05/02/2007	06 126331	Closed	FE - Food Special Event - No Risk - Routine Inspection	Establishment Oktoberfest Happy Gnome - SEPT 23, 2006 - 498 SELBY
04/16/2007	07 062288	Closed	RF - Referral - C of O	Owner Leo H Gadbois/C/O Mcclay-Alton Plp - Follow up on C of O folder approved with corrections.
04/16/2007	07 062287	History	CO - Certificate of Occupancy - Assembly	Responsible Party Happy Gnome/Weston Seifert - 012823210271
03/16/2007	07 046543	Finalled	EG - Fire Engineering - Hazardous Materials - Tank - Aboveground Outside	Contractor Quality Propane Inc - HAPPY KNOME --THREE 100# PROPANE TANKS
02/15/2007	06 111498	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment The Happy Gnome
02/15/2007	07 023320	Closed	CS - CSO Complaint - Exterior Complaint	Lift parked in back of property the Happy Gnome
11/03/2006	06 262904	Closed	CL - Compliance Checks - Tobacco Compliance Check	Licensee The Happy Gnome - ECLIPS License# 20050004074
11/03/2006	06 262189	Closed	CL - Compliance Checks - Liquor Compliance Check	Licensee The Happy Gnome - ECLIPS License# 20050004074
07/17/2006	05 210528	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment The Happy Gnome
06/13/2006	06 096454	Finalled	E - Electrical Permit - Service & Circuits - Commercial Repair/Alter	Contractor Floyd DeHate Arrow Electrical Contractors
03/09/2006	06 052160	Closed	CS - CSO Complaint - Exterior Complaint	accessory structure
02/02/2006	06 015759	Inactive	PG - Plumbing/Gasfitting/Inside Water Piping - Gasfitting Only - Commercial Alter	Contractor Gregory Ryan Ryan Plumbing & Heating CO - 02/07/2007: Automatically closed by system due to no activity in one year.
12/30/2005	05 188131	Canceled	XE - ECLIPS License - Entertainment - Entertainment (B)	Licensee The Happy Gnome - ECLIPS License# 20050004074
12/16/2005	05 218631	Closed	RF - Referral - Citizen Complaint	Owner Western State Bank - Rear door sticking.
12/06/2005	05 211360	Finalled	E - Electrical Permit - Service & Circuits - Commercial Repair/Alter	Contractor Snyder Electric Co
12/06/2005	05 211368	Inactive	PG - Plumbing/Gasfitting/Inside Water Piping - Plumbing/Inside Water (All) - Commercial Replace	Contractor Donald Weld Weld & Sons - 02/07/2007: Automatically closed by system due to no activity in one year.
12/01/2005	05 196221	History	RS - Restaurant Inspection - High Risk - Plan Review Inspection	Establishment The Happy Gnome
11/23/2005	05 188132	Canceled	XS - ECLIPS License - Miscellaneous - Cigarette/Tobacco	Licensee The Happy Gnome - ECLIPS License# 20050004074
11/23/2005	05 188133	Canceled	XF - ECLIPS Food Related - Restaurant (B) - more than 12 seats	Licensee The Happy Gnome - ECLIPS License# 20050004074
11/23/2005	05 188134	Canceled	XL - ECLIPS License - Liquor - Liquor On Sale - Sunday	Licensee The Happy Gnome - ECLIPS License# 20050004074
11/23/2005	05 188135	Canceled	XL - ECLIPS License - Liquor - Liquor On Sale - Over 200 seats (A)	Licensee The Happy Gnome - ECLIPS License# 20050004074
11/23/2005	05 193787	Canceled	XL - ECLIPS License - Liquor - Liquor-Outdoor Service Area (Patio)	Licensee The Happy Gnome - ECLIPS License# 20050004074
11/23/2005	05 193788	Withdrawn	XF - ECLIPS Food Related - Restaurant (E) - Extension	Licensee The Happy Gnome - ECLIPS License# 20050004074
11/23/2005	05 198560	Canceled	XL - ECLIPS License - Liquor - Liquor On Sale - 2 AM Closing	Licensee The Happy Gnome - ECLIPS License# 20050004074
11/23/2005	05 209094	Canceled	XF - ECLIPS Food Related - Restaurant (D) - Add-on	Licensee The Happy Gnome - ECLIPS License# 20050004074
11/23/2005	05 209095	Canceled	XF - ECLIPS Food Related -	Licensee The Happy Gnome - ECLIPS

			Restaurant (D) - Add-on (Bar Only)	License# 20050004074
11/10/2005	05 197313	Expired	B - Building Permit - Commercial - Remodel	Contractor Nick Miller - 06/27/2007: Automatically closed by system due to no activity in one year.
11/10/2005	05 197318	Final	FN - Fence Permit - Fence Permit - Commercial	Contractor Nick Miller
11/10/2005	05 197325	Expired	BS - Billboard / Sign - Signs - Commercial Replace	Contractor Nick Miller - COPY TO READ: THE HAPPY GNOME.
11/08/2005	05 194433	Final	EG - Fire Engineering - Sprinkler / Standpipe Permit - Existing Building - Alter Systems	Happy Gnome - Relocate three heads around bar.
10/18/2005	05 179801	History	RS - Restaurant Inspection - High Risk - Plan Review Inspection	Establishment The Happy Gnome
09/20/2005	05 159358	Closed	PA - Parks Summary Abatement - Tall Grass	Owner Western State Bank - Cut tall grass and weeds around bldg. , blvd and parking lot.
09/08/2005	05 155283	Closed	CS - CSO Complaint - Exterior - Complaint	Overgrown weeds in the front and along the parking lot side
06/29/2005	04 091191	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Chang O'Hara'S Bistro
02/09/2005	05 062421	History	CO - Certificate of Occupancy - Assembly	Responsible Party Happy Gnome/Weston Seifert - 012823210271
05/18/2004	03 298878	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Chang O'Hara'S Bistro
08/06/2003	03 392520	Canceled	XL - ECLIPS License - Liquor - Liquor On Sale - 2 AM Closing	Licensee Chang O'Hara'S Bistro - ECLIPS License# 0049335
06/03/2003	03 309399	History	CO - Certificate of Occupancy - Assembly	Responsible Party Leo Gadbois - 012823210271
05/12/2003	03 290584	History	RS - Restaurant Inspection - High Risk - Plan Review Inspection	Establishment Chang O'Hara'S Bistro
04/25/2003	03 285331	History	RS - Restaurant Inspection - High Risk - Plan Review Inspection	Establishment Chang O'Hara'S Bistro
04/15/2003	02 135001	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Chang O'Hara'S Bistro
09/23/2002	02 225097	Final	E - Electrical Permit - Service & Circuits - Commercial Repair/Alter	Contractor Electric Connection L L C
07/25/2002	02 141408	Final	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor Weber Electric Inc
06/25/2002	02 122508	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Chang O'Hara'S Bistro
06/04/2002	02 128847	Closed	CS - CSO Complaint - Exterior - Complaint	Fence down behind building
05/22/2002	02 126141	Final	FN - Fence Permit - Fence Permit - Commercial	Contractor Leo H Gadbois
05/21/2002	02 125662	Closed without Approval	B - Building Permit - Commercial - Remodel	Contractor Wagner & Lang Construction Inc - 08-Aug-2003: FOLDER CLOSED BY SYSTEM DUE TO NO ACTIVITY IN ONE YEAR. Moved bar from north wall to west wall -- it will be less visible. Closed without final approval
05/10/2002	02 107663	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Chang O'Hara'S Bistro
04/16/2002	02 049335	Canceled	XF - ECLIPS Food Related - Restaurant (E) - Extension	Licensee Chang O'Hara'S Bistro - ECLIPS License# 0049335
04/02/2002	01 211345	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Chang O'Hara'S Bistro
12/06/2001	01 239309	Closed	CS - CSO Complaint - Exterior - Complaint	Two vehicles parked in this parking for about two years both have expired tabs and both are van type vehicles: MYY 573 - tabs expired in '88; BY 51690 - tabs expired in '99; Vehicles owned by the owners of this restaurant.

10/05/2001	01 227594	Closed	CS - CSO Complaint - License - Complaint	Chang O'hara's is selling liquor to minors. This came as an e-mail-anonymous
10/01/2001	01 226551	Finald	EG - Fire Engineering - Special Extinguishing System - Existing Building - Alter Systems	Contractor Northland Fire Protection Inc. - REMOVAL OF POWDER SUPPRESSION SYSTEM AND INSTALLATION OF A NEW ANSUL UL 300 WET CHEMICAL SYSTEM.
06/21/2001	01 209852	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Chang O'Hara'S Bistro
06/08/2001	01 209588	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Chang O'Hara'S Bistro
06/07/2001	00 134561	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Chang O'Hara'S Bistro
05/18/2001	01 205245	Active	PS - Pre-Fire Survey - Assembly	Owner Western State Bank
03/13/2001	01 022479	History	CO - Certificate of Occupancy - Assembly	Responsible Party Leo Gadbois - 012823210271
06/29/2000	00 130280	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Chang O'Hara'S Bistro
05/31/2000	99 000883	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Chang O'Hara'S Bistro
12/30/1999	99 179933	Finald	B - Building Permit - Commercial - Repair	Contractor Level Edge Construction Inc - .Reshingle(w/TearOff).. Closed without final approval
07/15/1999	00 015887	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Chang O'Hara'S Bistro
07/15/1999	99 005069	Closed	EC - Environmental Complaint History (DC)	SUSPECTED FBI COMPLAINT RECEIVED FROM MN EPI; SEE FILE FOR DETAILS.
06/29/1999	00 013141	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Chang O'Hara'S Bistro
06/29/1999	99 005616	Closed	EC - Environmental Complaint History (DC)	SUSPECTED FBI COMPLAINT RECEIVED FROM MN EPI; SEE FILE FOR DETAILS.
06/22/1999	00 007782	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Chang O'Hara'S Bistro
06/22/1999	99 005584	Closed	EC - Environmental Complaint History (DC)	SUSPECTED FBI COMPLAINT RECEIVED FROM MN EPI; SEE FILE FOR DETAILS.
04/07/1999	99 012087	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Chang O'Hara'S Bistro
04/10/1998	99 005221	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Chang O'Hara'S Bistro
03/25/1998	99 017227	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Chang O'Hara'S Bistro
03/11/1998	98 006926	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Chang O'Hara'S Bistro
03/04/1997	96 011488	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Chang O'Hara'S Bistro
03/04/1997	99 003213	Closed	EC - Environmental Complaint History (DC)	THREE PEOPLE ATE HERE ON 2/02/97. ALL THREE HAD DIFFERENT FOODS EXCEPT ALL ATE SALAD WITH VINAIGRETTE DRESSING. ALL THREE HAD CRAMPS AND DIARRHEA WITH SYMPTOMS STARTING 4 TO 15 HOURS LATER. KKO .
11/25/1996	96 007775	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Chang O'Hara'S Bistro
11/25/1996	99 003606	Closed	EC - Environmental Complaint History (DC)	From MN Dept of Health. Complainant ate on 11/12/96, 7:00pm Had 3 in party, 1 ill-she, age 33, had chicken sandwich - goat cheese, lettuce & garlic on it, french fries, fried wontons, Coke. Husband had hamburger/lettuce, fries. 3rd person, friend, had something different. Ill person on 11/12 ate nothing else. 11/10/96 spaghetti at Buca St. Paul for dinner. 11/11/96 ate leftover spaghetti from Buca for dinner.

				11/12, Chang O'Hara's, 11/13/96 at 2:00am started nausea, vomiting, cramps, diarrhea, black tongue, lasted 7 hours. See FBI form for info. kko .
09/10/1996	99 003711	History	EC - Environmental Complaint History (DC) - No Risk - Routine Inspection	
09/10/1996	99 004612	Closed	EC - Environmental Complaint History (DC)	Complainant says that the patio has been very loud with customers out until very late at night. Sometimes the music is too loud. Can someone ask them to monitor their customers better? And keep the music from coming onto the patio. kko
07/17/1996	96 011872	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Chang O'Hara'S Bistro
07/17/1996	99 005498	Closed	EC - Environmental Complaint History (DC)	Complainant, female age 44. 2 people in group, 1 or maybe 2 ill. Complainant ate dinner salad with Szechuan dressing, steak entree, glass of creme de casse wine. Mushrooms on steak, garlic bread. See FBI form for more information. Taken by TAG .
06/13/1996	96 T76152	Complete	XP - ECLIPS License - Temporary - Liquor-Extension of Service Area	Licensee Chang O'Hara'S Bistro - ECLIPS License# 00T76152
06/11/1996	94 012025	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Chang O'Hara'S Bistro
10/06/1995	95 T83661	Complete	XP - ECLIPS License - Temporary - Liquor-Extension of Service Area	Licensee Chang O'Hara'S Bistro - ECLIPS License# 00T83661
06/24/1995	95 014960	History	EC - Environmental Complaint History (DC) - No Risk - Routine Inspection	
06/24/1995	99 006303	Closed	EC - Environmental Complaint History (DC)	From Mayor's Complaint Office 6/26/95. Complainant says O'Hara's Bar is again having a jazz festival this weekend. They had them the past two years and the noise was terrible. There were hundreds of people there. Was a permit given for more than one day? Would like the police and EMT to monitor this location. 6/26/95 KKO
07/14/1994	94 T70956	Complete	XP - ECLIPS License - Temporary - Liquor-Extension of Service Area	Licensee Chang O'Hara'S Bistro - ECLIPS License# 00T70956
05/02/1994	94 016509	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Chang O'Hara'S Bistro
11/12/1993	99 019282	History	RS - Restaurant Inspection - No Risk - Routine Inspection	Establishment Chang O'Hara'S Bistro
10/01/1993	93 T15351	Complete	XP - ECLIPS License - Temporary - Liquor-Extension of Service Area	Licensee Chang O'Hara'S Bistro - ECLIPS License# 00T15351
09/02/1993	99 002786	Closed	EC - Environmental Complaint History (DC)	CONVERTED FROM PARADOX SYSTEM. NO NARRATIVE.
09/02/1993	99 019219	History	RS - Restaurant Inspection - No Risk - Routine Inspection	Establishment Chang O'Hara'S Bistro
04/16/1993	99 019318	History	RS - Restaurant Inspection - No Risk - Routine Inspection	Establishment Chang O'Hara'S Bistro
04/01/1993	93 089694	Canceled	XS - ECLIPS License - Miscellaneous - Cigarette/Tobacco	Licensee Chang O'Hara'S Bistro - ECLIPS License# 0089694
03/05/1993	99 019245	History	RS - Restaurant Inspection - No Risk - Routine Inspection	Establishment Chang O'Hara'S Bistro
03/01/1993	93 049335	Canceled	XF - ECLIPS Food Related - Restaurant (B) - more than 12 seats	Licensee Chang O'Hara'S Bistro - ECLIPS License# 0049335
03/01/1993	93 049335	Canceled	XE - ECLIPS License - Entertainment - Entertainment (B)	Licensee Chang O'Hara'S Bistro - ECLIPS License# 0049335

03/01/1993	93 049335	Canceled	XL - ECLIPS License - Liquor - Liquor On Sale - Over 100 seats (B)	Licensee Chang O'Hara'S Bistro - ECLIPS License# 0049335
03/01/1993	93 049335	Canceled	XL - ECLIPS License - Liquor - Liquor On Sale - Sunday	Licensee Chang O'Hara'S Bistro - ECLIPS License# 0049335
03/01/1993	93 049335	Canceled	XL - ECLIPS License - Liquor - Liquor-Outdoor Service Area (Patio)	Licensee Chang O'Hara'S Bistro - ECLIPS License# 0049335
03/01/1993	93 049335	Canceled	XS - ECLIPS License - Miscellaneous - Cigarette/Tobacco	Licensee Chang O'Hara'S Bistro - ECLIPS License# 0049335
02/26/1993	99 019269	History	RS - Restaurant Inspection - No Establishment Risk - Plan Review Inspection	Chang O'Hara'S Bistro
02/24/1993	99 019197	History	RS - Restaurant Inspection - No Establishment Risk - Plan Review Inspection	Chang O'Hara'S Bistro
02/19/1993	99 019296	History	RS - Restaurant Inspection - No Establishment Risk - Plan Review Inspection	Chang O'Hara'S Bistro
01/27/1993	99 019240	History	RS - Restaurant Inspection - No Establishment Risk - Plan Review Inspection	Chang O'Hara'S Bistro
01/21/1993	99 019291	History	RS - Restaurant Inspection - No Establishment Risk - Plan Review Inspection	Chang O'Hara'S Bistro
01/14/1993	99 017271	History	RS - Restaurant Inspection - No Establishment Risk - Plan Review Inspection	Chang O'Hara'S Bistro
12/15/1992	99 017368	History	RS - Restaurant Inspection - No Establishment Risk - Plan Review Inspection	Chang O'Hara'S Bistro
07/01/1990	90 010256	Canceled	XE - ECLIPS License - Entertainment - Entertainment (B)	Licensee Arian Inc Suzette's Cafe Exceptionale - ECLIPS License# 0010256
07/01/1990	90 010256	Canceled	XL - ECLIPS License - Liquor - Liquor On Sale - Over 100 seats (B)	Licensee Arian Inc Suzette's Cafe Exceptionale - ECLIPS License# 0010256
07/01/1990	90 010256	Canceled	XL - ECLIPS License - Liquor - Liquor On Sale - Sunday	Licensee Arian Inc Suzette's Cafe Exceptionale - ECLIPS License# 0010256
11/01/1988	88 067377	Canceled	XE - ECLIPS License - Entertainment - Entertainment (B)	Licensee Alameda Partners Inc Fraternity House Bar & Grill - ECLIPS License# 0067377
11/01/1988	88 067377	Canceled	XL - ECLIPS License - Liquor - Liquor On Sale - 100 seats or less	Licensee Alameda Partners Inc Fraternity House Bar & Grill - ECLIPS License# 0067377
11/01/1988	88 067377	Canceled	XL - ECLIPS License - Liquor - Liquor On Sale - Over 100 seats (B)	Licensee Alameda Partners Inc Fraternity House Bar & Grill - ECLIPS License# 0067377
11/01/1988	88 095848	Canceled	XL - ECLIPS License - Liquor - Liquor On Sale - Over 100 seats (B)	Licensee Alameda Partners Inc Fraternity House Bar & Grill - ECLIPS License# 0095848
11/01/1988	88 095848	Canceled	XL - ECLIPS License - Liquor - Liquor On Sale - Sunday	Licensee Alameda Partners Inc Fraternity House Bar & Grill - ECLIPS License# 0095848
10/26/1988	88 012952	Canceled	XE - ECLIPS License - Entertainment - Entertainment (B)	Licensee Fraternity House Inc Fraternity Grill - ECLIPS License# 0012952
10/26/1988	88 012952	Canceled	XL - ECLIPS License - Liquor - Liquor On Sale - 100 seats or less	Licensee Fraternity House Inc Fraternity Grill - ECLIPS License# 0012952
10/26/1988	88 061400	Canceled	XL - ECLIPS License - Liquor - Liquor On Sale - Sunday	Licensee Fraternity House Inc Fraternity Grill - ECLIPS License# 0061400
05/18/1988	88 080797	Canceled	XL - ECLIPS License - Liquor - Liquor On Sale - 100 seats or less	Licensee Western State Bank Western State Bank Of St Paul - ECLIPS License# 0080797
02/13/1988	88 000445	Canceled	XL - ECLIPS License - Liquor - Liquor On Sale - 100 seats or less	Licensee Zelda's Inc Zelda's - ECLIPS License# 0000445
07/30/1980	80 001647	History	CO - Certificate of Occupancy - Assembly	Responsible Party Leo Gadbois - 012823210271
07/30/1980	80 011646	History	CO - Certificate of Occupancy - Assembly	Responsible Party Leo Gadbois - 012823210271
01/01/1900	00 073311	Complete	XP - ECLIPS License - Temporary - Liquor-Extension of Service Area	Licensee Chang O'Hara'S Bistro - ECLIPS License# 00T73311

[99 005642](#) Closed

EC - Environmental Complaint
History (DC) - No Risk -
Routine Inspection