

DSI RECEIPT

CITY OF SAINT PAUL
Department of Safety and Inspections
375 Jackson Street Suite 220
Saint Paul, Minnesola 55101-1806
Phone: (651) 266-8989 Fax: (651) 266-9124
www.stpaul.gov/dsi

Date: 04/04/2019

Received From: CHURCH OF ST MARK

2001 DAYTON AVE ST PAUL MN 55104

Description:

Invoice Details

Invoice Amount

Amount Paid

1051948

Noise Variance

\$172.00

\$172.00

TOTAL AMOUNT PAID:

\$172.00

Paid By:

Payment Type	Check #	Received Date	Amount
Check	005986	04/04/2019	\$172.00



CITY OF SAINT PAUL

APR 0 1 2019

Business Licensing 375 Jackson Street, Suite 220 Saint Paul, Minnesota 55101-1806 Telephone: 651-2668989 Facsimile: 651-266-9124 Web: www.stpaul.gov/dsi

January 2019

Sound Level Variance Application

Legislative Code Chapter 293. - Noise Regulations

Application and \$172 fee payment should be submitted a minimum of sixty (60) days prior to the scheduled event start date. A public notification period is required prior to scheduling the application's Public Hearing before the Saint Paul City Council. Applications received fewer than sixty (60) days prior to the event may not satisfy the ordinance's processing timelines for placement on the Council's agenda.

1.	Organization/person seeking variance: Church of Swint Molk
2.	Event Name: Grand Old St. Mark's Festival
<i>3.</i> ,	Address and physical description of noise source location (Event, Worksite):
4.	Responsible person: Alice Chalopsky Title: Facilities & Safe Environment Co
5.	Telephone: 651-645-5717 E-Mail: achalupsky@onestrongfamily-6
6.	Date(s) variance requested: May 17 - 18, 2019
7.	Noise source - Time(s) of operation: MAY 17TH SIM TO 18PM MAY 18TH / JAM TO 5 PM
	- Time(s) of pre-event sound check: 17TH 4:307M (8TH 16:35
<i>8.</i> .	Sound level requested (dBA/Decibels):
9.	Mailing address w/zip code: 2001 Dayton Ave, 5. Paul, MN 55104
10.	Briefly describe the noise source and equipment involved:
(arrival rides, birgo calling, music, street dance
1000	realers, microphones, amplifiers, ride mechanisms
11.	Describe the steps that will be taken to minimize the noise levels: <u>Controlled Specifier volu</u> n
12.	State reason for seeking variance (example - music, announcements, construction, etc.):
	A <u>site diagram & map</u> must be attached showing location of noise source(s), streets, stages, tents, etc. (If e will be amplified sound, indicate location and direction that all speakers will be facing). Multiple locations may require more than one application.
14.	CITY OF SAINT PAUL DEPARTMENT OF SAFETY AND INSPECTIONS 375 JACKSON STREET, SUITE 220 SAINT PAUL, MN 55101-1806
Sign	ature of responsible person: Mary Mary Date: 2/26/19 AA-ADA-EEO Employer