

815114 PD W/CK# 16814
#164.00 ZL



CITY OF SAINT PAUL
Christopher B. Coleman, Mayor

AUG 15 2014

375 Jackson Street, Suite 220
Saint Paul, Minnesota 55101-1806

Telephone: 651-266-8989
Facsimile: 651-266-9124
Web: www.stpaul.gov/dsi

Sound Level Variance Application

City of Saint Paul Noise Ordinance
Chapter 293 of the Saint Paul Legislative Code

Note: A public hearing before the Saint Paul City Council is required. Application and fee must be received no fewer than thirty (30) days prior to the public hearing date that is nearest the variance start date. Public hearings are only held on the first and third Wednesday of each month. Variance start dates must be after the public hearing date.

- Organization/person seeking variance: ALS Association Minnesota, North Dakota, South Dakota Ch
- Mailing Address w/zip code: 333 Washington Ave N, Suite 105 MPLS, MN 55401
- Responsible person: Jessica Jessweh
- Title or position: Special Events Coordinator
- Telephone: (612) 672-0484 E-Mail: Jessica@alsmn.org
- Briefly describe the noise source and equipment involved: Walk to Defeat ALS, Walk @ Lake Phalen, DJ facing in towards pavillion, and (2) celebration stations w/ sponsor games around the lake. DJ uses:
- Address or legal description of noise source: Lake Phalen Pavillion -1600 Phalen Dr. Saint Paul, MN 55106
- Noise source time of operation: 8:30 am - noon
- Date(s) during which the variance is requested: September 20, 2014
- Describe the steps that will be taken to minimize the noise levels: Will have DJ facing inward so sound doesn't amplify across the lake.
- Briefly state reason for seeking variance: With 2,000 walkers, noise level may rise. Would like to be considerate of residents in the area.
- Attach site diagram showing location of noise source(s), streets, stages, tents, etc. (If there will be amplified sound, indicate location and direction that all speakers will be facing.) Multiple locations may require more than one application.
- Return completed Application and \$164.00 fee to:

CITY OF SAINT PAUL
DEPARTMENT OF SAFETY AND INSPECTIONS
375 JACKSON STREET, SUITE 220
SAINT PAUL, MN 55101-1806
(651) 266-8989

Signature of responsible person: _____

Date: _____

07/31/2014