



CITY OF SAINT PAUL
Christopher B. Coleman, Mayor

375 Jackson Street., Suite 220
Saint Paul, MN 55101-1806

Telephone: 651-266-8989
Facsimile: 651-266-1919
Web: www.stpaul.gov/dsi

334

September 20, 2017

Kenneth J Williams
721 Tuscarora Ave
St Paul MN 55102-3905

Dear Kenneth J Williams, and others, if listed:

On September 20, 2017, this department conducted an inspection of your property at **721 TUSCARORA AVE** and because **you were not compliant with a previous order**

Deficiency: "Exterior - SEMI TRAILER NOT APPROVED AS ACCESSORY STRUCTURE"

YOU ARE BEING BILLED \$122.00 for the cost of this inspection. This is in accordance with Chapter 34.24 of the Saint Paul Legislative Code. Payment is due upon receipt of this letter. Make your check payable to the "City of Saint Paul" and mail your payment to:

Department of Safety and Inspections, Code Enforcement
Excessive Consumption Unit
375 Jackson Street, Suite 220
St. Paul, MN 55101-1806

If you do not pay within 30 days
the amount of this bill, plus administrative costs, will be assessed to your property taxes.

NOTICE

Your property is next scheduled for a REINSPECTION on

September 28, 2017

WARNING

IF YOU DO NOT HAVE THE VIOLATION(S) CORRECTED BY THE NEXT INSPECTION DATE, September 28, 2017, YOU WILL BE BILLED AN ADDITIONAL \$122.00. CALL THE INSPECTOR IF YOU HAVE ANY QUESTIONS: Mark Kaisersatt, at 651-266-1908

Mark Kaisersatt
Code Enforcement Inspector

ec60169 06/13

City of Saint Paul, Department of Department of Safety and Inspections

September 20, 2017

EXCESSIVE CONSUMPTION

INVOICE # 1331448

File #: 17-016097

Property Address: 721 TUSCARORA AVE

Property PIN: 112823410191

Owner Name: Kenneth J Williams

<u>Fee Description</u>	<u>Amount</u>
Excessive Consumption (Non Compliance)	\$ 122.00

Payment is due upon receipt of this letter.

Failure to pay within 30 days will result in this amount being assessed to your property taxes.

Make your check payable to the City of Saint Paul.

Send payment to:

Department of Safety and Inspections
Excessive Consumption Unit
375 Jackson Street, Suite 220
St. Paul, MN 55101-1806

Keep this portion for your records: Date Paid: _____ Amt Paid: _____

Ck or M.O. # _____

334

Deficiency: "Exterior - SEMI TRAILER NOT APPROVED AS ACCESSORY STRUCTURE"

↔ --- Cut HERE --- ↔ --- ↔ --- ↔ --- ↔ --- Cut HERE --- ↔ --- ↔ --- Cut HERE --- ↔

RETURN this portion with your payment

City of Saint Paul, Department of Department of Safety and Inspections, Code Enforcement Division

EXCESSIVE CONSUMPTION PAYMENT

Folder #: 17-016097

INVOICE # 1331448 dated September 20, 2017

Property Address: 721 TUSCARORA AVE

Property PIN: 112823410191

Owner Name: Kenneth J Williams

<u>Fee Description</u>	<u>Amount</u>
Excessive Consumption (Non Compliance)	\$ 122.00

Deficiency: "Exterior - SEMI TRAILER NOT APPROVED AS ACCESSORY STRUCTURE"

RETURN THIS PORTION WITH YOUR PAYMENT