



WP 11-126

APPLICATION FOR APPEAL

RECEIVED
DEC 02 2011
CITY CLERK

Saint Paul City Clerk
310 City Hall, 15 W. Kellogg Blvd.
Saint Paul, Minnesota 55102
Telephone: (651) 266-8560

The City Clerk needs the following to process your appeal:

- \$25 filing fee payable to the City of Saint Paul (if cash: receipt number _____)
- Copy of the City-issued orders or letter which are being appealed
- Attachments you may wish to include
- This appeal form completed
- Walk-In OR Mail-In

| |
|------------------------------------|
| YOUR HEARING Date and Time: |
| Tuesday, <u>12-13-11</u> |
| Time <u>1:30</u> |
| Location of Hearing: |
| Room 330 City Hall/Courthouse |

Address Being Appealed:

Number & Street: 1725 Louise Ave City: St. Paul State: MN Zip: 55106

Appellant/Applicant: Chamee Her Email: chameehere@yahoo.com

Phone Numbers: Business _____ Residence _____ Cell 651 263 4473

Signature: Chamee Her Date: 12-2-11

Name of Owner (if other than Appellant): _____

Address (if not Appellant's): _____

Phone Numbers: Business _____ Residence _____ Cell _____

What Is Being Appealed and Why?

Attachments Are Acceptable

- Vacate Order/Condemnation/Revocation of Fire C of O
- Summary/Vehicle Abatement
- Fire C of O Deficiency List
- Fire C of O: Only Egress Windows
- Code Enforcement Correction Notice
- Vacant Building Registration
- Other



CITY OF SAINT PAUL
INTERDEPARTMENTAL MEMORANDUM

EGRESS WINDOW NON-COMPLIANCE DETERMINATION

TO: CITY CLERK
15 KELLOGG BLVD. WEST
310 CITY HALL
SAINT PAUL, MN 55102

PHONE: 651-266-8688
FAX: 651-266-8574

DATE: 12-1-11

APPEAL PROPERTY ADDRESS:

APPLICANT NAME:

PHONE NUMBER:

PERMIT NUMBER:

TYPE OF WINDOW D/H

NUMBER OF WINDOWS 3

| | | | |
|-------------------------------------|-------|----------------------------------|-------|
| Total Glazed Area | 8 | Difference from Required Area | +2.03 |
| Width of Opening | 29" | Difference from Required Opening | #9 |
| Height of Opening | 15" | Difference from Required Opening | -9" |
| Height of Opening to Finished Floor | _____ | Difference from Maximum Height | _____ |

COMMENTS:

Reviewed by:



BUILDING PERMIT

PERMIT #: 20 11 298323
Issued Date: November 9, 2011

CITY OF SAINT PAUL

Department of Safety & Inspections
375 Jackson Street, Suite 220
Saint Paul, MN 55101-1806

Phone: 651-266-8989
Fax: 651-266-9124

CONTRACTOR:

OWNER:

CHAMEE HER
987 6TH ST E
ST PAUL MN 55106-4505

CHAMEE HER
987 6TH ST E
ST PAUL MN 55106-4505

PERMIT ADDRESS: 1725 LOUISE AVE
ST PAUL MN 55106-6824

SUB TYPE: Single Family Dwelling

WORK TYPE: Repair

The following "Trade" Permits are required for this project: Electrical, W.Air Vent, Plumbing,

| | | | |
|----------------------------------|---------------------|------------------------------|--------------------|
| Vacant Building | Category 2 | Change/Expansion of Use? | No |
| Existing Primary Use (Single Fan | R-Single Family Dwe | # of Existing Dwelling Units | 1 |
| State Valuation | 2500 | Valuation Override | No |
| Scope of Repair Work | Code Compliance Rej | Structural Work? | No Structural Work |
| Interior/Exterior? | Both Int. and Ext. | Plan Number | V-2011-2105 |

FEES

| | |
|----------------|--------|
| Permit Fee | 101.64 |
| Plan Check Fee | 35.00 |
| Surcharge B | 1.25 |

TOTAL 137.89

REPAIR PER CODE COMPLIANCE REPORT, PAINT WINDOWS, AND REPAIR GUTTERS. *Smoke Alarms are required in all sleeping rooms and outside of each sleeping area in the immediate vicinity of the sleeping rooms. In multi-story or multi-level homes, a smoke alarm is required on each story and in basements. The State Code requires all smoke alarms to be inter-connected and hard wired as per new dwellings unless the exceptions to R317 apply. Exception 1:,...where the alterations or repairs do not result in the removal of the interior wall or ceiling finishes exposing the structure, unless there is a crawlspace, attic or basement available which could provide access for hard-wiring & interconnection without the removal of interior finishes. Exception2: Work on the exterior which does not require entry into the interior for inspection. Note, however, that the St. Paul Legislative Code requires at least one (1) "hard-wired" smoke detector connected to the house wiring. Battery backup must be provided for newly installed "hard-wired" detectors. NOTE ALSO: New or remodeled bedrooms must have electrical outlets with Arc-Fault Circuit Interrupter Protection (AFCI)

The inspector assigned to this Permit is Jim S.

The inspector can be reached at 651-266-9046 between 7:30 AM and 9:00 AM Monday through Friday.