

Saint Paul - Ramsey County Department of Public Health

Environmental Health Section

2785 White Bear Avenue North Suite 350

Maplewood, MN 55109-1320

FAX: (651) 266-1177

Date: 4-12-11

FACSIMILE TRANSMISSION

Cover Sheet and Transmittal Form

APR 0 6 2011

To FAX#: 6-8574

		CITY CLERK
	To:	Mai Vang, Paralegal
	Location:	hegislative Hearing Office
		City of St. Paul
	Sender:	Daniel Schmidt / Jim Hannarelly
900 e Yenda 98//9		St. Paul - Ransey Cty. Dept. of Public Health

This transmission consists of _____ pages (including cover sheet).

If transmission is incomplete or illegible, call sender at (651) 266-1143 (DANIEL SCHMIDT)

Message:

Request for Egress Window Non-Compliance Determination Attachments: Egress Window Non-Compliance Determination Form

CONFIDENTIALITY NOTICE

The document(s) accompanying this facsimile transmission may contain confidential information intended only for the use of the recipient named above. If you are not the intended recipient, you are hereby notified that any disclosure, copying or distribution of the contents of this transmission except its direct delivery to the intended recipient is strictly prohibited. If you have received this transmission in error, please notify us immediately by telephone to arrange for return of the original message to us.



CITY OF SAINT PAUL INTERDEPARTMENTAL MEMORANDUM

EGRESS WINDOW NON-COMPLIANCE DETERMINATION

TO: CITY CLERK	· ·
15 KELLOGG	BLVD. WEST
310 CITY HAL	
SAINT PAUL,	MN 55102

12/2009

PHONE: 651-266-8688 FAX: 651-266-8574

	ΨΛ1L.	
APPEAL PROPERTY ADDRESS: 1/2	7 Jessamine	
•	ey PULIE HEALH PHONE NUMBER: 260	9-1143
PERMIT NUMBER:		•
TYPE OF WINDOW: DH		٠.
NUMBER OF WINDOWS:Z	<u> </u>	
TOTAL GLAZED AREA: 8-4 9	DIFFERENCE FROM REQUIRED AREA:	10 MP
WIDTH OF OPENING: 23-3"	DIFFERENCE FROM REQUIRED OPENING	,
HEIGHT OF OPENING: 20-1"	DIFFERENCE FROM REQUIRED OPENING:	•]
HEIGHT OF OPENING 48"	DIFFERENCE FROM MAXIMUM HEIGHT:	
		,
RECOMMENDATION (IF APPLICABLE):	SEE AHATOHUMI	· · · · · · · · · · · · · · · · · · ·
1		Mentionage of Afficial communications and approximate the Afficial Affic
		Month of the Control

FROM:

ET WILL RESPONDE DE STATE DE CONTRACTOR DE C	Select a Model			
(Model 0201)	0201	Mln. W: 11	Max W: 52	
Excalibur Double Hung		Min. H: 20	Max H: 84	Max UI: 13
Top Sash Width	24.4750		Exact Size	
Top Sean (Rogin 1977)	25.3125	Width: 27.725	27.725	
Bottom Sash Width	25.4750	Helght: 53.725	53.725	
Bottom Sasti Pelgrit	26.2075			
Top Glass Width	22.8125			
Top Glase Height	23.6250	Extrusion: Select Extrusion	< For Arch-Top	Models Only
Bottom Glass Width	23.8125	Opening: Exact Size	•	-
Bottom Glass Height	24.8250	Type: Standard	~	
Screen Width 7	24.0375	Screen: Full	~	
Screen Height J FOFAL GLAZE AC	60.8760	Glass: Double Strength	(3 mm) (🔻	
Top Sash Weight (Plus 5 lb)	20 lb	AC Sash Calculator		·
Top:Balance Size (C.F)	55RD			
Top Salance Size (Spiral)	21-7B			•
Bottom-SasteWeight	16 ib		•	
Bottom Balance Size (C.F)	8LG			

23.3190

20.1250

3.2590

* 24 × 50.8 = 1219 = 144 = 8.4 59 ft

Bödom Balance Size (Sprical)

Egress Opening Width

Epress Opening Height

Egress Opening Area (sq.ft.)