



CITY OF SAINT PAUL  
Christopher B. Coleman, Mayor

ENVIRONMENTAL HEALTH SERVICES  
375 Jackson Street, Suite 220  
Saint Paul, Minnesota 55101-1806

Telephone: 651-266-8989  
Facsimile: 651-266-9124  
Web: [www.stpaul.gov/dsi](http://www.stpaul.gov/dsi)

October 13, 2017

Mary Anderson  
Anderson Race Management  
4047 Camberwell Drive N  
Eagan MN 55123

Dear Mary Anderson:

This is to confirm that our office has received your application for a variance from the city's noise ordinance and that it is being processed. The Department of Safety and Inspections has recommended that a variance be issued with conditions.

A public hearing on your request for a variance has been scheduled for **Wednesday, November 1, 2017, at 5:30 p.m.**, Third Floor, City Council Chambers, at the Saint Paul City Hall/Ramsey County Courthouse, 15 Kellogg Boulevard W., Saint Paul, Minnesota.

You may wish to be present at this hearing to answer any questions that the City Council might have. After the public hearing, the Council may grant, deny, or modify the variance request.

**If you have any questions, please contact:**  
**Barb McMonigal-St.Dennis, Environmental Health Specialist**  
[barb.mcmonigal-st.dennis@ci.stpaul.mn.us](mailto:barb.mcmonigal-st.dennis@ci.stpaul.mn.us)

Enclosure