

STAMP - Activities

[New Search](#)

[Help using this report](#)

Run Date: 09/24/21 03:44 PM

Sort by Most Recent Date

Starting Date:

House#:

Folder Type: All Folder Types

Ending Date:

Street Name:

Folder Count: 410

Include Same PIN Addresses: Yes

Click on address links below to access mapping services and Ramsey County info.

Click on ID# link below to view detail

PIN:022823420125

Address	In Date	ID #	Status	Type	Description
<u>843 Grand Ave</u>					
	10/02/2017	17 177243	Open	RE - Real Estate Assessments	Owner East Mall Associates
	02/06/2015	15 008760	Open	BW - Building Warning - Stop Order	Owner William L Annoni - Online permitting for this property is restricted. Please submit your application via fax or in person at the DSI Public Service Counter at 375 Jackson Street; suite 220. Online permitting for this property is restricted because this property is located within a Minnesota State or a National Register Historic District. For these properties Minnesota State Statute mandates that demolition of 60% or more of an eligible structure requires additional review prior to commencement of work.
<u>845 Grand Ave</u>					
	10/02/2017	17 177243	Open	RE - Real Estate Assessments	Owner East Mall Associates
	02/06/2015	15 008760	Open	BW - Building Warning - Stop Order	Owner William L Annoni - Online permitting for this property is restricted. Please submit your application via fax or in person at the DSI Public Service Counter at 375 Jackson Street; suite 220. Online permitting for this property is restricted because this property is located within a Minnesota State or a National Register Historic District. For these properties Minnesota State Statute mandates that demolition of 60% or more of an eligible structure requires additional review prior to commencement of work.
<u>849 Grand Ave</u>					
	10/02/2017	17 177243	Open	RE - Real Estate Assessments	Owner East Mall Associates
	09/15/2015	15 160045	Under Review	CS - CSO Complaint - License - Complaint	vape store in the same area as smoke shop / possibly don't have license
	02/06/2015	15 008760	Open	BW - Building Warning - Stop Order	Owner William L Annoni - Online permitting for this property is restricted. Please submit your application via fax or in person at the DSI Public Service Counter at 375 Jackson Street; suite 220. Online permitting for this property is restricted because this property is located within a Minnesota State or a National Register Historic District. For these properties Minnesota State Statute mandates that demolition of 60% or more of an eligible structure requires additional review prior to commencement of work.
	08/10/2010	10 704849	Finald	RW - PW Right of Way Permit - Excavation - Utility	Contractor Dave Bougie Cc: Department of Public Works Sewer Maintenance - NO FEE ~ PAVING

857 Grand Ave - Billy's ON Grand

09/10/2021	21 301058	Active/Issued	E - Electrical Permit - Service & Circuits - Commercial Repair/Alter	Contractor St Joseph Electric Inc - NEW PERMIT & INSPECTION FEE - ROOFTOP UNIT CHANGE OUT
09/09/2021	21 300672	Abandoned	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor St Joseph Electric Inc - RTU change out.
09/09/2021	21 300671	Abandoned	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor St Joseph Electric Inc - RTU change out
09/09/2021	21 300670	Abandoned	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor St Joseph Electric Inc - RTU Change out Extra inspection fee
09/09/2021	21 300669	Abandoned	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor St Joseph Electric Inc - RTU Change out Extra inspection fee
08/19/2021	21 294894	Inspected	W - Warm Air, Ventilation & General Sheet - Warm Air Only - Residential Replace	Contractor Chris Kallstrom Residential Heating & Air Inc - REPLACING HEAT/COOL ROOFTOP UNIT
08/18/2021	21 294480	Closed	BW - Building Warning - Need Added Permits	Owner East Mall Associates - On the 6th of June, 2021 inspector Charles Scholl was called to inspect roof top units at 857 Grand Ave in St Paul. Upon arriving for the inspection, he discovered that a roof top unit had been installed without the required Warm Air Permit (WRM). He gave a verbal order to obtain a WRM permit, but none was ever applied for. Regular permit fee commensurate with valuation of work, plus an investigation fee of \$78.00 is required.
06/19/2021	21 276147	Active/Issued	M - Mechanical Permit - Refrigeration - Commercial Replace	Contractor Chris Kallstrom Residential Heating & Air Inc - REPLACING ROOFTOP WITH CARRIER 7.5 TON UNIT, ECONOMIZER WITH SMOKE INSTALLED
06/19/2021	21 276144	Active/Issued	M - Mechanical Permit - Gas - Commercial Replace	Contractor Chris Kallstrom Residential Heating & Air Inc - REPLACING ROOFTOP WITH CARRIER 7.5 TON HEAT/COOL
05/26/2021	21 266460	Abandoned	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor St Joseph Electric Inc - ROOFTOP STAT
05/26/2021	21 266459	Abandoned	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor St Joseph Electric Inc - CHANGE OUT ROOFTOP UNIT
05/26/2021	21 266458	Abandoned	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor St Joseph Electric Inc - RTU
05/26/2021	21 266457	Abandoned	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor St Joseph Electric Inc - RTU STAT
05/26/2021	21 266456	Abandoned	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor St Joseph Electric Inc - rooftop unit and
05/26/2021	21 266455	Abandoned	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor St Joseph Electric Inc - rooftop unit stat
05/26/2021	21 266454	Abandoned	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor St Joseph Electric Inc - rooftop unit stat
05/11/2021	21 261561	Pending	XE - ECLIPS License - Entertainment - Gambling Location	Licensee Billy's ON Grand - ECLIPS License# 2021000875
05/11/2021	21 261571	Pending	XE - ECLIPS License - Entertainment - Entertainment (B)	Licensee Billy's ON Grand - ECLIPS License# 2021000875
05/11/2021	21 261567	Pending	XL - ECLIPS License - Liquor - Liquor-Outdoor Service Area (Patio)	Licensee Billy's ON Grand - ECLIPS License# 2021000875
05/11/2021	21 261572	Pending	XL - ECLIPS License - Liquor - Liquor On Sale - 2 AM Closing	Licensee Billy's ON Grand - ECLIPS License# 2021000875
05/11/2021	21 261559	Pending	XL - ECLIPS License - Liquor - Liquor On Sale - Sunday	Licensee Billy's ON Grand - ECLIPS License# 2021000875
05/11/2021	21 261563	Pending	XL - ECLIPS License - Liquor - Liquor On Sale - 291 or more Seats	Licensee Billy's ON Grand - ECLIPS License# 2021000875
03/31/2021	21 249171	Inspected	E - Electrical Permit - Service &	Contractor St Joseph Electric Inc - 2

			Circuits - Commercial Repair/Alter	ROOFTOP UNITS CHANGE OUT.
03/26/2021	21 248229	Abandoned	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor St Joseph Electric Inc - Roof top unit change out
03/25/2021	21 247714	Abandoned	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor Ryan Hubbard Hubbard Electric Inc - Small cell tower near 857 Grand Ave; Service and two circuits; Near Grand Place entrance at 870 Grand Ave (kitty corner from Juut Salon Spa)
01/28/2021	21 226504	Finalied	W - Warm Air, Ventilation & General Sheet - Warm Air Only - Commercial Replace	Contractor Chris Kallstrom Residential Heating & Air Inc - VICTORIA CROSSING MALL REPLACE (2) EXISTING ROOFTOP HEAT/COOL UNITS CARRIER RTU, 48FCEMA04A2AS, 90,000 BTU (1) (ECONOMIZER & SMOKE DETECTOR) CARRIER RTU, 48HHCED08A2AS-OA060, 120,000 BTU (1)
01/28/2021	21 226502	Finalied	M - Mechanical Permit - Gas - Commercial Replace	Contractor Chris Kallstrom Residential Heating & Air Inc - VICTORIA CROSSING MALL REPLACE (2) EXISTING ROOFTOP HEAT/COOL UNITS CARRIER RTU, 48FCEMA04A2AS, 90,000 BTU (1) (ECONOMIZER & SMOKE DETECTOR) CARRIER RTU, 48HHCED08A2AS-OA060, 120,000 BTU (1)
01/19/2021	21 216492	Closed	GT - General Activity Tracking - Zoning	Zoning Letter
12/31/2020	20 102709	Pending	CO - Certificate of Occupancy - Assembly	Responsible Party East Mall Assoc/Bill Wengler
11/05/2020	20 089717	Resolved	CS - CSO Complaint - Traffic Sign/Light New - Complaint	Streetlight is cycling on/off on street-side lantern on a double Lumiere lightpost
09/15/2020	20 074077	Pending	CL - Compliance Checks - Liquor Compliance Check	Licensee Randall Johnson Billy's ON Grand - ECLIPS License# 20200000158
07/20/2020	20 057071	Open	CS - CSO Complaint - Crime - Complaint	Past two weeks have been a cause for concern in regards to how they are controlling their customers after 10:00 PM. Last night at 1:00 AM there was a large crowd of people outside of Billy's yelling, congregating, and wandering into the streets causing dangerous situations for themselves and for others. This is now the third night that I have observed this happening and so it seems that Billy's does not have a handle on how to run their business without causing problems.
06/15/2020	20 042782	Resolved	CS - CSO Complaint - License - Complaint	Billy's is not requiring their employees to wear face masks, issue on Saturday, June 13
06/02/2020	20 038750	Pending	CL - Compliance Checks - Liquor Compliance Check	Licensee Randall Johnson Billy's ON Grand - ECLIPS License# 20200000158
06/02/2020	20 038749	Pending	CL - Compliance Checks - Liquor Compliance Check	Licensee Randall Johnson Billy's ON Grand - ECLIPS License# 20200000158
06/02/2020	20 038748	Pending	CL - Compliance Checks - Liquor Compliance Check	Licensee Randall Johnson Billy's ON Grand - ECLIPS License# 20200000158
06/01/2020	20 007268	Delinquent	XE - ECLIPS License - Entertainment - Gambling Location	Licensee Randall Johnson Billy's ON Grand - ECLIPS License# 20200000158
06/01/2020	20 007275	Delinquent	XL - ECLIPS License - Liquor - Liquor On Sale - 2 AM Closing	Licensee Randall Johnson Billy's ON Grand - ECLIPS License# 20200000158
06/01/2020	20 007279	Delinquent	XL - ECLIPS License - Liquor - Liquor-Outdoor Service Area	Licensee Randall Johnson Billy's ON Grand - ECLIPS License#

			(Patio)	20200000158
06/01/2020	20 007280	Delinquent	XL - ECLIPS License - Liquor - Liquor On Sale - Sunday	Licensee Randall Johnson Billy's ON Grand - ECLIPS License# 20200000158
06/01/2020	20 007283	Delinquent	XL - ECLIPS License - Liquor - Liquor On Sale - 291 or more Seats	Licensee Randall Johnson Billy's ON Grand - ECLIPS License# 20200000158
06/01/2020	20 007285	Delinquent	XE - ECLIPS License - Entertainment - Entertainment (B)	Licensee Randall Johnson Billy's ON Grand - ECLIPS License# 20200000158
07/10/2019	19 040283	Canceled	XE - ECLIPS License - Entertainment - Gambling Location	Licensee Billy's ON Grand - ECLIPS License# 0018526
05/09/2019	19 039078	Finald	RW - PW Right of Way Permit - Excavation - Joint Sewer Permit	Contractor Anthony Curella Commercial Utilities - Joint Sewer Excavation Permit
05/09/2019	19 039076	Finald	SS - PW Sewer Permit - Sanitary - Repair	Contractor Anthony Curella Commercial Utilities - Repair at connection to the main
02/14/2019	19 011345	In Compliance	CS - CSO Complaint - Snow Walk - Complaint	02/14/2019 Snow Walk Complaint Received.
06/22/2018	18 076279	Inspected	W - Warm Air, Ventilation & General Sheet - Warm Air Only - Commercial Replace	Contractor Chris Kallstrom Residential Heating & Air Inc - REPLACE HEAT/COOL ROOFTOP UNIT
06/22/2018	18 076268	Finald	M - Mechanical Permit - Gas - Commercial Replace	Contractor Chris Kallstrom Residential Heating & Air Inc - REPLACE ROOFTOP UNIT WITH CARRIER HEAT/COOL ROOFTOP
05/03/2018	18 058718	Closed	RF - Referral - C of O	Owner East Mall Associates - Follow up on C of O folder approved with corrections.
05/03/2018	18 058717	Certified	CO - Certificate of Occupancy - Assembly	Responsible Party East Mall Assoc/Bill Wengler
04/02/2018	18 048699	Active/Issued	E - Electrical Permit - Service & Circuits - Commercial Repair/Alter	Contractor St Joseph Electric Inc - CHANGE OUT RTU
02/28/2018	18 033043	Canceled	XW - ECLIPS License - Water/Health - Massage Practitioner	Licensee Michael Hearn Michael J Hearn - ECLIPS License# 20180000789
02/26/2018	18 031481	Abandoned	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor St Joseph Electric Inc - Change out RTU 40 amp 3Phase
02/26/2018	18 031480	Abandoned	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor St Joseph Electric Inc - Change out RTU 40 amp 3Phase
02/14/2018	18 029005	Finald	RW - PW Right of Way Permit - Obstruction - Hoisting	Contractor Paul Hanson Cc: Spencer Hanson Rocket Crane Service, Inc. - CLOSING ON VICTORIA FROM THE ALLEY SOUTH TO GRAND AVE HOURS OF WORK: 5AM-6AM
02/14/2018	18 028966	Finald	W - Warm Air, Ventilation & General Sheet - Warm Air Only - Commercial Replace	Contractor Chris Kallstrom Residential Heating & Air Inc - REPLACE EXISTING ROOFTOP WITH CARRIER HEAT/COOL 48TCEA07A2AS 0A0A0 115,000 BTU'S HEATING AND 72,000 COOLING.
02/14/2018	18 028938	Finald	M - Mechanical Permit - Gas - Commercial Replace	Contractor Chris Kallstrom Residential Heating & Air Inc - REPLACE ROOFTOP WITH CARRIER 48TCEA07A2AS 0A0A0
01/31/2018	17 225616	Open	FA - Fire Alarm Malfunction	Responsible Party East Mall Assoc/Bill Wengler
12/20/2017	17 223750	Active/Issued	M - Mechanical Permit - Gas - Residential Replace	Contractor Patrick Snyder Crosstown Mechanical - REPLACE SW ROOFTOP HVAC UNIT WITH NEW OF LIKE SIZE CURRENT UNIT TRANE YCD120B3HAEB SN P14101716D.
12/19/2017	17 223421	Finald	RW - PW Right of Way Permit - Obstruction - Hoisting	Contractor Dave Junglen Crosstown Mechanical Inc - HOISTING RTU TO ROOF OF BILLY'S ON GRAND OBSTRUCT 100' OF PARKING LANE ON THE N-SIDE OF GRAND AVE STARTING AT VICTORIA EAST TOWARDS BILLY'S ENTRANCE IN BUS

				STOP OBSTRUCT 20' OF SIDEWALK UNDER HOIST JIB AUTHORIZED START 6:30 AM
12/19/2017	17 223399	Finald	W - Warm Air, Ventilation & General Sheet - Warm Air Only - Commercial Replace	Contractor Scott Then Metro Sheet Metal Inc - JUUT SALON - REPLACE RTU, EXISTING RTU HAS A BAD HEAT EXCHANGER, GAS BY CROSSTOWN MECHANICAL, 10 TON UNIT & CURB ADAPTOR
12/11/2017	17 220749	Abandoned	M - Mechanical Permit - Gas - Commercial Replace	Contractor Patrick Snyder Crosstown Mechanical - Packaged Rooftop HVAC Replacement
12/11/2017	17 220746	Abandoned	M - Mechanical Permit - Gas - Commercial Replace	Contractor Patrick Snyder Crosstown Mechanical - Replace Juut Salon RTU
12/11/2017	17 220745	Abandoned	M - Mechanical Permit - Gas - Commercial Replace	Contractor Patrick Snyder Crosstown Mechanical - Replace Juut Salon RTU
12/07/2017	17 219837	Finald	RW - PW Right of Way Permit - Obstruction - Special Events	Contractor Mike Canine / Lorenz Bus Service - SANTA PUB CRAWL (LORENZ BUS SERVICES) RESERVE (60') PARKING LANE IFO BILLY'S ON GRAND WITH "NO PARKING-TOWAWAY ZONE" SIGNS FOR DROP-OFF/PICK-UP OF GUESTS ON TOUR
10/02/2017	17 177243	Open	RE - Real Estate Assessments	Owner East Mall Associates
04/20/2017	17 031216	Canceled	XW - ECLIPS License - Water/Health - Massage Practitioner	Licensee Jeannie Hutchinson Jeannie M Hutchinson - ECLIPS License# 20170001553
01/24/2017	17 005963	History	CO - Certificate of Occupancy - Assembly	Responsible Party East Mall Assoc/Bill Wengler
10/05/2016	16 085958	Inspected	SP - Stucco/Plaster - Stucco/Plaster - Commercial Repair/Alter	Contractor Mr THOMAS VENNEMANN T & S Stucco - LATH & BROWN OVER EXISTING DELAPIDATED BRICK
09/28/2016	16 084000	Abandoned	SP - Stucco/Plaster - Stucco/Plaster - Commercial Repair/Alter	Contractor Mr THOMAS VENNEMANN T & S Stucco - lath and stucco over dilapidated brick
08/25/2016	16 072583	Open	FA - Fire Alarm Malfunction	Responsible Party East Mall Assoc/Bill Wengler
05/12/2016	16 036022	Finald	RW - PW Right of Way Permit - Obstruction - Dumpster	Contractor John Mudek Mudek Trucking & Recycling Inc
05/03/2016	16 032591	Finald	RW - PW Right of Way Permit - Obstruction - Parking Lane	Contractor Lori Vukelich / Katie Weber Topline Advertising Inc - INSTALLING SIGN -- - 40' OF PARKING LANE FOR WORK TRUCK. - 20' OF SIDEWALK FOR SCAFFOLDING.
04/22/2016	16 029564	Finald	W - Warm Air, Ventilation & General Sheet - General Sheet Metal - Commercial Repair/Alter	Contractor Specialty Systems Inc - ARCHITECTURAL WALL PANELS
04/22/2016	16 029552	Finald	RW - PW Right of Way Permit - Obstruction - Dumpster	Contractor John Mudek Mudek Trucking & Recycling Inc
03/25/2016	16 021485	Finald	E - Electrical Permit - Service & Circuits - Commercial Repair/Alter	Contractor New Tech Electric Systems Inc
03/23/2016	16 020874	Finald	PG - Plumbing/Gasfitting/Inside Water Piping - Plumbing/Inside Water (All) - Commercial Replace	Contractor Couture Neil North Star Plumbing & Htg Co II
03/18/2016	16 019598	Finald	W - Warm Air, Ventilation & General Sheet - Ventilation Only - Commercial Repair/Alter	Contractor Steven Marcello Excel Air LLC - THERE ARE TWO EXISTING RTU'S BUT WE ARE JUST DOING DUCT REVISIONS.
03/04/2016	16 015817	Finald	EG - Fire Engineering - Sprinkler / Standpipe Permit - Existing Building - Alter Systems	Contractor Diane Wendt Summit Companies - TENANT SPACE - PAPER SOURCE - PIPE AT OLD MEZZANINE TO BE REMOVED. REL/ADD 18 HEADS FOR COVERAGE.
02/25/2016	16 013375	Active/Issued	BS - Billboard / Sign - Signs - Commercial New	Contractor Lori Vukelich / Katie Weber Topline Advertising Inc - COPY TO READ: PAPER SOURCE WITH LEGO
01/28/2016	16 006678	Canceled	XW - ECLIPS License -	Licensee Sonja Johanson Sonja E

12/24/2015	15 188479	Finald	Water/Health - Massage Practitioner	Johanson - ECLIPS License# 20160000234
10/06/2015	15 167057	Finald	B - Building Permit - Commercial - Remodel	Contractor Mr Garin Cohill Tom Hammer Construction
09/15/2015	15 159656	Approved	EG - Fire Engineering - Sprinkler / Standpipe Permit - Existing Building - Alter Systems	Contractor Rich Poole Viking Automatic Sprinkler Company - install (1) semi-recessed sprinkler head in center of cloud (5 clouds total) no allowances included for replacin any portion of the cloud.
07/14/2015	15 139527	Finald	CN - C of O Condition	Patio bar requirement of sprinklers variance has been granted by City Council.
02/06/2015	15 008760	Open	EG - Fire Engineering - Sprinkler / Standpipe Permit - Existing Building - Alter Systems	Contractor Rich Poole Viking Automatic Sprinkler Company - Replace corroded heads in kitchen. (12?), Relocate head in storage closet by kitchen. Replace head with bent deflector in Jute basement. Also replace painted heads in Juut and added one near spa.
09/17/2014	14 331066	Canceled	BW - Building Warning - Stop Order	Owner William L Annoni - Online permitting for this property is restricted. Please submit your application via fax or in person at the DSI Public Service Counter at 375 Jackson Street; suite 220. Online permitting for this property is restricted because this property is located within a Minnesota State or a National Register Historic District. For these properties Minnesota State Statute mandates that demolition of 60% or more of an eligible structure requires additional review prior to commencement of work.
11/08/2013	13 249047	Expired	XW - ECLIPS License - Water/Health - Health/Sport Club	Licensee Steele Smiley Steele Fitness - ECLIPS License# 20140002837
10/31/2013	13 246822	Finald	BS - Billboard / Sign - Signs - Commercial New	Contractor Greg Rendell Cc Krystal S Sign Source Inc - REMOVE EXISTING WALL SIGN AND INSTALL NEW WALL SIGN WITH SAME DIMENSIONS TO READ: "STEELE 365 ADVANCED FITNESS CLUBS"
07/19/2013	13 211839	History	PG - Plumbing/Gasfitting/Inside Water Piping - Gasfitting Only - Commercial Replace	Contractor Douglas Waller Oak Grove Mechanical
06/18/2013	13 199467	Finald	CO - Certificate of Occupancy - Assembly	Responsible Party East Mall Assoc/Bill Wengler
04/29/2013	13 168141	Canceled	B - Building Permit - Commercial - Remodel	Contractor Mr MIKE KOPE Door Service Company Of The Twin Cities, Inc.
04/19/2013	13 175800	Closed	XW - ECLIPS License - Water/Health - Massage Practitioner	Licensee Alexis Dunning Alexis D Dunning - ECLIPS License# 20130001460
04/08/2013	13 171559	Closed	BW - Building Warning - Double/Penalty Fee	Owner East Mall Associates - Exit doors installed without permit under Fire Orders. KE
			RF - Referral - Citizen Complaint	Owner East Mall Associates - Billy's on Grand, according to staff routinely block a door that is commonly used for entrance/exit during the late evening hours. In our experience, they used a combination of tables and chairs placed in front of the doors. When we mentioned this concern to server, he said they do it every night and it is not exit because there is not an exit sign present above the door. This is the room next to their patio which has a fire place going and the only other door leads

04/08/2013	13 171558	Resolved	CS - CSO Complaint - Certificate of Occupancy - Complaint	back into the main restaurant area. Not only was the concern not address further, another staff member came up and moved the table and chairs to better block it. Billy's on Grand, according to staff routinely block a door that is commonly used for entrance/exit during the late evening hours. In our experience, they used a combination of tables and chairs placed in front of the doors. When we mentioned this concern to server, he said they do it every night and it is not exit because there is not an exit sign present above the door. This is the room next to their patio which has a fire place going and the only other door leads back into the main restaurant area. Not only was the concern not address further, another staff member came up and moved the table and chairs to better block it.
03/26/2013	13 166820	Scheduled	FV - Food Vending Machine - Low Risk - Routine Inspection	Establishment Billy's on Grand
03/25/2013	13 166474	History	FV - Food Vending Machine - Low Risk - Routine Inspection	Establishment East Mall Associates
03/21/2013	13 166521	History	FV - Food Vending Machine - Low Risk - Routine Inspection	Establishment Billy's on Grand
01/16/2013	13 144566	In Compliance	CS - CSO Complaint - Zoning - Complaint	Exterior signs without permit
11/26/2012	12 213746	Finaled	EG - Fire Engineering - Sprinkler / Standpipe Permit - Existing Building - Alter Systems	Contractor Rich Poole Viking Automatic Sprinkler Company - Addition of wet sprinklers to the indoor patio at Billy's on Grand
05/31/2012	12 062686	Scheduled	SZ - Sports and Health Club - Low Risk - Routine Inspection	Establishment Steele Fitness Inc
05/30/2012	10 506335	History	SZ - Sports and Health Club - Low Risk - Routine Inspection	Establishment Steele Fitness Inc
04/10/2012	12 043051	Finaled	E - Electrical Permit - Service & Circuits - Commercial Repair/Alter	Contractor Complete Electric LLC
12/01/2011	13 143146	Open	GT - General Activity Tracking - Zoning - Photos	
10/18/2011	11 289816	Scheduled	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Billy's ON Grand
10/17/2011	11 280475	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Billy's ON Grand
09/23/2011	11 266243	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Billy's ON Grand
09/13/2011	11 275070	Finaled	RW - PW Right of Way Permit - Obstruction - Parking Lane	Contractor Mike Richards Or Mike O'Reilly Brownsworth, Inc - PERMIT DATES SEPT 21, 2011 FOR 100 FEET OF PARKING LANE
09/13/2011	11 275081	Finaled	RW - PW Right of Way Permit - Obstruction - Parking Lane	Contractor Mike Richards Or Mike O'Reilly Brownsworth, Inc - PERMIT DATES SEPT 28, 2011 FOR 100 FEET OF PARKING LANE UNLOADING FURNITURE
08/18/2011	10 927916	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Billy's ON Grand
12/03/2010	10 929650	Scheduled	MT - Massage - Low Risk - Routine Inspection	Establishment Juut Salonspa MC
12/03/2010	08 240228	History	MT - Massage - Low Risk - Routine Inspection	Establishment Juut Salonspa MC
11/29/2010	10 320801	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Billy's ON Grand
11/24/2010	10 926980	Canceled	XW - ECLIPS License - Water/Health - Massage Practitioner	Licensee Angelique Nowak - ECLIPS License# 20100004988
11/15/2010	10 922692	Finaled	RW - PW Right of Way Permit - Obstruction - Special Events	Contractor Deb Schaber (Ceo) / Randy Dewitz (Dir Of Ops) Saint Paul

10/22/2010	10 913253	Finald	EG - Fire Engineering - Sprinkler / Standpipe Permit - Repair	Festival And Heritage Foundation - WINTER CARNIVAL- PUBLIC BUTTON UNVEILING 2010- 60' PARKING LANE @ BILLY'S ON GRAND, NORTH SIDE OF GRAND STARTING AT DRIVEWAY GOING WEST TOWARDS VICTORIA ST- VULCAN FIRE TRUCKS- Contractor Rich Poole Viking Automatic Sprinkler Company - correct inspection deficiencies from citys inspection - see C of O letter
06/29/2010	10 514453	Finald	EG - Fire Engineering - Sprinkler / Standpipe Permit - Existing Building - Alter Systems	Contractor Rich Poole Viking Automatic Sprinkler Company - REPLACE (1) WET HEAD FOR (1) DRY HEAD IN A COOLER
06/17/2010	10 307019	Canceled	XW - ECLIPS License - Water/Health - Health/Sport Club	Licensee John Nielson Steele Fitness LLC - ECLIPS License# 20100001375
06/10/2010	10 506086	History	SZ - Sports and Health Club - Low Risk - Routine Inspection	Establishment Steele Fitness Inc
06/09/2010	10 506049	History	SZ - Sports and Health Club - Low Risk - Routine Inspection	Establishment Steele Fitness Inc
06/08/2010	10 505984	History	SZ - Sports and Health Club - Low Risk - Routine Inspection	Establishment Steele Fitness Inc
06/04/2010	10 505977	History	SZ - Sports and Health Club - Low Risk - Routine Inspection	Establishment Steele Fitness Inc
06/03/2010	10 503416	History	SZ - Sports and Health Club - Low Risk - Routine Inspection	Establishment Steele Fitness Inc
05/26/2010	10 503414	History	SZ - Sports and Health Club - Low Risk - Routine Inspection	Establishment Steele Fitness Inc
05/25/2010	10 503404	History	SZ - Sports and Health Club - Low Risk - Routine Inspection	Establishment Steele Fitness Inc
05/19/2010	10 324930	Finald	B - Building Permit - Commercial - Repair	Contractor Michael Crowe Crowe Construction - Storefront.
05/19/2010	10 503396	History	SZ - Sports and Health Club - Low Risk - Routine Inspection	Establishment Steele Fitness Inc
05/18/2010	10 323582	Finald	PG - Plumbing/Gasfitting/Inside Water Piping - Gasfitting Only - Commercial Replace	Contractor James Aeshliman Aeshliman Plumbing Inc
05/18/2010	10 323962	Expired	BS - Billboard / Sign - Signs - Commercial New	Contractor Craig Simensen Advanced Design Inc - STEELE
05/12/2010	10 503385	History	SZ - Sports and Health Club - Low Risk - Routine Inspection	Establishment Steele Fitness Inc
05/11/2010	08 147931	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Billy's ON Grand
05/11/2010	10 503372	History	SZ - Sports and Health Club - Low Risk - Routine Inspection	Establishment Steele Fitness Inc
05/05/2010	10 503338	History	SZ - Sports and Health Club - Low Risk - Routine Inspection	Establishment Steele Fitness Inc
05/03/2010	10 503317	History	SZ - Sports and Health Club - Low Risk - Routine Inspection	Establishment Steele Fitness Inc
04/23/2010	10 503315	History	SZ - Sports and Health Club - Low Risk - Routine Inspection	Establishment Steele Fitness Inc
04/22/2010	10 503291	History	SZ - Sports and Health Club - Low Risk - Routine Inspection	Establishment Steele Fitness Inc
04/21/2010	10 309353	Finald	W - Warm Air, Ventilation & General Sheet - Warm Air & Ventilation - Commercial Replace	Contractor Gregory Dustin Fore Mechanical Inc
04/21/2010	10 503290	History	SZ - Sports and Health Club - Low Risk - Routine Inspection	Establishment Steele Fitness Inc
04/20/2010	10 308517	Finald	EG - Fire Engineering - Sprinkler / Standpipe Permit - Existing Building - Alter Systems	Contractor Jennifer Yaritz General Sprinkler Corp - ADD 11 PENDENT HEADS, MOVE 4 PENDENT HEADS, ADD 7 UPRIGHT HEADS, MOVE 4 UPRIGHT HEADS, DEMO 7 HEADS
04/20/2010	10 308624	Finald	E - Electrical Permit - Service & Circuits - Commercial Repair/Alter	Contractor Dickson Electric Inc
04/19/2010	10 503288	History	SZ - Sports and Health Club - Low Risk - Routine Inspection	Establishment Steele Fitness Inc

04/15/2010	10 503280	History	SZ - Sports and Health Club - Low Risk - Routine Inspection	Establishment Steele Fitness Inc
04/12/2010	10 503273	History	SZ - Sports and Health Club - Low Risk - Routine Inspection	Establishment Steele Fitness Inc
04/09/2010	10 410413	History	SZ - Sports and Health Club - Low Risk - Routine Inspection	Establishment Steele Fitness Inc
04/08/2010	10 218893	Finald	PG - Plumbing/Gasfitting/Inside Water Piping - Plumbing/Inside Water (All) - Commercial Alter	Contractor James Aeshliman Aeshliman Plumbing Inc
04/06/2010	10 217507	Closed	GT - General Activity Tracking - Zoning	
03/31/2010	10 130385	Finald	RW - PW Right of Way Permit - Obstruction - Sidewalk	Contractor Mike Crowe / Patrick Crowe Crowe Construction Management - 03/31/10-04/06/10 DEMO OF A STORE FRONT
03/24/2010	10 126809	Finald	B - Building Permit - Commercial - Remodel	Contractor Michael Crowe Crowe Construction Management Services
03/24/2010	10 126814	Finald	B - Building Permit - Commercial - Repair	Contractor Michael Crowe Crowe Construction Management Services - N/A.
03/23/2010	10 126087	Finald	W - Warm Air, Ventilation & General Sheet - Ventilation Only - Commercial Replace	Contractor Gregory Hosch Harris St Paul Inc
02/05/2010	07 211843	History	RS - Restaurant Inspection - Low Risk - Routine Inspection	Establishment Starbucks Coffee Company
02/01/2010	10 016546	Inspected	PG - Plumbing/Gasfitting/Inside Water Piping - Plumbing/Inside Water (All) - Commercial Replace	Contractor Richard Fischer North Star Plbg & Htg Co Inc
01/25/2010	10 012696	Finald	B - Building Permit - Commercial - Repair	Contractor Crawford Merz Anderson Construction CO - N/A.
01/18/2010	10 007902	Active/Issued	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor Complete Electric LLC
01/08/2010	10 003937	Closed without Approval	W - Warm Air, Ventilation & General Sheet - Ventilation Only - Commercial Repair/Alter	Contractor Elmer Wedel Allan Mechanical Inc
01/05/2010	10 001654	Finald - No Inspection	EG - Fire Engineering - Sprinkler / Standpipe Permit - Existing Building - Alter Systems	Contractor Rich Poole Viking Automatic Sprinkler Company - RELOCATE (3-4) HEADS FOR REMODEL
12/01/2009	09 331712	Finald	B - Building Permit - Commercial - Remodel	Contractor Jwn Inc
06/13/2009	08 141892	Canceled	XL - ECLIPS License - Liquor - Liquor On Sale - 291 or more Seats	Licensee Billy's ON Grand - ECLIPS License# 0018526
04/06/2009	09 052008	Resolved	CS - CSO Complaint - Permit - Complaint	Patio furniture at starbucks at victoria and grand avenue impedes pedestrians from walking on the sidewalk. Request for removal or sufficient room to walk on the sidewalk
12/29/2008	07 214902	History	MT - Massage - Low Risk - Routine Inspection	Establishment Juut Salonspa MC
12/05/2008	08 216634	Resolved	CS - CSO Complaint - Exterior - Complaint	
10/29/2008	08 185123	Finald	BS - Billboard / Sign - Signs - Commercial Replace	Contractor Rick Palmateer / Scott Palmateer Universal Sign CO - COPY TO READ: "BILLY'S ON GRAND NEIGHBORHOOD BAR & GRILL"
10/13/2008	08 175737	History	CO - Certificate of Occupancy - Assembly	Responsible Party East Mall Assoc/Bill Wengler - 022823420125
09/09/2008	08 106866	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Billy's ON Grand
09/03/2008	08 144021	Resolved	CS - CSO Complaint - Exterior - Complaint	Garbage overflowing
09/02/2008	08 143086	Finald	W - Warm Air, Ventilation & General Sheet - Ventilation Only - Commercial Repair/Alter	Contractor Elmer Wedel Allan Mechanical Inc
09/01/2008	08 141893	Closed	CL - Compliance Checks - Liquor Compliance Check	Licensee Billy's ON Grand - ECLIPS License# 0018526
08/18/2008	08 134083	Finald	PG - Plumbing/Gasfitting/Inside	Contractor Douglas Waller Oak Grove

			Water Piping - Plumbing/Inside Mechanical Water (All) - Commercial Alter	
08/07/2008	08 128718	Finald	EG - Fire Engineering - Sprinkler / Standpipe Permit - Existing Building - Alter Systems	REVICE EXISTING SPRINKLER SYSTEM FOR TENANT REMODEL. RELOCATE (4) SPRINKLERS.
08/06/2008	08 128140	Finald	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor Complete Electric LLC
07/30/2008	08 123790	Finald	B - Building Permit - Commercial - Remodel	Contractor Jwn Inc
07/22/2008	08 119107	Closed	LC - DSI Env Health Complaint - Health-Safety-Environment - Env Health - Food	Hosing down the inside of the bar and patio causing drainage to the street drain and a horrible stinch that is left to sit in the drain. This horrible stinch stays in our neighborhood. 7/25/08 horrible stench emanating from the property. When sitting at Starbucks or walking by one cannot help but be overwhelmed by the stench. I know it has something to do with their drain on the patio. Something needs to be done.
07/22/2008	08 119106	In Compliance	CS - CSO Complaint - License - Complaint	Hosing down the inside of the bar and patio causing drainage to the street drain and a horrible stinch that is left to sit in the drain. This horrible stinch stays in our neighborhood. 7/25/08 horrible stench emanating from the property. When sitting at Starbucks or walking by one cannot help but be overwhelmed by the stench. I know it has something to do with their drain on the patio. Something needs to be done.
07/01/2008	07 053072	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Billy's ON Grand
06/13/2008	08 057181	Canceled	XF - ECLIPS Food Related - Restaurant (5) - 151 and Over	Licensee Billy's ON Grand - ECLIPS License# 0018526
06/13/2008	08 057342	Canceled	XL - ECLIPS License - Liquor - Liquor On Sale - 181-290 Seats	Licensee Billy's ON Grand - ECLIPS License# 0018526
06/06/2008	08 089622	Canceled	XW - ECLIPS License - Water/Health - Massage Practitioner	Licensee Urban Village Salon Ulises J Zarate - ECLIPS License# 20080001967
04/14/2008	08 057343	Closed	CL - Compliance Checks - Liquor Compliance Check	Licensee Billy's ON Grand - ECLIPS License# 0018526
04/14/2008	08 057326	Closed	CL - Compliance Checks - Liquor Compliance Check	Licensee Billy's ON Grand - ECLIPS License# 0018526
04/14/2008	08 057305	Closed	CL - Compliance Checks - Liquor Compliance Check	Licensee Billy's ON Grand - ECLIPS License# 0018526
04/14/2008	08 057242	Closed	CL - Compliance Checks - Liquor Compliance Check	Licensee Billy's ON Grand - ECLIPS License# 0018526
01/16/2008	08 009936	Finald	EG - Fire Engineering - Sprinkler / Standpipe Permit - Existing Building - Alter Systems	VICTORIA CROSSING EAST - REPLACE 9 HEADS OVER FRYER,
01/01/2008	07 198955	Suspended	XW - ECLIPS License - Water/Health - Massage Practitioner	Licensee Lisa Keathly Lisa G Keathly - ECLIPS License# 20070004742
12/21/2007	07 223600	Pending	PV - Project Facilitator Review	Project Applicant Tou Vang - Previous use of space for retail (clothing/gifts). Space @1360 sq. ft. Per Jeff Hawkins no available parking to permit change in use under zoning code requirement for this part of Grand Ave.
12/20/2007	07 222806	Closed	LC - DSI Env Health Complaint - Health-Safety-Environment - Env Health - Food	Allowing pets into the Star Bucks and in the Mall they are leaving dogs in the mall.
12/20/2007	07 222805	In Compliance	CS - CSO Complaint - License - Complaint	Allowing pets into the Star Bucks and in the Mall they are leaving dogs in the mall.
12/07/2007	07 121764	History	MT - Massage - Low Risk - Routine Inspection	Establishment Juut Salonspa MC

12/03/2007	06 064713	History	RS - Restaurant Inspection - Low Risk - Routine Inspection	Establishment Starbucks Coffee Company
10/04/2007	07 168186	Closed	RF - Referral - Citizen Complaint	Owner East Mall Associates - VICTORIA CROSSING EAST - VARIOUS SPRINKLER DEFICIENCIES PER VIKING REPORT
07/25/2007	07 121757	History	MT - Massage - Low Risk - Routine Inspection	Establishment Juut Salonspa MC
07/25/2007	07 113401	History	MT - Massage - Low Risk - Routine Inspection	Establishment Juut Salonspa MC
07/10/2007	99 000726	History	MT - Massage - Low Risk - Routine Inspection	Establishment David Wagner Salons, Inc.
07/05/2007	07 111432	Canceled	XW - ECLIPS License - Water/Health - Massage Practitioner	Licensee Sophie Lopez - ECLIPS License# 20070002890
06/14/2007	07 096302	Finald	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor Craig Marshall Redlin Electric Inc
06/02/2007	07 089207	Active/Issued	CT - Certificate of Insurance - Sign - Insurance	
05/30/2007	07 087008	History	CO - Certificate of Occupancy - Assembly	Responsible Party East Mall Assoc/Bill Wengler - 022823420125
03/27/2007	05 200814	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Billy's ON Grand
01/31/2007	07 016486	Closed	RF - Referral - Citizen Complaint	Owner East Mall Associates - SMOKING IN TENTS
11/03/2006	06 263001	Closed	CL - Compliance Checks - Tobacco Compliance Check	Licensee Billy's ON Grand - ECLIPS License# 0018526
11/03/2006	06 262425	Closed	CL - Compliance Checks - Liquor Compliance Check	Licensee Billy's ON Grand - ECLIPS License# 0018526
10/16/2006	06 244707	Expired	B - Building Permit - Commercial - Remodel	Contractor Jwn Inc - Jerry has plan and permit. Need site plan and construction plans. JAC 10/16/06 11/02/06, contractor is getting back to the owner to reconsider this whole idea - - there are engineering concerns that hadn't been considered - - application and plans with Frank, fb 3/5/07, no word since our meeting here at LIEP on 01/16/07, okayd concept, waiting on engineering, fb 10/17/2007: Automatically closed by system due to no activity in one year. 5/20/08, reviewed statis with area inspector (Jon Hegner), awnings had been installed without permit, Jon had reviewed how the awnings are operated, with the owner, on site, he thinks well over a year ago.
07/26/2006	06 114908	Closed	LC - DSI Env Health Complaint - Health-Safety-Environment - Env Health - Food	City employee(Police com center)was at Billy's on Grand last night and a large black mouse dropped from the ceiling, 3 other people with her saw it also.
07/26/2006	06 114907	Closed	CS - CSO Complaint - License - Complaint	City employee(Police com center)was at Billy's on Grand last night and a large black mouse dropped from the ceiling, 3 other people with her saw it also.
04/07/2006	06 064099	History	RS - Restaurant Inspection - Low Risk - Plan Review Inspection	
04/07/2006	06 063973	Finald	E - Electrical Permit - Service & Circuits - Commercial Repair/Alter	Contractor Fraser Morris Electric CO
04/06/2006	06 062178	History	RS - Restaurant Inspection - Low Risk - Plan Review Inspection	
04/06/2006	06 063515	Finald	PG - Plumbing/Gasfitting/Inside Water Piping - Plumbing/Inside Water (All) - Commercial Alter	Contractor John Albers Albers Mechanical Services
04/04/2006	05 158058	History	RS - Restaurant Inspection - Low Risk - Plan Review	

			Inspection	
02/17/2006	06 023694	Finald	SS - PW Sewer Permit - Storm - New	Contractor Frank Anderson Mueller Pipeliners Inc
02/17/2006	06 023154	Finald	SS - PW Sewer Permit - Storm - New	Contractor Al Webster Jr Webster Co Inc
11/16/2005	04 044223	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Billy's ON Grand
09/22/2005	05 161008	Finald	B - Building Permit - Commercial - Remodel	Contractor Crawford Merz Anderson Construction CO
09/14/2005	03 255643	History	RS - Restaurant Inspection - Low Risk - Routine Inspection	Establishment Starbucks Coffee Company
07/28/2005	05 138063	Closed	CS - CSO Complaint - Tree - Complaint	Tree on public sidewalk with heaved bricks in front of Starbucks on Grand @ Victoria. Complainants have seen many people trip on bricks. NOTE: I&C sending complaint to Parks & Rec Maintenance & Forestry and Public Works Sidewalks
07/28/2005	05 137867	Closed	CS - CSO Complaint - Sidewalk - Complaint	Tree on public sidewalk with heaved bricks in front of Starbucks on Grand @ Victoria. Complainants have seen many people trip on bricks. NOTE: I&C sending complaint to Parks & Rec Maintenance & Forestry and Public Works Sidewalks
07/28/2005	05 137866	Closed	CS - CSO Complaint - Park/Playground - Complaint	Tree on public sidewalk with heaved bricks in front of Starbucks on Grand @ Victoria. Complainants have seen many people trip on bricks. NOTE: I&C sending complaint to Parks & Rec Maintenance & Forestry and Public Works Sidewalks
04/14/2005	05 089008	Closed	CS - CSO Complaint - Vacant Building Addtl Info - Complaint	misc. boarding and securing
11/17/2004	04 194331	Finald	BS - Billboard / Sign - Signs - Commercial Repair/Alter	Contractor Nordquist Sign Company - REFACE EXISTING SIGN WITH COPY TO READ: JUUT AVEDA
09/23/2004	04 150093	Certified	CO - Certificate of Occupancy - Assembly	Responsible Party East Mall Assoc/Bill Wengler - 022823420125
07/19/2004	04 120733	Finald - No Inspection	EG - Fire Engineering - Sprinkler / Standpipe Permit - Existing Building - Alter Systems	ADD ONE HEAD OVER DEEP FRYER
06/23/2004	04 109379	Closed	CS - CSO Complaint - Noise - FYI - No Response Required	Grand Ave resident living by Billy's Bar says the motorcycle's are so loud they disturb them when they arrive which is thru the night and when they leave late at night they warm up their bikes and wakes up the residents around the bar
02/18/2004	03 299996	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Billy's ON Grand - WALL-AROUND HANDSINK AND DISH AREA MISSING TILES. COOKLINE-CHICKEN TEMP=47.8 NO SANI DETECTED IN DM. LIGHT SHIELDS. BAR: HOLSTERS. NO SANI ON CLOTHS AND GLASS MACHINE. CUPS. BACKBAR: POP HOLSTER SOILED. CAFE BAR-POP HOLSTERS. MICHAEL DAVIS FM:12481
08/27/2003	03 345207	Closed	RF - Referral - Form 4	Owner East Mall Associates - VICTORIA CROSSING EAST -- PLASTIC PROTECTIVE CAP FOR SPRINKLER FDC IS BROKEN AND SHOULD BE REPLACED.
08/25/2003	03 344055	Finald	E - Electrical Permit - Service & Circuits - Commercial Repair/Alter	Contractor Craig Marshall Redlin Electric Inc
08/06/2003	03 392559	Canceled	XL - ECLIPS License - Liquor - Liquor On Sale - 2 AM Closing	Licensee Billy's ON Grand - ECLIPS License# 0018526
08/01/2003	03 335100	Finald	PG - Plumbing/Gasfitting/Inside Water Piping - Plumbing/Inside	Contractor David Smith St Paul Plbg & Htg CO

07/17/2003	03 328235	Canceled	Water (All) - Residential Repair XW - ECLIPS License - Water/Health - Massage Practitioner	Licensee Jayson Fultz Jayson O Fultz - ECLIPS License# 20030003022
07/10/2003	03 325106	Finald	B - Building Permit - Commercial - Remodel	Contractor J W N Inc
06/13/2003	03 260531	Canceled	XF - ECLIPS Food Related - Restaurant (D) - Add-on (Bar Only)	Licensee Billy's ON Grand - ECLIPS License# 0018526
06/13/2003	03 333009	Canceled	XF - ECLIPS Food Related - Restaurant (E) - Extension	Licensee Billy's ON Grand - ECLIPS License# 0018526
05/12/2003	03 285405	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Billy's ON Grand
05/07/2003	03 296646	Finald - No Inspection	EG - Fire Engineering - Sprinkler / Standpipe Permit - Existing Building - Alter Systems	RELOCATE 2 HEADS IN BATHROOMS
05/01/2003	03 291587	Canceled	XW - ECLIPS License - Water/Health - Massage Practitioner	Licensee Melanie Rae Nugent - ECLIPS License# 20030001687
04/24/2003	03 289997	Finald	E - Electrical Permit - Service & Circuits - Commercial Repair/Alter	Contractor Sue Steuernagel Egan Company
04/18/2003	03 286771	Finald	E - Electrical Permit - Service & Circuits - Commercial Repair/Alter	Contractor Craig Marshall Redlin Electric Inc
04/15/2003	03 285394	Closed	LC - DSI Env Health Complaint - Health-Safety-Environment - Env Health	Neighbors next to restaurant are tired of listening to the motorcycles in the parking lot everynight now that it's getting nice out
04/15/2003	03 285393	Closed	CS - CSO Complaint - Noise - Complaint	Neighbors next to restaurant are tired of listening to the motorcycles in the parking lot everynight now that it's getting nice out
04/14/2003	02 138357	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Billy's ON Grand
04/04/2003	03 277575	Finald	PG - Plumbing/Gasfitting/Inside Water Piping - Plumbing/Inside Water (All) - Commercial Replace	Contractor David Smith St Paul Plbg & Htg CO
03/26/2003	03 272738	Finald	B - Building Permit - Commercial - Remodel	Contractor J W N Inc
02/14/2003	00 146288	History	RS - Restaurant Inspection - Low Risk - Routine Inspection	Establishment Starbucks Coffee Company
10/07/2002	02 228912	History	CO - Certificate of Occupancy - Assembly	Responsible Party East Mall Assoc/Bill Wengler - 022823420125
10/03/2002	02 004911	Canceled	XW - ECLIPS License - Water/Health - Massage Practitioner	Licensee Candace Eck Candace J Eck - ECLIPS License# 20020004911
07/12/2002	02 125361	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Billy's ON Grand - 6- 14-02 I STOPPED IN. SCOTT IS ON VACATION UNTIL 6-21-02. LEFT CARD FOR BILLY TO CALL ME. SJO
05/20/2002	02 124767	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Billy's ON Grand
05/14/2002	01 219081	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Billy's ON Grand
03/29/2002	02 001435	Canceled	XW - ECLIPS License - Water/Health - Massage Practitioner	Licensee Lisa Hawkinson Lisa M Hawkinson - ECLIPS License# 20020001435
03/15/2002	99 005204	History	MT - Massage - Low Risk - Routine Inspection	Establishment David Wagner Salons,Inc(Horst)-Trea - no lic, closing folder, jb 3/15/02
03/12/2002	02 104215	Finald - No Inspection	EG - Fire Engineering - Sprinkler / Standpipe Permit - Repair	VICTORIA CROSSING EAST MALL - DURING INSPECTION THE FLOW SWITCH ON HOOD DID NOT SHUT OFF THE GAS. REPLACED SWITCH TO CORRECT PROBLEM.
02/25/2002	02 101336	Closed	RF - Referral - Citizen Complaint	Owner East Mall Associates - From Viking report dated 1-21-02 - Flow on hood did not trip gas.

02/11/2002	99 005000	History	MT - Massage - Low Risk - Routine Inspection	Establishment Horst Salon(David Wagner)-M.Nugent - Nona Trealoff-License cancelled, closing folder, jmb 2/11/02
02/11/2002	99 005722	History	MT - Massage - Low Risk - Routine Inspection	Establishment Horst-Kellie Myers - License cancelled, closing folder, jmb 2/11/02
02/08/2002	99 000774	History	MT - Massage - Low Risk - Routine Inspection	Establishment Kay Hansen - License Canceled, closing folder. ptk 2/8/02
02/01/2002	02 000158	Canceled	XE - ECLIPS License - Entertainment - Gambling Manager	Licensee Abigail Fisher Sexual Violence Center - ECLIPS License# 20020000158
10/04/2001	01 227441	Closed	RF - Referral - Citizen Complaint	Owner East Mall Associates - Sprinkler inspection report
07/31/2001	01 211215	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Billy's ON Grand
07/11/2001	01 219078	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Billy's ON Grand
07/06/2001	01 217453	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Billy's ON Grand
06/19/2001	00 149023	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Billy's ON Grand
05/18/2001	01 204184	Active	PS - Pre-Fire Survey - Business	Owner East Mall Associates
04/11/2001	99 006181	Canceled	XW - ECLIPS License - Water/Health - Massage Practitioner	Licensee Robert Biebl - ECLIPS License# 19990006181
03/13/2001	01 024710	History	CO - Certificate of Occupancy - Assembly	Responsible Party East Mall Assoc/Bill Wengler - 022823420125
02/05/2001	01 000425	Canceled	XW - ECLIPS License - Water/Health - Massage Practitioner	Licensee Christine Grussendorf Christine M Grussendorf - ECLIPS License# 20010000425
11/16/2000	00 005452	Canceled	XW - ECLIPS License - Water/Health - Massage Practitioner	Licensee Catherine Henderson Catherine G Henderson - ECLIPS License# 20000005452
11/03/2000	00 149007	Closed	LC - DSI Env Health Complaint - Health-Safety-Environment	AN ANONYMOUS COMPLAINTANT SAID HE/SHE ATE THE COLESLAW AND BECAME ILL. THE DATE WAS UNCERTAIN - AROUND NOVEMBER 17TH. jmc
11/02/2000	00 136800	History	RS - Restaurant Inspection - High Risk - Complaint Inspection	Establishment Billy's ON Grand
10/09/2000	99 002845	History	RS - Restaurant Inspection - Low Risk - Routine Inspection	Establishment Starbucks Coffee Company
09/01/2000	00 003851	Canceled	XE - ECLIPS License - Entertainment - Gambling Manager	Licensee Gail Emerson Sexual Violence Center - ECLIPS License# 20000003851
07/24/2000	00 136799	Closed	LC - DSI Env Health Complaint - Health-Safety-Environment	COMPLAINANT ATE AT ESTABLISHMENT 7/13/00 AND WAS ILL WITH HEADACHE, CHILLS, DIARHEA, VOMITING, SWEATS. (SEE FILED MDH REPORT). jmc
07/18/2000	00 135886	History	RS - Restaurant Inspection - High Risk - Complaint Inspection	Establishment Billy's ON Grand
07/12/2000	00 132754	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Billy's ON Grand
06/16/2000	99 004962	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Billy's ON Grand
03/02/2000	00 120036	Closed	FS - Fire Suppression Systems - Other Fire Extinguishing Systems - Commercial Repair/Alter	Contractor Rich Poole Viking Automatic Sprinkler Company - 01/02/2001: All FS permits transferred from LIEP to Fire.. Closed without final approval
01/14/2000	00 116986	Finald	B - Building Permit - Commercial - Remodel	Contractor Primera Construction CO
11/12/1999	99 006420	Canceled	XE - ECLIPS License - Entertainment - Gambling Manager	Licensee Madelyn Broadus Sexual Violence Center - ECLIPS License# 19990006420
10/12/1999	99 006181	Withdrawn	XW - ECLIPS License - Water/Health - Massage	Licensee Robert Biebl - ECLIPS License# 19990006181

08/23/1999	99 000224	Closed	Practitioner BS - Billboard / Sign - Signs - Commercial Repair/Alter	Contractor Nordquist Sign Company - 16-Nov-2005: Folder closed by system due to no activity in one year . Closed without final approval
08/05/1999	99 005175	History	MT - Massage - Low Risk - Routine Inspection	Establishment David Wagner Salons;Juut; C. Lang
05/17/1999	99 004720	Closed	EC - Environmental Complaint History (DC)	Complainant's group there 5/11/99, at noon. The ceiling fans were filthy. Complainant ate half of her lettuce salad, then found a one-inch long still alive cockroach. The staff person told them they did not want to have cheesecake for dessert because it was moldy. KKO 5/12/99 Second complaint from another person who was in the group. KKO .
05/17/1999	99 008496	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Billy's ON Grand
04/09/1999	99 007748	History	MT - Massage - Low Risk - Routine Inspection	Establishment David Wagner Salons,Inc(Horst)-Bieb
03/22/1999	99 001792	Active/Issued	XW - ECLIPS License - Water/Health - Massage Practitioner	Licensee Christine Ruth Lang - ECLIPS License# 19990001792
01/15/1999	98 023951	History	MT - Massage - Low Risk - Routine Inspection	Establishment David Wagner Salons,Inc(Horst)-Trea
01/07/1999	96 005187	History	RS - Restaurant Inspection - Low Risk - Routine Inspection	Establishment Starbucks Coffee Company
01/07/1999	98 004532	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Billy's ON Grand
12/10/1998	21 227641	Active	PF - Police Alarm Permit - Alarm Permit (Renew) - Commercial	Applicant East Mall Associates East Mall Associates - Victoria Crossing East Mall - Eclips Data conversion
10/22/1998	99 002303	Canceled	XW - ECLIPS License - Water/Health - Tanning Facility	Licensee Marie Forsell Hawaiian Tan - ECLIPS License# 19990002303
07/08/1998	98 143312	Closed without Approval	W - Warm Air, Ventilation & General Sheet - General Sheet Metal - Commercial Repair/Alter	Contractor Mark Miesen Miesen Roofing Inc - Closed without final approval
06/27/1998	98 142513	Closed without Approval	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor Weber Electric Inc - Closed without final approval
05/28/1998	98 000223	Closed	FS - Fire Suppression Systems - Limited Use Limited Access - Commercial Repair/Alter	Contractor Billy's On Grand - Closed without final approval
02/11/1998	99 014189	History	MT - Massage - Low Risk - Routine Inspection	Establishment Horst Salon(David Wagner)-M.Nugent
01/02/1998	98 000003	Canceled	XE - ECLIPS License - Entertainment - Gambling Manager	Licensee Barbara Dotty Sexual Violence Center/Billy's ON Grand - ECLIPS License# 19980000003
12/17/1997	98 000840	Canceled	XW - ECLIPS License - Water/Health - Massage Practitioner	Licensee Nell Rueckl - ECLIPS License# 19980000840
12/10/1997	96 006089	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Billy's ON Grand
11/24/1997	96 019533	History	MT - Massage - Low Risk - Routine Inspection	Establishment Horst Salon(David Wagner)-M.Nugent
09/17/1997	97 000734	Finald	BS - Billboard / Sign - Signs - Commercial New	Contractor Universal Sign CO
09/09/1997	97 126702	Finald	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor Marel Forsell
05/21/1997	97 T54821	Complete	XP - ECLIPS License - Temporary - Liquor-Extension of Service Area	Licensee Billy's ON Grand - ECLIPS License# 00T54821
05/17/1997	97 T31275	Complete	XP - ECLIPS License - Temporary - Special Event Food Sales - 1 to 3 Days	Licensee Starbuck's Coffee CO Starbuck's Coffee - ECLIPS License# 00T31275
05/09/1997	97 042835	Canceled	XW - ECLIPS License - Water/Health - Massage Practitioner	Licensee Melanie Nugent Melanie R Nugent - ECLIPS License# 0042835
04/11/1997	97 025700	History	MT - Massage - Low Risk -	Establishment Horst-Kellie Myers

04/10/1997	97 025632	History	Routine Inspection MT - Massage - Low Risk - Plan Review Inspection	Establishment Horst-Kellie Myers
03/12/1997	97 033186	Canceled	XW - ECLIPS License - Water/Health - Massage Practitioner	Licensee Kay Hansen Kay L Hansen - ECLIPS License# 0033186
03/11/1997	97 077742	Canceled	XW - ECLIPS License - Water/Health - Massage Practitioner	Licensee Kellie Myers - ECLIPS License# 0077742
02/21/1997	96 005794	History	MT - Massage - Low Risk - Routine Inspection	Establishment Kay Hansen
02/21/1997	97 023939	History	MT - Massage - Low Risk - Routine Inspection	Establishment David Wagner Salons, Inc.
11/22/1996	96 097012	Closed without Approval	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor David L Morford Dlm Electric - Closed without final approval
10/01/1996	96 026471	Canceled	XE - ECLIPS License - Entertainment - Gambling Manager	Licensee Lois Dirksen Sexual Violence Center/Billy's ON Grand - ECLIPS License# 0026471
10/01/1996	96 034166	Canceled	XE - ECLIPS License - Entertainment - Gambling Location (Class A)	Licensee Bilco Inc Billy's On Grand/Sexual Violence Center - ECLIPS License# 0034166
07/11/1996	97 002047	History	MT - Massage - Low Risk - Routine Inspection	Establishment David Wagner Salons,Inc(Horst)-Trea
06/28/1996	96 002136	History	MT - Massage - Low Risk - Plan Review Inspection	Establishment David Wagner Salons,Inc(Horst)-Trea
06/28/1996	96 011782	History	MT - Massage - Low Risk - Routine Inspection	Establishment David Wagner Salons, Inc.
06/28/1996	96 042601	Active/Issued	XW - ECLIPS License - Water/Health - Massage Center - A (Commercial)	Licensee David Wagner Juut Salonspa (Juut Holdings Inc) - ECLIPS License# 0042601
06/25/1996	96 000265	Finald	BS - Billboard / Sign - Signs - Commercial New	Contractor Nordquist Sign Company
06/20/1996	96 005432	History	MT - Massage - Low Risk - Routine Inspection	Establishment David Wagner Salons, Inc.
06/20/1996	96 018478	Canceled	XW - ECLIPS License - Water/Health - Massage Practitioner	Licensee Nona Bock Nona Trealoff Bock - ECLIPS License# 0018478
06/05/1996	96 018063	History	MT - Massage - Low Risk - Routine Inspection	Establishment David Wagner Salons, Inc.
05/30/1996	96 007088	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Billy's ON Grand
05/30/1996	99 003138	Closed	EC - Environmental Complaint History (DC)	From Mayor's Compl. Office, 5/24/96. Complainant says while in restaurant recently, observed that bartender continued to serve alcohol to very intoxicated patron who had small puppy with her the entire time she sat in bar which is against City ordinance regarding animals in restaurants. Animal seemed to be in distress and Complainant told bartender who said he could not do anything about this as patron was the owner's friend. Complainant called 911-nothing could be done because woman in bar not causing disturbance. KKO .
05/28/1996	96 T58993	Complete	XP - ECLIPS License - Temporary - Liquor-Extension of Service Area	Licensee Billy's ON Grand - ECLIPS License# 00T58993
05/22/1996	96 018014	History	MT - Massage - Low Risk - Plan Review Inspection	Establishment David Wagner Salons, Inc.
05/22/1996	96 100971	Finald	PL - Plumbing & Gas Fitting (OLD) - Plumbing (ALL) - Residential Replace	Contractor Oak Grove Mechanical
05/09/1996	96 087946	Finald	W - Warm Air, Ventilation & General Sheet - Warm Air & Ventilation - Commercial Install	Contractor John Matthews Air Conditioning Assoc Inc
05/02/1996	96 100913	Finald	PL - Plumbing & Gas Fitting (OLD) - Plumbing (ALL) -	Contractor Oak Grove Mechanical

04/22/1996	96 087167	Finald	Residential Replace E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor David L Morford DIm Electric
01/19/1996	95 003433	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Billy's ON Grand
11/21/1995	96 017451	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Billy's ON Grand
10/13/1995	96 018323	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Billy's ON Grand
10/09/1995	95 011045	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Billy's ON Grand
09/27/1995	95 009096	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Billy's ON Grand
09/27/1995	99 006323	Closed	EC - Environmental Complaint History (DC)	On 2/27/95 at 7:30 p.m. Complainants went for dinner and asked for non-smoking area. They were told that restaurant does not have a non-smoking area. They were to seat themselves. Taken by Diane Olson, 3/2/95. . .
09/26/1995	95 079714	Finald	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor East Mall Associates
09/05/1995	95 003182	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Billy's ON Grand
09/05/1995	99 001484	Closed	EC - Environmental Complaint History (DC)	On 2/27/95 at 7:30 p.m. Complainants went for dinner and asked for non-smoking area. They were told that restaurant does not have a non-smoking area. They were to seat themselves. Taken by Diane Olson, 3/2/95. .
07/12/1995	95 001152	History	RS - Restaurant Inspection - Medium Risk - Routine Inspection	Establishment Starbucks Coffee Company
05/23/1995	95 T36711	Complete	XP - ECLIPS License - Temporary - Liquor-Extension of Service Area	Licensee Billy's ON Grand - ECLIPS License# 00T36711
04/21/1995	95 072363	Finald	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor Odegard Books
02/22/1995	95 115650	Finald	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor William Kunsler
12/13/1994	94 113486	Finald	E - Electrical Permit - Electrical	Contractor Odegard Books
10/22/1994	94 055822	Canceled	XF - ECLIPS Food Related - Restaurant (L) - Limited	Licensee License Coordinator Starbuck's Coffee #278 - ECLIPS License# 0055822
10/22/1994	94 055822	Canceled	XF - ECLIPS Food Related - Sidewalk Cafe	Licensee License Coordinator Starbuck's Coffee #278 - ECLIPS License# 0055822
10/18/1994	94 110814	Finald	W - Warm Air, Ventilation & General Sheet - Warm Air & Ventilation - Commercial Repair/Alter	Contractor Starbucks Coffee
09/26/1994	94 000141	History	RS - Restaurant Inspection - Medium Risk - Routine Inspection	Establishment Starbucks Coffee Company
09/22/1994	94 109197	Finald	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor Doug Humphrey Electric Sign And Lighting, Inc.
09/20/1994	95 023560	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Billy's ON Grand
09/20/1994	99 003537	Closed	EC - Environmental Complaint History (DC)	Odors from exhaust system or old barrels of grease, coming from restaurant. Complainant has to shut his windows at night due to the smell. 9/13/94 DO. .
09/13/1994	94 000505	Finald	BS - Billboard / Sign - Signs - Commercial New	Contractor Nordquist Sign Company
09/12/1994	94 009903	History	RS - Restaurant Inspection - Medium Risk - Routine Inspection	Establishment Starbucks Coffee Company
09/07/1994	94 025004	History	RS - Restaurant Inspection - Medium Risk - Routine	Establishment Starbucks Coffee Company

09/06/1994	94 000486	Finald	Inspection BS - Billboard / Sign - Portable Signs - Commercial New	Contractor Nordquist Sign Company
08/26/1994	94 013693	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Billy's ON Grand
08/25/1994	94 016639	History	RS - Restaurant Inspection - Medium Risk - Routine Inspection	Establishment Starbucks Coffee Company
08/15/1994	94 018069	History	RS - Restaurant Inspection - Medium Risk - Routine Inspection	Establishment Starbucks Coffee Company
08/10/1994	94 106661	Finald	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor Starbucks Coffee
08/10/1994	94 106673	Closed without Approval	W - Warm Air, Ventilation & General Sheet - Warm Air & Ventilation - Commercial Install	Contractor Andrew Rice Cronstroms Htg & A/C, Inc - Closed without final approval
07/26/1994	94 004334	History	RS - Restaurant Inspection - Low Risk - Routine Inspection	Establishment Starbucks Coffee Company
07/05/1994	94 005904	History	RS - Restaurant Inspection - Low Risk - Plan Review Inspection	Establishment Starbucks Coffee Company
06/27/1994	94 005900	History	RS - Restaurant Inspection - Low Risk - Plan Review Inspection	Establishment Starbucks Coffee Company
06/24/1994	94 104486	Finald	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor Bill Wangler
05/24/1994	94 T18874	Complete	XP - ECLIPS License - Temporary - Liquor-Extension of Service Area	Licensee Billy's ON Grand - ECLIPS License# 00T18874
12/30/1993	99 004494	History	RS - Restaurant Inspection - No Risk - Routine Inspection	Establishment Billy's ON Grand
11/16/1993	99 004554	History	RS - Restaurant Inspection - No Risk - Routine Inspection	Establishment Billy's ON Grand
11/05/1993	99 004514	History	RS - Restaurant Inspection - No Risk - Routine Inspection	Establishment Billy's ON Grand
11/05/1993	99 005613	Closed	EC - Environmental Complaint History (DC)	CONVERTED FROM PARADOX SYSTEM. NO NARRATIVE.
11/05/1993	99 005645	Closed	EC - Environmental Complaint History (DC)	CONVERTED FROM PARADOX SYSTEM. NO NARRATIVE.
09/22/1993	99 004547	History	RS - Restaurant Inspection - No Risk - Routine Inspection	Establishment Billy's ON Grand
09/22/1993	99 005636	Closed	EC - Environmental Complaint History (DC)	CONVERTED FROM PARADOX SYSTEM. NO NARRATIVE.
08/10/1993	99 004474	History	RS - Restaurant Inspection - No Risk - Routine Inspection	Establishment Billy's ON Grand
06/06/1993	93 019804	Canceled	XP - ECLIPS License - Temporary - Liquor-Extension of Service Area	Licensee Billy's ON Grand - ECLIPS License# 0019804
01/20/1993	99 005177	History	RS - Restaurant Inspection - No Risk - Routine Inspection	Establishment Billy's ON Grand
09/15/1992	99 005134	History	RS - Restaurant Inspection - No Risk - Routine Inspection	Establishment Billy's ON Grand
03/27/1992	99 005172	History	RS - Restaurant Inspection - No Risk - Routine Inspection	Establishment Billy's ON Grand
03/20/1992	99 005093	History	RS - Restaurant Inspection - No Risk - Routine Inspection	Establishment Billy's ON Grand
12/11/1991	99 005192	History	RS - Restaurant Inspection - No Risk - Routine Inspection	Establishment Billy's ON Grand
10/15/1991	99 005129	History	RS - Restaurant Inspection - No Risk - Routine Inspection	Establishment Billy's ON Grand
10/07/1991	99 005149	History	RS - Restaurant Inspection - No Risk - Routine Inspection	Establishment Billy's ON Grand
08/21/1991	99 005107	History	RS - Restaurant Inspection - No Risk - Routine Inspection	Establishment Billy's ON Grand
08/21/1991	99 005579	Closed	EC - Environmental Complaint History (DC)	CONVERTED FROM PARADOX SYSTEM. NO NARRATIVE.
04/10/1991	99 005185	History	RS - Restaurant Inspection - No Risk - Routine Inspection	Establishment Billy's ON Grand
04/10/1991	99 005603	Closed	EC - Environmental Complaint History (DC)	CONVERTED FROM PARADOX SYSTEM. NO NARRATIVE.

04/10/1991	99 005651	Closed	EC - Environmental Complaint History (DC)	CONVERTED FROM PARADOX SYSTEM. NO NARRATIVE.
04/01/1991	91 052744	Canceled	XS - ECLIPS License - Miscellaneous - Cigarette/Tobacco	Licensee Billy's ON Grand - ECLIPS License# 0052744
02/28/1991	99 005141	History	RS - Restaurant Inspection - No Risk - Routine Inspection	Establishment Billy's ON Grand
10/01/1990	99 006174	Closed	EC - Environmental Complaint History (DC)	CONVERTED FROM PARADOX SYSTEM. NO NARRATIVE.
06/13/1990	90 018526	Canceled	XF - ECLIPS Food Related - Catering - Add On	Licensee Billy's ON Grand - ECLIPS License# 0018526
06/13/1990	90 018526	Canceled	XF - ECLIPS Food Related - Restaurant (B) - more than 12 seats	Licensee Billy's ON Grand - ECLIPS License# 0018526
06/13/1990	90 018526	Canceled	XE - ECLIPS License - Entertainment - Entertainment (B)	Licensee Billy's ON Grand - ECLIPS License# 0018526
06/13/1990	90 018526	Canceled	XE - ECLIPS License - Entertainment - Gambling Location	Licensee Billy's ON Grand - ECLIPS License# 0018526
06/13/1990	90 018526	Canceled	XL - ECLIPS License - Liquor - Liquor On Sale - Over 200 seats (A)	Licensee Billy's ON Grand - ECLIPS License# 0018526
06/13/1990	90 018526	Canceled	XL - ECLIPS License - Liquor - Liquor On Sale - Sunday	Licensee Billy's ON Grand - ECLIPS License# 0018526
06/13/1990	90 018526	Canceled	XL - ECLIPS License - Liquor - Liquor-Outdoor Service Area (Patio)	Licensee Billy's ON Grand - ECLIPS License# 0018526
06/13/1990	90 018526	Canceled	XS - ECLIPS License - Miscellaneous - Cigarette/Tobacco	Licensee Billy's ON Grand - ECLIPS License# 0018526
12/11/1989	89 016186	Canceled	XE - ECLIPS License - Entertainment - Entertainment (B)	Licensee R B S Inc Billy's ON Grand - ECLIPS License# 0016186
12/11/1989	89 016186	Canceled	XL - ECLIPS License - Liquor - Liquor On Sale - Over 200 seats (A)	Licensee R B S Inc Billy's ON Grand - ECLIPS License# 0016186
12/11/1989	89 016186	Canceled	XL - ECLIPS License - Liquor - Liquor On Sale - Sunday	Licensee R B S Inc Billy's ON Grand - ECLIPS License# 0016186
01/07/1985	85 006537	History	CO - Certificate of Occupancy - Assembly	Responsible Party East Mall Assoc/Bill Wengler - 022823420125
01/07/1985	85 016531	History	CO - Certificate of Occupancy - Assembly	Responsible Party East Mall Assoc/Bill Wengler - 022823420125
	94 001234	Closed	ZH - Zonetrack History	Applicant Starbucks Coffee
	99 000299	Open	ZH - Zonetrack History - Major Variance	Applicant East Mall Associates
	99 000832	Open	ZH - Zonetrack History - Major Variance	Applicant East Mall Associates
	99 001316	Scheduled	MT - Massage - Low Risk - Routine Inspection	Establishment David Wagner Salons,Inc(Horst)-Bieb
	99 002435	Scheduled	MT - Massage - Low Risk - Routine Inspection	Establishment David Wagner Salons;Juut; C. Lang