



CITY OF SAINT PAUL  
Christopher B. Coleman, Mayor

375 Jackson Street, Suite 220  
Saint Paul, Minnesota 55101-1806

Telephone: 651-266-8989  
Facsimile: 651-266-9124  
Web: [www.stpaul.gov/dsi](http://www.stpaul.gov/dsi)

August 23, 2011

TO: District Council 7

Dear Ladies/Gentlemen:

This is to inform you of a request for a variance from the sound level limitations as indicated in the Saint Paul Noise Ordinance (Chapter 293 of the Saint Paul Legislative Code).

A public hearing before the City Council on this variance request will be held on:

**Date:** September 7, 2011  
**Time:** 5:30 p.m.  
**Location:** 3rd floor, City Hall Council Chambers

**Anyone attending the public hearing will be given the opportunity to present verbal comments or objections before the City Council.**

**Anyone unable to attend the public hearing, may, within fifteen (15) days of the mailing date on this notice, file written comments or objections with the: City of Saint Paul, Department of Safety and Inspections, 375 Jackson Street, Suite 220, Saint Paul, Minnesota 55101-1806.**

**Description of Variance:**

Noise Source: Jill Henricksen, of Greater Frogtown CDC, has requested a sound level variance to allow the use of a PA system and amplified live music from 6:00 p.m. until 10:00 p.m. during a fundraising event for the Greater Frogtown CDC on September 8, 2011.

Location: 533 North Dale Street.

If you have any questions, please feel free to call Mark Kaisersatt, Environmental Health Specialist, at 651-266-1908 or e-mail him at [Mark.Kaisersatt@ci.stpaul.mn.us](mailto:Mark.Kaisersatt@ci.stpaul.mn.us)

Sincerely,

Natasha Murphy  
Department of Safety and Inspections  
Office Assistant III