



CITY OF SAINT PAUL  
Christopher B. Coleman, Mayor

375 Jackson Street, Suite 220  
Saint Paul, Minnesota 55101-1806

Telephone: 651-266-8989  
Facsimile: 651-266-9124  
Web: [www.stpaul.gov/dsi](http://www.stpaul.gov/dsi)

July 1, 2015

## **NOTICE OF PUBLIC HEARING**

### Sound Level Variance – Irish Fair of Minnesota 2015

Dear St. Paul Property Owner:

This is to inform you of a request for a variance from the sound level limitations as indicated in the St. Paul Noise Ordinance (Chapter 293 of the St. Paul Legislative Code). Property owned by you and located near the noise source, may be affected by this variance request. Rental property owners must provide a copy of this notice to all renters or post a copy in a common area of the building so it can be viewed by the occupants.

#### **Description of Variance:**

**Location:** Harriet Island

**Noise Source:** Irish Fair of Minnesota, represented by Colleen Healy, Executive Director, has requested a sound level variance in order to provide amplified music and the use of a sound system, during the Irish Fair of Minnesota from 6:00 p.m. until 10:00 p.m. on Thursday, August 6, 2015, from 2:00 p.m. to 11:00 p.m. on Friday, August 7, 2015, from 9:00 a.m. to 11:00 p.m. on Saturday, August 8, 2015 and from 9:00 a.m. to 8:00 p.m. on Sunday, August 9, 2015. The Department of Safety and Inspections (DSI) recommends the following conditions: 1) Variance will be for the hours of 6:00 p.m. until 10:00 p.m. on Thursday, August 6, 2015, from 2:00 p.m. to 11:00 p.m. on Friday, August 7, 2015, from 9:00 a.m. to 11:00 p.m. on Saturday, August 8, 2015 and from 9:00 a.m. to 8:00 p.m. on Sunday, August 9, 2015. 2) Target Main Stage: All electronically powered equipment, PA systems, loudspeakers or similar devices used in conjunction with the event must not exceed 100 dBA at the sound mix or 100 feet from stage, whichever is the shorter distance. 3) Pub Stage (Tent): All electronically powered equipment, PA systems, loudspeakers or similar devices used in conjunction with the event must not exceed 95 dBA at the sound mix or 50 feet from stage, whichever is the shorter distance. 4) All Other Stages: All electronically powered equipment, PA systems, loudspeakers or similar devices used in conjunction with the event must not exceed 95 dBA at the sound mix or 50 feet from stage, whichever is the shorter distance. 5) The applicant shall provide personnel and equipment who will provide continuous sound level monitoring at each sound mix during the hours of the variance. 6) All electronically powered equipment, PA systems, loudspeakers, or similar devices located on the event grounds must be turned off no later than the above identified times at the specific locations on the event dates.

#### **A public hearing before the City Council on this variance request will be held on:**

**Date:** Wednesday, July 15, 2015

**Time:** 5:30 p.m.

**Location:** 3rd floor, City Hall Council Chambers

If you attend the public hearing, you will be given the opportunity to present verbal comments or objections before the City Council. If you are unable to attend the public hearing, you may file written comments or objections with the: City of St. Paul, Department of Safety and Inspections, 375 Jackson Street, Suite 220, Saint Paul, Minnesota 55101-1806, attention Barb McMonigal-St.Dennis or by email to [barb.mcmonigal-st.dennis@ci.stpaul.mn.us](mailto:barb.mcmonigal-st.dennis@ci.stpaul.mn.us). Written comments or objections must be received on or before Tuesday, July 14, 2015.