



# DSI RECEIPT

**CITY OF SAINT PAUL**  
Department of Safety and Inspections  
375 Jackson Street Suite 220  
Saint Paul, Minnesota 55101-1806  
Phone: (651) 266-8989 Fax: (651) 266-9124  
[www.stpaul.gov/dsi](http://www.stpaul.gov/dsi)

Date: 02/26/2019

Received From: MINNESOTA WILD  
317 WASHINGTON ST ST PAUL MN 55102

**Description:**

**Invoice Details**

1049075  
Noise Variance

**Invoice Amount**

\$172.00

**Amount Paid**

\$172.00

**TOTAL AMOUNT PAID:**

**\$172.00**

**Paid By:**

Payment Type	Check #	Received Date	Amount
Credit Card		02/26/2019	\$172.00



CITY OF SAINT PAUL

Business Licensing  
375 Jackson Street, Suite 220  
Saint Paul, Minnesota 55101-1806

Telephone: 651-2668989  
Facsimile: 651-266-9124  
Web: www.stpaul.gov/dsi

### Sound Level Variance Application Legislative Code Chapter 293. - Noise Regulations

Application and \$172 fee payment should be submitted a minimum of sixty (60) days prior to the scheduled event date. A public notification period is required prior to filing the application. Public Hearing before the Saint Paul City Council. Applications received fewer than sixty (60) days prior to the event may not qualify for variance processing timeline for placement on the Council agenda.

- Organization/person seeking variance: MINNESOTA WILD
- Event Name: ST. PATRICK'S DAY WEEKEND PRE-EVENT PARTIES
- Address and physical description of noise source location (Event, Worksite): SEVEN CORNERS LOT  
150 SMITH AVE. N SAINT PAUL, MN 55102
- Responsible person: JIM VANEK Title: MANAGER, EVENTS
- Telephone: (651) 312-3450 E-Mail: jvanek@wild.com
- Date(s) variance requested: March 15-17
- Noise source - Time(s) of operation: 3/15 - 4-8PM 3/16 - 12-10PM 3/17 - 12-4:30PM  
- Time(s) of pre-event sound check: 1 Hour prior to event start
- Sound level requested (dBA/Decibels): 95 dBA
- Mailing address w/ zip code: 317 WASHINGTON ST. SAINT PAUL, MN 55102
- Briefly describe the noise source and equipment involved: L-Acoustic sound reinforcement system comprised of (4) x15 mid-hi speakers and (4) SB28 subwoofers
- Describe the steps that will be taken to minimize the noise levels: Noise source will be inside an enclosed tent and will be monitored by a sound tech with a dBA meter.
- State reason for seeking variance (example - music, announcements, construction, etc.): Music
- A site diagram & map must be attached showing location of noise source(s), streets, stages, tents, etc. (If there will be amplified sound, indicate location and direction that all speakers will be facing).  
Multiple locations may require more than one application.
- Submit completed application, site diagram/ map, and \$172.00 fee to:

CITY OF SAINT PAUL  
DEPARTMENT OF SAFETY AND INSPECTIONS  
375 JACKSON STREET, SUITE 220  
SAINT PAUL, MN 55101-1806

Signature of responsible person: \_\_\_\_\_

AA-ADA-EEO Employer

Date: \_\_\_\_\_

2/22/19

