

McMonigal-St Dennis, Barb (CI-StPaul)

From: City of Saint Paul <cityofsaintpaul@public.govdelivery.com>
Sent: Thursday, August 4, 2022 2:32 PM
To: Skarda, Ashley (CI-StPaul); Dominique.Archiebald@ci.stpaul.mn.us; Hausz, Brynn (CI-StPaul); djksppa.com; Yang, Pajda (CI-StPaul); Zimny, Joanna (CI-StPaul); Vang, Janie (CI-StPaul); McKinney, Chelsey (CI-StPaul); Mahamed, Mahamed (CI-StPaul); #CI-StPaul_WebMaster; Ruiz, Justin (CI-StPaul); Umbreit, Sara (CI-StPaul); Sheldon, Tina (CI-StPaul); Koziol, Kristin (CI-StPaul); Donovan, Suzanne (CI-StPaul); Weiner, Greg (CI-StPaul); Dubruel, Paul (CI-StPaul); Greene Guentzel, Amanda (CI-StPaul); Linston, Maxine (CI-StPaul); King, Crystal (CI-StPaul); Eide, David (CI-StPaul); Bennett, Ryan (CI-StPaul); Suon, Stephan (CI-StPaul); Maxwell, Chase (CI-StPaul); Weddington, D'Marie (CI-StPaul); Carey-Linskey, Liz (CI-StPaul); Muhammad, Akbar (CI-StPaul); Clark Nickles; Dumke, Alexander (CI-StPaul); O'Brien, Ashley (CI-StPaul); Nelson, Drew (CI-StPaul); Lovas, Mike (CI-StPaul); Graybar, Matthew (CI-StPaul); McMonigal-St Dennis, Barb (CI-StPaul)
Subject: Courtesy Copy: Sound Level Variance Application, Nativity of Our Lord Catholic Church – Nativity County Fair

This is a courtesy copy of an email bulletin sent by Barb McMonigal-St. Dennis.

This bulletin was sent to the following groups of people:

Subscribers of ENS - D14: Macalester-Groveland Community Council (1556 recipients)

Event: Nativity County Fair

Description of Variance:

Location: 1900 Wellesley Ave - Nativity of Our Lord Elementary School

Noise Source: Nativity of Our Lord Catholic Church, represented by Peter Wanning, Attorney, has requested a sound level variance, for 90 dBA at no specified distance, to present amplified sound with use of a sound system for the Nativity County Fair on September 16 - 18, 2022 at 1900 Wellesley Ave - Nativity of Our Lord Elementary School. The variance is requested for the hours of 5:00 p.m. to 10:00 p.m. on Friday, September 16, 2022 with a pre-event sound check at 3:00 p.m., 12:00 p.m. to 10:00 p.m. on Saturday, September 17, 2022, and 10:30 a.m. to 3:00 p.m. on Sunday, September 18, 2022. The Department of Safety and Inspections will be recommending the following conditions: 1) The Variance shall be for the hours of 5:00 p.m. to 10:00 p.m. on Friday, September 16, 2022 with a pre-event sound check at 3:00 p.m., 12:00 p.m. to 10:00 p.m. on, Saturday, September 17, 2022, and 10:30 a.m. to 3:00 p.m. on Sunday, September 18, 2022 for the Nativity County Fair. 2) All electronically powered equipment used in conjunction with the event shall not exceed 90 dBA at 50 feet from any sound source on September 16 - 18, 2022. 3) The applicant shall provide personnel and equipment to ensure compliance with the sound level variance conditions. 4) All electronically powered equipment, PA systems, loudspeakers or similar devices shall be turned off no later than 10:00 p.m. on September 16-17, 2022 and no later than 3:00 p.m. on September 18, 2022.

Submit comments for Public Hearing electronically. The public may comment on public hearing items in person, in writing or via voicemail. Any comments and materials submitted by 12:00 pm of the day before the meeting, Tuesday, August 23, 2022, will be attached to the public record and available for review by the City Council. Comments may be

submitted as follows: Written public comment on public hearing items can be submitted to Contact-Council@ci.stpaul.mn.us, CouncilHearing@ci.stpaul.mn.us, or by voicemail at 651-266-6805. Live testimony will be taken in person in the Council Chambers, and by telephone by registering to speak by noon on the day before the meeting. The registration link is located on the City Council website at www.stpaul.gov/council or <https://forms.office.com/g/TD3xN7WHy5>. **Members of the public may view City Council meetings online at <https://stpaul.legistar.com/Calendar.aspx> or on local cable Channel 18.**

A public hearing before the City Council on this variance request will be held on:

Date: Wednesday, August 24, 2022

Time: 3:30 p.m.

Location: 3rd floor, City Hall Council Chambers

After the public hearing, the Council may grant, deny, or modify the variance request.

If you have questions about the sound level variance, please contact: Barb McMonigal-St.Dennis, Environmental Health Specialist, 651-266-9137, barb.mcmonigal-st.dennis@ci.stpaul.mn.us



Questions? [Contact Us](#)

SAINT PAUL
MINNESOTA

STAY CONNECTED:



SUBSCRIBER SERVICES:

[Manage Preferences](#) | [Unsubscribe from ALL](#) | [Help](#)