

# STAMP - Activities

[New Search](#)

[Help using this report](#)

Run Date: 03/24/23 03:35 PM

Sort by Most Recent Date

Starting Date:

House#:

Folder Type: All Folder Types

Ending Date:

Street Name:

Folder Count: 207

Include Same PIN Addresses: Yes

Click on address links below to access mapping services and Ramsey County info.

Click on ID# link below to view detail

**PIN:092823210003**

Address	In Date	ID #	Status	Type	Description
<b><u>1834 St Clair Ave - Groveland Tap</u></b>					
	11/18/2022	<a href="#">22 117991</a>	Pending	XL - ECLIPS License - Liquor - Liquor-Outdoor Service Area (Patio)	Licensee Accts Payable Groveland Tap - ECLIPS License# 19980003516
	11/01/2022	<a href="#">22 112726</a>	Finaled	EG - Fire Engineering - Alarm Permit - Existing Building - New Systems	Contractor Nardini Fire Equipment - Install FACP to monitor sprinkler system, 2 duct smokes and 1 kitchen unit.
	11/01/2022	<a href="#">22 112723</a>	Finaled	E - Electrical Permit - Electrical - Commercial New	Contractor Nardini Fire Equipment - Install FACP to monitor sprinkler system, 2 duct smokes and 1 kitchen unit.
	10/11/2022	<a href="#">22 104641</a>	Finaled	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor Jennifer Stone Cal-Tex Electric Inc - Upgrade (1) 200 amp service to 600 amp + 60 circuits
	10/03/2022	<a href="#">22 101878</a>	Active/Issued	W - Warm Air, Ventilation & General Sheet - General Sheet Metal - Commercial Repair/Alter	Contractor Michael Laurila Mint Roofing Inc - SHEET METAL WORK - 24 GA PREFINISHED CAP, 24 GALVANIZED STEEL KEEPER, 24 GA PRE-FINISHED STEEL GUTTER AND DOWNSPOUTS, 24 GA PRE-FINISHED DRIP EDGE AT GUTTER
	09/30/2022	<a href="#">22 101308</a>	Finaled	M - Mechanical Permit - Refrigeration - Commercial Replace	Contractor Patrick Snyder Crosstown Mechanical - REFRIGERATION PIPING ON 4 WALK IN COOLER/FREEZER
	09/27/2022	<a href="#">22 099649</a>	Finaled	RW - PW Right of Way Permit - Excavation - Joint Sewer Permit	Contractor Josh Werner Valley Rich Company Inc - Joint Sewer Excavation Permit - new building, new storm line from building to main, above the springline. 10/04/22 - 10/11/22 FULL ROAD CLOSURE ST CLAIR AVE BET HOWELL ST & FAIRVIEW AVE CONTRACTOR: Valley Rich
	09/27/2022	<a href="#">22 099647</a>	Active/Issued	SS - PW Sewer Permit - Storm - New	Contractor Josh Werner Valley Rich Company Inc - new building, new storm line from building to main, above the springline. asbuilts to be submitted to the sewer inspector at the final inspection. confirm the current city's standard plates (could change between the approval of the site plan and permits). Site Plan # 22-038020
	09/15/2022	<a href="#">22 095617</a>	Finaled	WA - SPRWS Plumbing Permit - New Building - Outside - New	Contractor Valley Rich Co Inc - New 6" auto fire service
	09/15/2022	<a href="#">22 095615</a>	Canceled	WA - SPRWS Plumbing Permit - New Building - Outside - New	Contractor Valley Rich Co Inc - New 6" auto fire service Permit is canceled
	08/18/2022	<a href="#">22 086452</a>	Active/Issued	B - Building Permit - Commercial - Remodel	Contractor Arco/Murray - PATIO ROOF STRUCTURES STRUCTURAL REVISION APPROVED 11/28/22 BK, DD
	08/05/2022	<a href="#">22 082242</a>	Finaled	M - Mechanical Permit - Factory Built Fireplace - Commercial Replace	Contractor Twin City Fireplace & Stone CO - Installation of Villawood 36 wood burning fireplace.

08/04/2022	<u>22 082073</u>	Inspected	W - Warm Air, Ventilation & General Sheet - Warm Air & Ventilation - Commercial Repair/Alter	Contractor Jim Kellner Absolute Mechanical LLC - (2) new kitchen Hoods w/ (2) PRVS, (1) condensate hood w/ PRV, (1) new make up air unit, (1) new RTU with partial new distribution & (1) new RTU w/ new distribution, (1) new PRV for general vent in basement
08/04/2022	<u>22 082063</u>	Finald	M - Mechanical Permit - Gas - Commercial New	Contractor Jim Kellner Absolute Mechanical LLC - Groveland Tap renovation, new gas line from meter to new gas appliances - (2) RTUs, (1) Make Up Air, (10) IR patio heaters
08/04/2022	<u>22 082060</u>	Abandoned	M - Mechanical Permit - Gas - Commercial New	Contractor Jim Kellner Absolute Mechanical LLC - Groveland Tap Remodel, new gas line from existing meter to (2) RTUs, (1) MAU, (1) kitchen stub for plumber & (7) IR patio heaters
07/29/2022	<u>22 079827</u>	Finald	EG - Fire Engineering - Sprinkler / Standpipe Permit - Existing Building - New Systems	Contractor Brad Zurn International Fire Protection - INSTALL A NEW SPRINKLER SYSTEM
07/13/2022	<u>22 073853</u>	Active/Issued	B - Building Permit - Commercial - Remodel	Contractor Arco/Murray - INTERIOR DEMO ONLY IN PREPARATION FOR FUTURE RENOVATION AND EXPANSION
07/08/2022	<u>22 072686</u>	Finald	PG - Plumbing/Gasfitting/Inside Water Piping - Plumbing/Inside Water (All) - Commercial Alter	Contractor Richard Blaylock Blaylock Plumbing CO - 7/12/2022 Plumbing Plan Review Completed - SF #14 SPECIAL WASTE - GREASE TRAP, MISC: 1) GLASS WASHER, 1) 3-COUNTER SINKS. OTHER GAS DEVICES: 2) GRIDDLE 6) GAS FRYER. SINK: 2) UNDERBAR SINKS AND 2) HAND SINKS. DISHWASHER - COMMERCIAL. 7/8/2022 PLANS FORWARD TO Steve F. ZL
06/21/2022	<u>22 063363</u>	Finald	RW - PW Right of Way Permit - Excavation - Joint Sewer Permit	Contractor Bruce Olson Cc Scott C Valley Rich Company Inc - Joint Sewer Excavation Permit - repair from building to main. DETOUR WB Lane via GRAND (Phase 1 - 3 Days) 100' Lane shift to NS of ST CLAIR BET HOWELL & FAIRVIEW (Phase 2 - 2 Days
06/21/2022	<u>22 063361</u>	Inspected	SS - PW Sewer Permit - Sanitary - Repair	Contractor Josh Werner Valley Rich Company Inc - repair from building to main.
05/28/2022	<u>22 056990</u>	Active/Issued	BS - Billboard / Sign - Signs - Commercial Replace	Contractor Adrian Kadue Albrecht Sign Company - GROVELAND TAP COPY TO READ: GROVELAND TAP
05/18/2022	<u>22 054219</u>	Finald	EG - Fire Engineering - Special Extinguishing System - Existing Building - New Systems	Contractor Diane Wendt Summit Companies - Ansul Install
03/21/2022	<u>22 038020</u>	PDox Applicant Upload	SR - Site Plan Review - Other Site Work - Commercial	Applicant Tyler Johnson ARCO/Murray - Renovating/expanding into existing building space for restaurant space - seating. Creating/adding an exterior patio for additional seating.
03/16/2022	<u>22 036983</u>	Finald	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor Jennifer Stone Cal-Tex Electric Inc - Tenant Improvements New lighting, general power, equipment
02/23/2022	<u>22 031258</u>	Inspected	B - Building Permit - Commercial - Addition	Contractor Arco/Murray - RESTAURANT RENOVATION AND EXPANSION. KITCHEN REMODEL. PATIO ADDITION.
04/26/2021	<u>21 256761</u>	Finald	RW - PW Right of Way Permit - Obstruction - Sidewalk Cafe C-19	Contractor David Burley / Aisha Kaylor Groveland Tap - Sidewalk Cafe - GROVELAND TAP - Sidewalk Café DSI License ID #19980003516 2021 TEMPORARY C-19 SIDEWALK CAFE -

				FEE WAIVED FEE (\$60.00) WAIVED PER MAYOR'S EXECUTIVE ORDER FOR 2021
06/11/2020	<u>20 042050</u>	Finald	RW - PW Right of Way Permit - Obstruction - Sidewalk Cafe	Contractor David Burley / Aisha Kaylor Groveland Tap - Sidewalk Cafe - GROVELAND TAP - SIDEWALK CAFE DSI License ID #19980003516 ROW PERMIT 20-042050 Fee (\$60.00) Waived for 2020 per E.O. 2020-10
04/15/2019	<u>19 031093</u>	In Process	CO - Certificate of Occupancy - Assembly	Responsible Party MAC Grove Properties - 12/22/16 - File already covered the entire parcel, range of 1834-1840. Updated file to show address range and moved to lowest address. History is under 1840. - MI
04/02/2019	<u>19 027454</u>	Finald	RW - PW Right of Way Permit - Obstruction - Sidewalk Cafe	Contractor David Burley / Aisha Kaylor Groveland Tap - Sidewalk Cafe - GROVELAND TAP - SIDEWALK CAFE License ID #19980003516
03/27/2018	<u>18 047002</u>	Finald	RW - PW Right of Way Permit - Obstruction - Sidewalk Cafe	Contractor David Burley / Aisha Kaylor Groveland Tap - Sidewalk Cafe - GROVELAND TAP - SIDEWALK CAFE License ID #19980003516
09/29/2017	<u>17 108553</u>	Open	RE - Real Estate Assessments	Owner Macgrove Properties Llc
03/24/2017	<u>17 022618</u>	Finald	RW - PW Right of Way Permit - Obstruction - Sidewalk Cafe	Contractor David Burley / Aisha Kaylor Groveland Tap - Sidewalk Cafe - GROVELAND TAP - SIDEWALK CAFE License ID #19980003516
12/22/2016	<u>16 109546</u>	Closed	RF - Referral - C of O	Owner Macgrove Properties Llc - Follow up on C of O folder approved with corrections.
12/22/2016	<u>16 109545</u>	Certified	CO - Certificate of Occupancy - Assembly	Responsible Party MAC Grove Properties - 12/22/16 - File already covered the entire parcel, range of 1834-1840. Updated file to show address range and moved to lowest address. History is under 1840. - MI
03/04/2016	<u>16 015784</u>	Finald	RW - PW Right of Way Permit - Obstruction - Sidewalk Cafe	Contractor David Burley / Aisha Kaylor Groveland Tap - Sidewalk Cafe - GROVELAND TAP - SIDEWALK CAFE License ID #19980003516
03/03/2015	<u>15 014712</u>	Finald	RW - PW Right of Way Permit - Obstruction - Sidewalk Cafe	Contractor David Burley / Aisha Kaylor Groveland Tap - Sidewalk Cafe - GROVELAND TAP - SIDEWALK CAFE License ID #19980003516
04/08/2014	<u>14 192759</u>	Finald	RW - PW Right of Way Permit - Obstruction - Sidewalk Cafe	Contractor David Burley / Aisha Kaylor Groveland Tap - Sidewalk Cafe - GROVELAND TAP - SIDEWALK CAFE License ID #19980003516
03/03/2014	<u>14 100016</u>	In Compliance	CS - CSO Complaint - Snow Walk - Complaint	03/03/2014 Snow Walk Complaint Received.
02/19/2014	<u>14 096542</u>	History	CO - Certificate of Occupancy - Assembly	Responsible Party MAC Grove Properties - 12/22/16 - File already covered the entire parcel, range of 1834-1840. Updated file to show address range and moved to lowest address. History is under 1840. - MI
10/25/2013	<u>13 245076</u>	Scheduled	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Groveland Tap
10/25/2013	<u>13 176117</u>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Groveland Tap - MDH inspection on 10/3/13 errors on report
04/18/2013	<u>12 116385</u>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Groveland Tap
03/11/2013	<u>13 162129</u>	Finald	RW - PW Right of Way Permit - Obstruction - Sidewalk Cafe	Contractor David Burley / Aisha Kaylor Groveland Tap - Sidewalk Cafe - GROVELAND TAP - SIDEWALK CAFE License ID #19980003516
10/15/2012	<u>12 116350</u>	Closed	LC - DSI Env Health Complaint - Health-Safety-Environment - Env Health - Food	10/10/12 Possible foodborne illness complaint. See attachment in documents.

10/11/2012	<u>11 251057</u>	History	RS - Restaurant Inspection - High Risk - Complaint Inspection	Establishment Groveland Tap
03/08/2012	<u>12 031570</u>	Finald	RW - PW Right of Way Permit - Obstruction - Sidewalk Cafe	Contractor David Burley / Aisha Kaylor Groveland Tap - Sidewalk Cafe - GROVELAND TAP - SIDEWALK CAFE License ID #19980003516
01/25/2012	<u>12 012205</u>	Open	GT - General Activity Tracking - SCS	01/25/2012: Groveland Tap License ID #19980003516
07/27/2011	<u>11 255711</u>	Resolved	CS - CSO Complaint - License - Complaint	The sidewalk cafe was full and there were a bunch of patrons milling around the outside of the designated area with plastic cups of beer. This happen on 7/26/11
07/14/2011	<u>11 247264</u>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Groveland Tap
07/05/2011	<u>11 247254</u>	History	RS - Restaurant Inspection - High Risk - Complaint Inspection	Establishment Groveland Tap
07/01/2011	<u>11 149360</u>	History	RS - Restaurant Inspection - High Risk - Complaint Inspection	Establishment Groveland Tap
06/22/2011	<u>11 242541</u>	Finald	E - Electrical Permit - Service & Circuits - Commercial Repair/Alter	Contractor Electrical Service LLC
05/31/2011	<u>10 916797</u>	History	RS - Restaurant Inspection - High Risk - Complaint Inspection	Establishment Groveland Tap
03/30/2011	<u>11 114380</u>	Finald	RW - PW Right of Way Permit - Obstruction - Sidewalk Cafe	Contractor David Burley / Aisha Kaylor Groveland Tap - Sidewalk Cafe - GROVELAND TAB - SIDEWALK CAFE
10/29/2010	<u>10 916052</u>	Closed	LC - DSI Env Health Complaint - Health-Safety-Environment - Env Health - Food	10/27/10 - RECIEVED A COMPLAINT THAT THERE ARE MICE AND RATS RUNNING AROUND IN THE ALLEY BEHIND THE BUILDING. COMPLAINANT IS CONCERNED THAT THEY ARE INSIDE OF THE BUSINESS.
10/29/2010	<u>10 501750</u>	History	RS - Restaurant Inspection - High Risk - Complaint Inspection	Establishment Groveland Tap
10/25/2010	<u>10 913793</u>	Resolved	CS - CSO Complaint - Exterior - Complaint	Rats/mice seen in the rear of the property
06/02/2010	<u>09 099459</u>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Groveland Tap
07/01/2009	<u>09 079342</u>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Groveland Tap
05/27/2009	<u>08 086360</u>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Groveland Tap
04/19/2009	<u>07 099036</u>	Active/Issued	CT - Certificate of Insurance - Sign - Insurance	
04/01/2009	<u>08 120926</u>	Active Pending Ren	XL - ECLIPS License - Liquor - Liquor-Outdoor Service Area (Sidewalk)	Licensee Accts Payable Groveland Tap - ECLIPS License# 19980003516
01/05/2009	<u>09 001489</u>	Finald	M - Mechanical Permit - Refrigeration - Commercial Replace	Contractor Custom Refrigeration Incorporated
12/16/2008	<u>08 222660</u>	Inactive	PG - Plumbing/Gasfitting/Inside Water Piping - Plumbing/Inside Water (All) - Commercial Replace	Contractor Jeffrey Borns Corporate Mechanical Inc - 01/15/2010: Automatically closed by system due to no activity in one year.
06/02/2008	<u>08 074424</u>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Groveland Tap
05/12/2008	<u>08 054027</u>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Groveland Tap
04/23/2008	<u>08 023118</u>	Canceled	XF - ECLIPS Food Related - Restaurant (4) - 51-150 Seats	Licensee Blue Plate Restaurant Co, Groveland Tap - ECLIPS License# 19980003516
04/04/2008	<u>07 060234</u>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Groveland Tap
02/25/2008	<u>08 031191</u>	In Compliance	CL - Compliance Checks - Liquor Compliance Check	Licensee David Burley / Aisha Kaylor Groveland Tap - Sidewalk Cafe -

Date	Case Number	Status	Category	Description
08/22/2007	<u>07 136042</u>	Resolved	CS - CSO Complaint - License - Complaint	ECLIPS License# 19980003516 The bar at this location must have had a special event. Beer was being consumed on the sidewalk patrons were very loud from 7pm to 1am. Seemed to be spilling over to properties next door.
08/08/2007	<u>07 128868</u>	Resolved	CS - CSO Complaint - Exterior - Complaint	Garbage on the ground behind Groveland tap
04/10/2007	<u>06 072297</u>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Groveland Tap
11/03/2006	<u>06 262641</u>	Pending	CL - Compliance Checks - Liquor Compliance Check	Licensee Anna Brezman Groveland Tap - ECLIPS License# 19980003516
04/26/2006	<u>05 099688</u>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Groveland Tap
05/12/2005	<u>04 087420</u>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Groveland Tap
05/14/2004	<u>04 055610</u>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Groveland Tap
05/10/2004	<u>04 084177</u>	Closed	LC - DSI Env Health Complaint - Health-Safety-Environment - Env Health - Food	05/10/04 Complainant and some others ate here. Two people ill. See FBI report from MDH for specific foods and other restaurants where they ate. [roy]
03/30/2004	<u>04 063278</u>	Closed	CS - CSO Complaint - Graffiti - Complaint	Graffiti police report # 04060410 03/29/2004 14:33.
03/12/2004	<u>02 243020</u>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Groveland Tap
12/11/2003	<u>03 411847</u>	Final	W - Warm Air, Ventilation & General Sheet - General Sheet Metal - Commercial Replace	Contractor Mr Robert Jensen Jensen Brothers Roofing Architectural Sheet Metal
12/11/2003	<u>03 411831</u>	Final	B - Building Permit - Commercial - Express Repair	Contractor Mr Robert Jensen Jensen Brothers Roofing Architectural Sheet Metal - Closed without final approval
11/20/2002	<u>01 214250</u>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Groveland Tap
07/11/2001	<u>00 132527</u>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Groveland Tap
02/07/2001	<u>98 003516</u>	Active Pending Ren	XL - ECLIPS License - Liquor - Malt On Sale (Strong)	Licensee Accts Payable Groveland Tap - ECLIPS License# 19980003516
02/07/2001	<u>98 003516</u>	Active Pending Ren	XL - ECLIPS License - Liquor - Wine On Sale	Licensee Accts Payable Groveland Tap - ECLIPS License# 19980003516
06/15/2000	<u>99 002500</u>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Groveland Tap
05/15/2000	<u>98 003516</u>	Canceled	XF - ECLIPS Food Related - Sidewalk Cafe	Licensee David Burley / Aisha Kaylor Groveland Tap - Sidewalk Cafe - ECLIPS License# 19980003516
05/20/1999	<u>99 000119</u>	Closed	BS - Billboard / Sign - Signs - Commercial New	Contractor Janice Buermann J W Hulme CO - 16-Nov-2005: Folder closed by system due to no activity in one year . Closed without final approval
03/31/1999	<u>99 000666</u>	Closed	FS - Fire Suppression Systems - Other Fire Extinguishing Systems - Commercial New	Contractor Nardini Fire Equipment Co Inc - 01/02/2001: All FS permits transferred from LIEP to Fire.. Closed without final approval
03/15/1999	<u>98 003516</u>	Canceled	XF - ECLIPS Food Related - Restaurant (B) - more than 12 seats	Licensee David Burley / Aisha Kaylor Groveland Tap - Sidewalk Cafe - ECLIPS License# 19980003516
03/12/1999	<u>99 002786</u>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Groveland Tap
03/09/1999	<u>99 000145</u>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Groveland Tap
03/05/1999	<u>99 011514</u>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Groveland Tap
02/26/1999	<u>99 024447</u>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Groveland Tap
02/17/1999	<u>99 018233</u>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Groveland Tap
02/09/1999	<u>99 158101</u>	Expired	M - Mechanical Permit - Gas - Commercial Install	Contractor Peter Jordan Corval Constructors Inc

02/04/1999	<u>99 018582</u>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Groveland Tap
01/27/1999	<u>99 018094</u>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Groveland Tap
01/26/1999	<u>99 157405</u>	Closed without Approval	W - Warm Air, Ventilation & General Sheet - Warm Air & Ventilation - Commercial Install	Contractor Peter Jordan Corval Constructors Inc - Closed without final approval
01/25/1999	<u>99 017039</u>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Groveland Tap
01/20/1999	<u>99 101030</u>	Closed	WU - Water Utility - Water Utility	Contractor Travis Weist Tschida Bros Plbg Inc - Closed without final approval
01/20/1999	<u>99 105170</u>	Closed without Approval	PL - Plumbing & Gas Fitting (OLD) - Plumbing (ALL) - Residential Repair/Alter	Contractor Travis Weist Tschida Bros Plbg Inc - Closed without final approval
01/15/1999	<u>99 017054</u>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Groveland Tap
01/15/1999	<u>99 157005</u>	Closed without Approval	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor Kivel Electric - Closed without final approval
01/06/1999	<u>98 020576</u>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Groveland Tap
12/14/1998	<u>99 006096</u>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Groveland Tap
09/18/1998	<u>98 010069</u>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Groveland Tap
09/18/1998	<u>99 000531</u>	Closed	EC - Environmental Complaint History (DC)	Complainant states that there is a rodent and insect infestation in the building from food that was not removed from the building after a fire. Place has been closed since a fire last month. PTK
08/22/1998	<u>98 003516</u>	Withdrawn	XL - ECLIPS License - Liquor - Malt On Sale (Strong)	Licensee Anna Brezman Groveland Tap - ECLIPS License# 19980003516
08/22/1998	<u>98 003516</u>	Withdrawn	XL - ECLIPS License - Liquor - Wine On Sale	Licensee Anna Brezman Groveland Tap - ECLIPS License# 19980003516
08/12/1998	<u>98 003441</u>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Groveland Tap
08/10/1998	<u>98 003516</u>	Canceled	XL - ECLIPS License - Liquor - Malt On Sale (3.2)	Licensee Anna Brezman Groveland Tap - ECLIPS License# 19980003516
07/06/1998	<u>98 020332</u>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Groveland Tap
06/22/1998	<u>21 230747</u>	Active	PF - Police Alarm Permit - Alarm Permit (New) - Commercial	Applicant Clairview Holdings LLC Clairview Holdings LLC - Groveland Tap - Eclips Data conversion
03/23/1998	<u>98 095058</u>	Canceled	XE - ECLIPS License - Entertainment - Gambling Location (Class C)	Licensee B B Dixon's Tavern & Gril B B Dixon'S Inc B B Dixon's Tavern & Grill - ECLIPS License# 0095058
12/19/1997	<u>98 020393</u>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Groveland Tap
12/18/1997	<u>96 010846</u>	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Groveland Tap
02/01/1997	<u>97 058600</u>	Canceled	XE - ECLIPS License - Entertainment - Gambling Location (Class C)	Licensee B B Dixon's Tavern & Gril B B Dixon'S Inc B B Dixon's Tavern & Grill - ECLIPS License# 0058600
02/01/1997	<u>97 077002</u>	Canceled	XE - ECLIPS License - Entertainment - Gambling Manager	Licensee Richard Henricks Camden Neighborhood Gym/B B Dixon's - ECLIPS License# 0077002
06/27/1996	<u>96 009880</u>	History	RS - Restaurant Inspection - Medium Risk - Routine Inspection	Establishment Groveland Tap
06/27/1996	<u>99 000843</u>	Closed	EC - Environmental Complaint History (DC)	Complainant said that there was grease dripping from the vent system. This is a fire hazard. Also, there is a heavy odor from the vent up to 1 1/2 blocks away that is unpleasant. It always smelled like deep fried food from this establishment. Taken by WFG. . .
06/20/1996	<u>96 018181</u>	History	RS - Restaurant Inspection - Medium Risk - Routine	Establishment Groveland Tap

05/24/1996	<u>95 013967</u>	History	Inspection RS - Restaurant Inspection - Medium Risk - Routine Inspection	Establishment Groveland Tap
05/24/1996	<u>99 005611</u>	Closed	EC - Environmental Complaint History (DC)	Complainant said that there was grease dripping from the vent system. This is a fire hazard. Also, there is a heavy odor from the vent up to 1 1/2 blocks away that is unpleasant. It always smelled like deep fried food from this establishment. Taken by WFG. .
06/26/1995	<u>95 009689</u>	History	RS - Restaurant Inspection - Medium Risk - Routine Inspection	Establishment Groveland Tap
03/31/1995	<u>95 093503</u>	Canceled	XS - ECLIPS License - Miscellaneous - Cigarette/Tobacco	Licensee B B Dixon's Tavern & Grill B B Dixon'S Inc B B Dixon's Tavern & Grill - ECLIPS License# 0093503
11/17/1994	<u>94 014345</u>	History	RS - Restaurant Inspection - Medium Risk - Routine Inspection	Establishment Groveland Tap
11/14/1994	<u>94 013145</u>	History	RS - Restaurant Inspection - Medium Risk - Routine Inspection	Establishment Groveland Tap
11/04/1994	<u>94 002725</u>	History	RS - Restaurant Inspection - Medium Risk - Routine Inspection	Establishment Groveland Tap
11/04/1994	<u>99 002801</u>	Closed	EC - Environmental Complaint History (DC)	A mouse ran across the floor from the booth and table area to the kitchen area and back. 10/19/94 pb .
09/01/1994	<u>95 017999</u>	History	RS - Restaurant Inspection - Medium Risk - Routine Inspection	Establishment Groveland Tap
08/10/1994	<u>94 025507</u>	History	RS - Restaurant Inspection - Medium Risk - Routine Inspection	Establishment Groveland Tap
08/10/1994	<u>99 001199</u>	Closed	EC - Environmental Complaint History (DC)	Dumpster overflowing behind this restaurant. WAH 7/18/94. .
05/14/1993	<u>99 017111</u>	History	RS - Restaurant Inspection - No Risk - Routine Inspection	Establishment Groveland Tap
12/24/1992	<u>99 019640</u>	History	RS - Restaurant Inspection - No Risk - Routine Inspection	Establishment Groveland Tap
12/05/1991	<u>99 019721</u>	History	RS - Restaurant Inspection - No Risk - Routine Inspection	Establishment Groveland Tap
06/14/1991	<u>91 052243</u>	Canceled	XS - ECLIPS License - Miscellaneous - Cigarette/Tobacco	Licensee Larry Neck B B Dixon's Tavern & Grill - ECLIPS License# 0052243
06/06/1991	<u>99 001621</u>	Closed	EC - Environmental Complaint History (DC)	CONVERTED FROM PARADOX SYSTEM. NO NARRATIVE.
06/06/1991	<u>99 019661</u>	History	RS - Restaurant Inspection - No Risk - Routine Inspection	Establishment Groveland Tap
08/07/1990	<u>90 095058</u>	Canceled	XF - ECLIPS Food Related - Restaurant (B) - more than 12 seats	Licensee B B Dixon's Tavern & Grill B B Dixon'S Inc B B Dixon's Tavern & Grill - ECLIPS License# 0095058
08/07/1990	<u>90 095058</u>	Canceled	XF - ECLIPS Food Related - Sidewalk Cafe	Licensee B B Dixon's Tavern & Grill B B Dixon'S Inc B B Dixon's Tavern & Grill - ECLIPS License# 0095058
08/07/1990	<u>90 095058</u>	Canceled	XL - ECLIPS License - Liquor - Malt On Sale (3.2)	Licensee B B Dixon's Tavern & Grill B B Dixon'S Inc B B Dixon's Tavern & Grill - ECLIPS License# 0095058
12/11/1989	<u>89 015924</u>	Canceled	XL - ECLIPS License - Liquor - Malt Off Sale	Licensee Charlotte Klenzendorf The King & I - ECLIPS License# 0015924
12/11/1989	<u>89 015924</u>	Canceled	XL - ECLIPS License - Liquor - Malt On Sale (3.2)	Licensee Charlotte Klenzendorf The King & I - ECLIPS License# 0015924
<b><u>1836 St Clair Ave</u></b>				
09/29/2017	<u>17 108553</u>	Open	RE - Real Estate Assessments	Owner Macgrove Properties Llc
08/28/1998	<u>98 147298</u>	Closed without Approval	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor Kivel Electric - Closed without final approval
<b><u>1838 St Clair Ave</u></b>				
09/29/2017	<u>17 108553</u>	Open	RE - Real Estate Assessments	Owner Macgrove Properties Llc

07/28/2015	<u>15 144290</u>	Finald	E - Electrical Permit - Electrical Contractor Tim Kunkel Electric LLC - Commercial Repair/Alter
07/27/2015	<u>15 143736</u>	Finald	M - Mechanical Permit - Contractor John McQuillan Mcquillan Refrigeration - Commercial New Bros Plumbing Heating & Ac LLC
03/30/2010	<u>10 129372</u>	Closed	PA - Parks Summary Owner Macgrove Properties Llc - Abatement - Graffiti Graffiti on the west side of building
03/30/2010	<u>10 129371</u>	Transferred - Closed	CS - CSO Complaint - Graffiti - Graffiti on the west side of building Complaint
03/29/2010	<u>10 128885</u>	Resolved	CS - CSO Complaint - Exterior - Graffiti: West side of building Complaint
08/20/2009	<u>21 231917</u>	Canceled	PF - Police Alarm Permit - Applicant Uncle Sven's Comic Uncle Alarm Permit (New) - Sven's Comics - 05/4/22 BUSINESS Commercial CLOSED. REQUEST TO CANCEL ALARM PER INVOICE. DV
01/15/1999	<u>21 234099</u>	Delinquent	PF - Police Alarm Permit - Applicant Bob Brynildson - Eclips Alarm Permit (Renew) - Data conversion Commercial

**1840 St Clair Ave**

09/29/2017	<u>17 108553</u>	Open	RE - Real Estate Assessments Owner Macgrove Properties Llc
07/11/2017	<u>17 058756</u>	Resolved	CS - CSO Complaint - Garbage overflowing dumpster; dumpster lids Rubbish - Complaint aren't ever closed; rats seen around trash
11/25/2014	<u>14 349310</u>	Resolved	CS - CSO Complaint - Parking - Vehicle parked too far from curb FYI - No Response Required (sent in 11/24 PM) Black Honda Civic. WI 844-RTG. Issue ID: 1375170
09/10/2014	<u>14 327430</u>	Resolved	CS - CSO Complaint - Traffic Street light has been out for quite Sign/Light New - Complaint some time / across the street from the Groveland Tap right in front of the "For Sale" sign.
02/19/2014	<u>14 096543</u>	Closed	RF - Referral - C of O Owner Macgrove Properties Llc - Follow up on C of O folder approved with corrections.
08/31/2011	<u>11 270472</u>	History	CO - Certificate of Occupancy - Responsible Party MAC Grove Assembly Properties - 092823210003
06/23/2009	<u>09 092720</u>	History	CO - Certificate of Occupancy - Responsible Party MAC Grove Assembly Properties - 092823210003
05/30/2007	<u>07 087006</u>	History	CO - Certificate of Occupancy - Responsible Party MAC Grove Assembly Properties - 092823210003
05/05/2005	<u>05 097345</u>	History	CO - Certificate of Occupancy - Responsible Party MAC Grove Assembly Properties - 092823210003
05/22/2002	<u>02 126201</u>	History	CO - Certificate of Occupancy - Responsible Party MAC Grove Assembly Properties - 092823210003
03/14/2002	<u>99 002327</u>	History	MT - Massage - Medium Risk - Establishment Open Hands Mass.- Routine Inspection Valeria Johnson - no lic, closing folder, jb 3/14/02
05/18/2001	<u>01 204839</u>	Active	PS - Pre-Fire Survey - Business Owner MAC Grove Properties
03/13/2001	<u>01 021659</u>	History	CO - Certificate of Occupancy - Responsible Party MAC Grove Business Properties - 092823210003
01/07/1999	<u>99 100986</u>	Closed	WU - Water Utility - Water Contractor Travis Weist Tschida Bros Utility Plbg Inc - Closed without final approval
01/07/1999	<u>99 105072</u>	Closed without Approval	PL - Plumbing & Gas Fitting Contractor Travis Weist Tschida Bros (OLD) - Plumbing (ALL) - Plbg Inc - Closed without final Residential Repair/Alter approval
12/18/1998	<u>98 155741</u>	Closed without Approval	W - Warm Air, Ventilation & Contractor Peter Jordan Corval General Sheet - Warm Air & Constructors Inc - Closed without Ventilation - Commercial Install final approval
12/01/1998	<u>98 154342</u>	Closed without Approval	E - Electrical Permit - Electrical Contractor Kivel Electric - Closed - Commercial Repair/Alter without final approval
04/06/1998	<u>99 023481</u>	History	MT - Massage - Low Risk - Establishment Open Hands Mass.- Routine Inspection Anne True
01/30/1998	<u>95 018385</u>	History	MT - Massage - Low Risk - Establishment Sister Rosalind Gefre's Routine Inspection Prof Msg CT
07/02/1997	<u>97 011844</u>	History	MT - Massage - Low Risk - Establishment Open Hands Mass.- Routine Inspection Anne True
04/14/1997	<u>97 002110</u>	History	MT - Massage - Low Risk - Establishment Open Hands Mass.- Routine Inspection Anne True
08/02/1996	<u>96 019696</u>	History	MT - Massage - Medium Risk - Establishment Open Hands Mass.- Routine Inspection Barbara Pilling



05/17/1996	<u>96 008804</u>	History	MT - Massage - Medium Risk - Routine Inspection	Establishment Open Hands Mass.- Barbara Pilling
04/05/1996	<u>94 016450</u>	History	MT - Massage - Medium Risk - Plan Review Inspection	Establishment Open Hands Mass.- Barbara Pilling
01/18/1996	<u>95 016327</u>	History	MT - Massage - Medium Risk - Routine Inspection	Establishment Open Hands Mass.- Anne True
12/22/1995	<u>95 025930</u>	History	MT - Massage - Medium Risk - Plan Review Inspection	Establishment Open Hands Mass.- Anne True
11/30/1995	<u>95 057482</u>	Canceled	XW - ECLIPS License - Water/Health - Massage Practitioner	Licensee Anne True - ECLIPS License# 0057482
10/03/1994	<u>94 001834</u>	History	MT - Massage - Medium Risk - Plan Review Inspection	Establishment Open Hands Mass.- Valeria Johnson
06/22/1994	<u>94 022828</u>	History	MT - Massage - Medium Risk - Routine Inspection	Establishment Open Hands
02/02/1994	<u>99 019585</u>	History	MT - Massage - No Risk - Routine Inspection	Establishment Sister Rosalind Gefre's Prof Msg CT
01/28/1994	<u>99 003300</u>	History	MT - Massage - No Risk - Plan Review Inspection	Establishment Open Hands Mass.- Katherine Stokman
01/28/1994	<u>99 003381</u>	History	MT - Massage - No Risk - Routine Inspection	Establishment Open Hands Mass.- Steven M Smith
12/14/1993	<u>93 025265</u>	Canceled	XW - ECLIPS License - Water/Health - Massage Practitioner	Licensee Steven Smith Steven M Smith - ECLIPS License# 0025265
12/06/1993	<u>93 099257</u>	Canceled	XW - ECLIPS License - Water/Health - Massage Practitioner	Licensee Katherine Stokman Katherine M Stokman - ECLIPS License# 0099257
01/29/1993	<u>99 019543</u>	History	MT - Massage - No Risk - Routine Inspection	Establishment Sister Rosalind Gefre's Prof Msg CT
01/28/1993	<u>99 019618</u>	History	MT - Massage - No Risk - Routine Inspection	Establishment Sister Rosalind Gefre's Prof Msg CT
12/29/1992	<u>99 016704</u>	History	MT - Massage - No Risk - Plan Review Inspection	Establishment Open Hands Mass.- Pamela Jamison
12/10/1992	<u>99 006878</u>	History	MT - Massage - No Risk - Routine Inspection	Establishment Open Hands
12/10/1992	<u>99 018631</u>	History	MT - Massage - No Risk - Plan Review Inspection	Establishment Open Hands Mass.- Barbara Pilling
12/08/1992	<u>92 099465</u>	Withdrawn	XW - ECLIPS License - Water/Health - Massage Practitioner	Licensee Pamela Jamison Pamela A Jamison - ECLIPS License# 0099465
02/20/1992	<u>99 006834</u>	History	MT - Massage - No Risk - Routine Inspection	Establishment Open Hands
08/14/1991	<u>99 006849</u>	History	MT - Massage - No Risk - Plan Review Inspection	Establishment Open Hands
06/14/1991	<u>91 086687</u>	Canceled	XW - ECLIPS License - Water/Health - Massage Center - A (Commercial)	Licensee Victoria Lindblade Open Hands - ECLIPS License# 0086687
06/14/1991	<u>91 086687</u>	Canceled	XW - ECLIPS License - Water/Health - Massage Practitioner	Licensee Victoria Lindblade Open Hands - ECLIPS License# 0086687
12/18/1982	<u>82 026885</u>	Canceled	XW - ECLIPS License - Water/Health - Massage Practitioner	Licensee Barbara Pilling - ECLIPS License# 0026885
10/15/1969	<u>69 003026</u>	History	CO - Certificate of Occupancy - Business	Responsible Party MAC Grove Properties - 092823210003
10/15/1969	<u>69 013025</u>	History	CO - Certificate of Occupancy - Business	Responsible Party MAC Grove Properties - 092823210003
	<u>99 003894</u>	Scheduled	MT - Massage - Medium Risk - Plan Review Inspection	Establishment Open Hands Mass.- Katherine Stokman
	<u>99 004084</u>	Scheduled	MT - Massage - Medium Risk - Routine Inspection	Establishment Open Hands Mass.- Steven M Smith
	<u>99 004443</u>	Scheduled	MT - Massage - Low Risk - Routine Inspection	Establishment Open Hands Mass.- Anne True
	<u>99 005741</u>	Scheduled	MT - Massage - Medium Risk - Plan Review Inspection	Establishment Open Hands Mass.- Pamela Jamison
	<u>99 006708</u>	Scheduled	MT - Massage - Medium Risk - Routine Inspection	Establishment Open Hands
	<u>99 007000</u>	Scheduled	MT - Massage - Low Risk - Routine Inspection	Establishment Open Hands Mass.- Barbara Pilling

