

STAMP - Activities

[New Search](#)
[Help using this report](#)
[E-mail Service Desk](#)
Run Date: 11/05/12 04:21
PM

Sort by Most Recent Date
Starting Date:
House#:
Folder
Ending Date:
**Street
Name:**
Type: All Folder Types

Folder Count: 148

**Include Same PIN
Addresses: Yes**

 Click on [address link](#) to access
GISmo, MapIT, and Ramsey County Info

 Click on [ID# link](#) below to view detail

PIN:022823320102

Address	In Date	ID #	Status	Type	Description
1090 Grand Ave - Historic/Archived	10/18/2012	12 197860	Open	RE - Real Estate Assessments	Owner Grand & Lexington Llc
1092 Grand Ave - Historic/Archived	10/18/2012	12 197860	Open	RE - Real Estate Assessments	Owner Grand & Lexington Llc
1094 Grand Ave - Historic/Archived	10/18/2012	12 197860	Open	RE - Real Estate Assessments	Owner Grand & Lexington Llc
1096 Grand Ave - Lexington Restaurant	10/18/2012	12 197860	Open	RE - Real Estate Assessments	Owner Grand & Lexington Llc
	07/02/2012	12 076819	Scheduled	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment The Lexington Restaurant
	06/29/2012	12 070162	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment The Lexington Restaurant
	06/28/2012	12 075679	Pending	XL - ECLIPS License - Liquor - Liquor-Outdoor Service Area (Patio)	Licensee The Lexington - ECLIPS License# 20110000059
	06/15/2012	12 034956	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment The Lexington Restaurant
	04/20/2012	12 047952	Active/Issued	XE - ECLIPS License - Entertainment - Entertainment (A)	Licensee The Lexington - ECLIPS License# 20110000059
	04/20/2012	12 047693	Inspection Pending	RW - PW Right of Way Permit - Obstruction - Sidewalk Cafe	Contractor Timothy O'Phelan The Lexington - SIDEWALK CAFE - The Lexington - SIDEWALK CAFE ECLIPS License# 20110000059
	03/19/2012	11 101947	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment The Lexington Restaurant
	01/26/2012	12 013064	Open	GT - General Activity Tracking - SCS	01/26/2012: The Lexington License ID #20110000059
	01/20/2012	12 008494	Active/Issued	BS - Billboard / Sign - Signs - Commercial New	Contractor Daniel Kaufman Kaufman Sign CO - COPY TO READ: THE WILLIAMSBURG ROOM - THE LEXINGTON
	12/29/2011	11 313157	Finald	RW - PW Right of Way Permit - Obstruction - Valet Parking	Contractor Matt Bernier / Matt Korst Tradition Valet, Inc. - 60' OF PARKING LANE IN FRONT OF THE LEXINGTON SUPPER CLUB FOR TRADITION VALET EVENT

12/22/2011	11 311899	Final	RW - PW Right of Way Permit - Obstruction - Valet Parking	PARKING- -FRI & SAT 5PM - 11PM Contractor Matt Bernier / Matt Korst Tradition Valet, Inc. - 60' OF PARKING LANE IN FRONT OF THE LEXINGTON SUPPER CLUB FOR TRADITION VALET EVENT PARKING- -FRI 5PM - 11PM
12/01/2011	11 304649	Final	RW - PW Right of Way Permit - Obstruction - Valet Parking	Contractor Matt Bernier / Matt Korst Tradition Valet, Inc. - 60' OF PARKING LANE IN FRONT OF THE LEXINGTON SUPPER CLUB FOR TRADITION VALET EVENT PARKING- -THUR 11AM-11PM - FRI & SAT 5PM - 11PM
11/23/2011	11 303104	Final	RW - PW Right of Way Permit - Obstruction - Valet Parking	Contractor Matt Bernier / Matt Korst Tradition Valet, Inc. - 60' OF PARKING LANE IN FRONT OF THE LEXINGTON SUPPER CLUB FOR TRADITION VALET EVENT PARKING- -THUR 11AM-11PM - FRI & SAT 5PM - 11PM
11/21/2011	11 302648	Approved No Appeal	BZ - Board of Zoning Appeals Cases - Major Variance - Commercial	Applicant Daniel Kaufman Kaufman Sign CO - The applicant is requesting a variance of the Grand Avenue Special District Sign Plan in order to install two new business signs for The Lexington Restaurant. The code limits the height of letters on wall signs to be no more than eighteen (18) inches. The applicant is proposing to install the wall signs with some letters at thirty-six (36) inches high for a variance request of eighteen (18) inches.
11/14/2011	11 299602	Final	RW - PW Right of Way Permit - Obstruction - Valet Parking	Contractor Matt Bernier / Matt Korst Tradition Valet, Inc. - 60' OF PARKING LANE IN FRONT OF THE LEXINGTON SUPPER CLUB FOR TRADITION VALET EVENT PARKING- 5PM - 10PM
11/09/2011	11 298574	Closed	GT - General Activity Tracking - License	
08/16/2011	11 263899	Active/Issued	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor Urban Electric - Install electrical for new rooftop unit
08/16/2011	11 263819	Withdrawn	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor Urban Electric - 08/17/2011 see permit 11-263899 Connect electrical to new rooftop unit.
08/12/2011	11 262684	Final	M - Mechanical Permit - Gas - Commercial Replace	Contractor Kenneth Wencil Wencil Services Inc
08/12/2011	11 262685	Final	W - Warm Air, Ventilation & General Sheet - Warm Air Only - Commercial Replace	Contractor Kenneth Wencil Wencil Services Inc
07/28/2011	11 256093	Final	BS - Billboard / Sign - Temporary Sign - Commercial New	Contractor The Lexington Restaurant - LOGO AND A MESSAGE READING" HAPPY HOUR WITH CHEF HARPER EVERY THURSDAY FROM 4 TO 7. TWO APPETIZERS AND TWO DRINKS FOR 29.95"

07/28/2011	11 256097	Active/Issued	BS - Billboard / Sign - Temporary Sign - Commercial New	Contractor The Lexington Restaurant - COPY TO READ: "WHETHER AN ANNIVERSARY, BIRTHDAY, FOR A TUESDAY, LIVID AT THE LEX! HAPPY HOUR MONDAY THROUGH FRIDAY 3 TO 6"
07/06/2011	11 247525	Finald	RW - PW Right of Way Permit - Obstruction - Sidewalk Cafe	Contractor Timothy O'Phelan The Lexington - SIDEWALK CAFE - The Lexington - SIDEWALK CAFE - ECLIPS License# 20110000059
06/15/2011	11 239741	Active/Issued	XF - ECLIPS Food Related - Sidewalk Cafe	Licensee The Lexington - ECLIPS License# 20110000059
03/31/2011	11 114656	Pending	CO - Certificate of Occupancy - Assembly	Responsible Party Deephaven Corporation - 022823320102
03/23/2011	11 111669	Pending	CL - Compliance Checks - Liquor Compliance Check	Licensee The Lexington - ECLIPS License# 20110000059
03/23/2011	11 111665	In Compliance	CL - Compliance Checks - Liquor Compliance Check	Licensee The Lexington - ECLIPS License# 20110000059
03/21/2011	11 003541	Active/Issued	XF - ECLIPS Food Related - Restaurant (D) - Add-on (Bar Only)	Licensee The Lexington - ECLIPS License# 20110000059
03/21/2011	11 003542	Active/Issued	XF - ECLIPS Food Related - Restaurant (5) - 151 and Over	Licensee The Lexington - ECLIPS License# 20110000059
03/21/2011	11 003543	Active/Issued	XL - ECLIPS License - Liquor - Liquor On Sale - Sunday	Licensee The Lexington - ECLIPS License# 20110000059
03/21/2011	11 003546	Active/Issued	XL - ECLIPS License - Liquor - Liquor On Sale - 181-290 Seats	Licensee The Lexington - ECLIPS License# 20110000059
03/06/2011	11 003533	Withdrawn	XL - ECLIPS License - Liquor - Liquor On Sale - Over 200 seats (A)	Licensee The Lexington - ECLIPS License# 20110000059
02/17/2011	11 101929	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment The Lexington Restaurant
02/17/2011	11 016656	Finald	EG - Fire Engineering - Sprinkler / Standpipe Permit - Repair	Owner Deephaven Corporation - add 2 heads to back office storage, reaplce 13 corroded heads in kitchen and by exit, remove 8 heads in north room no longer needed
02/15/2011	10 930175	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment The Lexington Restaurant
12/30/2010	10 939740	Closed	GT - General Activity Tracking - License	
12/29/2010	11 235351	Pending	PV - Project Facilitator Review	
12/28/2010	10 938792	Closed	GT - General Activity Tracking - License	
12/03/2010	10 911696	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment The Lexington Restaurant
10/18/2010	10 902098	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment The Lexington Restaurant
09/21/2010	09 066098	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment The Lexington Restaurant
09/17/2010	10 609315	Withdrawn	XF - ECLIPS Food Related - Restaurant (D) - Add-on (Bar Only)	Licensee The Lexington Restaurant - ECLIPS License# 20100003168

09/17/2010	10 609378	Withdrawn	XF - ECLIPS Food Related - Restaurant (5) - 151 and Over	Licensee The Lexington Restaurant - ECLIPS License# 20100003168
09/17/2010	10 609379	Withdrawn	XL - ECLIPS License - Liquor - Liquor On Sale - 181-290 Seats	Licensee The Lexington Restaurant - ECLIPS License# 20100003168
09/17/2010	10 609404	Withdrawn	XL - ECLIPS License - Liquor - Liquor On Sale - Sunday	Licensee The Lexington Restaurant - ECLIPS License# 20100003168
09/14/2010	10 897571	Finald	PG - Plumbing/Gasfitting/Inside Water Piping - Plumbing/Inside Water (All) - Residential Replace	Contractor Gregory Romain Burnomatic Mooney & Ridler
07/22/2010	10 610515	Closed	RF - Referral - Citizen Complaint	Owner Deephaven Corporation - In the back dining room and there are heavy drapes on the wall with an exit sign located above them and table and chairs adjacent. If this is an exit it is blocked and not recognizable; if not an exit the sign needs to removed
07/22/2010	10 610409	Closed	LC - DSI Env Health Complaint - Health-Safety-Environment - Env Health - Food	In the back dining room and there are heavy drapes on the wall with an exit sign located above them and table and chairs adjacent. If this is an exit it is blocked and not recognizable; if not an exit the sign needs to removed
07/22/2010	10 610408	In Compliance	CS - CSO Complaint - License - Complaint	In the back dining room and there are heavy drapes on the wall with an exit sign located above them and table and chairs adjacent. If this is an exit it is blocked and not recognizable; if not an exit the sign needs to removed
06/02/2010	10 500148	Finald	PG - Plumbing/Gasfitting/Inside Water Piping - Plumbing/Inside Water (All) - Residential Alter	Contractor Gregory Romain Burnomatic Mooney & Ridler
06/02/2010	10 500174	Finald	E - Electrical Permit - Service & Circuits - Commercial Repair/Alter	Contractor John Koppi Electric LLC
05/19/2010	10 324989	Closed	RF - Referral - Citizen Complaint	Owner Deephaven Corporation - Plumbing fixtures draining into sewer and not sanitary
10/16/2009	09 300696	Finald	PG - Plumbing/Gasfitting/Inside Water Piping - Gasfitting Only - Commercial Replace	Contractor David Smith St Paul Plbg & Htg CO
10/15/2009	09 299656	Closed	PA - Parks Summary Abatement - Graffiti	Owner Deephaven Corporation - Graffiti (Police Report) on the south side of the building
10/15/2009	09 299655	Transferred - Closed	CS - CSO Complaint - Graffiti - Complaint	Graffiti (Police Report) on the south side of the building
10/14/2009	09 298497	Open	FA - Fire Alarm Malfunction	Responsible Party Deephaven Corporation
05/05/2009	07 093177	Expired	CT - Certificate of Insurance - Awning - Insurance	Business Owner Deephaven Corporation

05/04/2009	09 049049	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment The Lexington Restaurant
03/26/2009	09 037904	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment The Lexington Restaurant
03/05/2009	09 018030	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment The Lexington Restaurant
03/02/2009	09 035266	Certified	CO - Certificate of Occupancy - Assembly	Responsible Party Deephaven Corporation - 022823320102
01/27/2009	07 184889	History	RS - Restaurant Inspection - High Risk - Complaint Inspection	Establishment The Lexington Restaurant
01/26/2009	09 015626	Closed	LC - DSI Env Health Complaint - Health-Safety-Environment	COMPLAINT RECEIVED 1/26/09 FROM MDH. 2 OF 2 BECAME ILL AFTER EATING AT THIS RESTAURANT. MEAL DATE: 1/10/09 AT 6:00 PM. MEALS INCLUDED RISOTTO, STROGANOFF, AND CREME BRULEE. ILLNESS INCLUDED VOMITING AND DIARRHEA.
06/24/2008	08 057295	Canceled	XF - ECLIPS Food Related - Restaurant (5) - 151 and Over	Licensee Lexington Restaurant - ECLIPS License# 19980000085
06/24/2008	08 057337	Canceled	XL - ECLIPS License - Liquor - Liquor On Sale - 181-290 Seats	Licensee Lexington Restaurant - ECLIPS License# 19980000085
05/29/2008	09 000856	Closed	GT - General Activity Tracking - License	See attached document for map.
04/25/2008	08 064382	Closed	CL - Compliance Checks - Liquor Compliance Check	Licensee Lexington Restaurant - ECLIPS License# 19980000085
04/14/2008	08 057338	Closed	CL - Compliance Checks - Liquor Compliance Check	Licensee Lexington Restaurant - ECLIPS License# 19980000085
10/29/2007	06 222580	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment The Lexington Restaurant
09/28/2007	07 153705	Finald	B - Building Permit - Single Family Dwelling - Express Repair	Contractor Garlock French Roofing
12/12/2006	06 285034	History	CO - Certificate of Occupancy - Assembly	Responsible Party Deephaven Corporation - 022823320102
11/27/2006	06 275405	Finald - No Inspection	EG - Fire Engineering - Sprinkler / Standpipe Permit - Repair	Owner Deephaven Corporation - LEXINGTON RESTAURANT - REPLAE LEAKING OS&Y VALVE. REPLACE OR RECALIBRATE GAUGES OVER 5 YRS. NFPA.
11/03/2006	06 263042	Closed	CL - Compliance Checks - Tobacco Compliance Check	Licensee Lexington Restaurant - ECLIPS License# 19980000085
11/03/2006	06 262540	Closed	CL - Compliance Checks - Liquor Compliance Check	Licensee Lexington Restaurant - ECLIPS License# 19980000085
11/01/2006	06 259264	Closed	RF - Referral - Citizen Complaint	Owner Deephaven Corporation - Deficiencies noted on Grinnell report dated 5/19/06.
09/18/2006	06 021499	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment The Lexington Restaurant
02/17/2006	06 031292	Finald	SS - PW Sewer Permit - Sanitary - Repair	Contractor Schaffer Construction
02/17/2006	06 024149	Finald	SS - PW Sewer Permit - Storm - New	Contractor Schaffer Construction
02/17/2006	06 024150	Finald	SS - PW Sewer Permit - Storm - New	Contractor Schaffer Construction

02/17/2006	06_022593	Finald	SS - PW Sewer Permit - Storm - New	Contractor Al Webster Jr Webster Co Inc - Lexington Rest.
02/17/2006	06_022594	Finald	SS - PW Sewer Permit - Storm - New	Contractor Al Webster Jr Webster Co Inc - Lexington Rest.
02/16/2006	06_021165	Closed	LC - DSI Env Health Complaint - Health-Safety-Environment - Env Health - Food	Possible FBI report from MDH. Person ate the lunch special w/mussels, rice mango, roll and water on 2/14/06. ptk 2/16/06
02/14/2006	04_078483	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment The Lexington Restaurant
09/21/2004	04_148779	History	CO - Certificate of Occupancy - Assembly	Responsible Party Deephaven Corporation - 022823320102
06/28/2004	04_111413	Closed	CS - CSO Complaint - Graffiti - Complaint	Criminal damage to property graffiti police report # 04 127790.
04/28/2004	03_248772	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment The Lexington Restaurant
06/24/2003	03_259927	Canceled	XF - ECLIPS Food Related - Restaurant (D) - Add-on (Bar Only)	Licensee Lexington Restaurant - ECLIPS License# 19980000085
01/07/2003	02_232525	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment The Lexington Restaurant
12/12/2002	02_245019	History	CO - Certificate of Occupancy - Assembly	Responsible Party Deephaven Corporation - 022823320102
12/04/2002	02_243373	Closed	CS - CSO Complaint - Vacant Building Monitoring - Complaint	vacant building monitoring
10/29/2002	02_235213	Finald - No Inspection	EG - Fire Engineering - Sprinkler / Standpipe Permit - Existing Building - Alter Systems	Owner Deephaven Corporation - EMERGENCY REPLACE 1 HEAD.
10/25/2002	02_234493	Closed	RF - Referral - Form 4	Owner Deephaven Corporation - Dryer vents filled with excessive highly-combustible lint. Dryer fire 10/19/02 so dryers have to be replace.
10/21/2002	01_214098	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment The Lexington Restaurant
10/07/2002	02_228982	Closed	RF - Referral - Citizen Complaint	Owner Deephaven Corporation - No exit signs at all in the two larger rooms (not regular dining room). Some may have been behind a curtain, but if there was a fire, would not be able to see way out.
08/24/2001	01_220680	Closed	RF - Referral - Citizen Complaint	Owner Deephaven Corporation - Sprinkler report -out side bell
07/10/2001	00_131734	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment The Lexington Restaurant
05/18/2001	01_205309	Active	PS - Pre-Fire Survey - Business	Owner Deephaven Corporation
03/13/2001	01_022636	History	CO - Certificate of Occupancy - Assembly	Responsible Party Deephaven Corporation - 022823320102
01/22/2001	01_122315	Finald	M - Mechanical Permit - Steam or Hot Water - Commercial Replace	Contractor Ns/I Mech Contracting CO
06/12/2000	00_128126	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment The Lexington Restaurant

05/25/2000	99 001476	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment The Lexington Restaurant
11/30/1999	99 177658	Finald	FS - Fire Suppression Systems - Other Fire Extinguishing Systems - Commercial Repair/Alter	Contractor Rich Poole Viking Automatic Sprinkler Company
10/21/1999	99 000963	Closed	FS - Fire Suppression Systems - Limited Use Limited Access - Commercial Repair/Alter	Contractor Douglas Pfaff Grinnell Fire Protection Inc - 01/02/2001: All FS permits transferred from LIEP to Fire.. Closed without final approval
01/11/1999	99 000540	Closed	FS - Fire Suppression Systems - Other Fire Extinguishing Systems - Commercial Repair/Alter	Contractor Douglas Pfaff Grinnell Fire Protection Inc - 01/02/2001: All FS permits transferred from LIEP to Fire.. Closed without final approval
01/11/1999	99 000541	Closed	FS - Fire Suppression Systems - Other Fire Extinguishing Systems - Commercial Repair/Alter	Contractor Douglas Pfaff Grinnell Fire Protection Inc - 01/02/2001: All FS permits transferred from LIEP to Fire.. Closed without final approval
11/03/1998	98 002467	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment The Lexington Restaurant
11/02/1998	98 005916	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment The Lexington Restaurant
06/24/1998	98 000085	Canceled	XF - ECLIPS Food Related - Restaurant (B) - more than 12 seats	Licensee Lexington Restaurant - ECLIPS License# 19980000085
06/24/1998	98 000085	Canceled	XL - ECLIPS License - Liquor - Liquor On Sale - Over 100 seats (B)	Licensee Lexington Restaurant - ECLIPS License# 19980000085
06/24/1998	98 000085	Canceled	XL - ECLIPS License - Liquor - Liquor On Sale - Sunday	Licensee Lexington Restaurant - ECLIPS License# 19980000085
06/24/1998	98 000085	Canceled	XS - ECLIPS License - Miscellaneous - Cigarette/Tobacco	Licensee Lexington Restaurant - ECLIPS License# 19980000085
03/20/1998	98 010698	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment The Lexington Restaurant
09/22/1997	96 018097	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment The Lexington Restaurant
05/22/1996	94 009064	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment The Lexington Restaurant
05/22/1996	99 004664	Closed	EC - Environmental Complaint History (DC)	The back hall is unsanitary. 2/17/95 GJP. . .
11/14/1995	95 082218	Closed without Approval	E - Electrical Permit - Electrical - Commercial Repair/Alter	Contractor Commonwealth Electric of Minnesota Inc - Closed without final approval
09/29/1995	95 100352	Finald	PL - Plumbing & Gas Fitting (OLD) - Plumbing (ALL) - Residential Repair/Alter	Contractor Walter Bonfe Bonfes Plbg & Htg Inc
09/05/1995	94 001980	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment The Lexington Restaurant
09/05/1995	99 001958	Closed	EC - Environmental Complaint History (DC)	The back hall is unsanitary. 2/17/95 GJP. . .
05/16/1994	94 T10339	Complete	XP - ECLIPS License - Temporary - Liquor- Extension of Service Area	Licensee The Grand Lexington Co (A The Lexington Restaurant - ECLIPS License# 00T10339

09/29/1993	99 013929	History	RS - Restaurant Inspection - No Risk - Routine Inspection	Establishment The Lexington Restaurant
06/06/1993	93 071215	Canceled	XP - ECLIPS License - Temporary - Liquor-Extension of Service Area	Licensee The Grand Lexington Co (A The Lexington Restaurant - ECLIPS License# 0071215
02/19/1993	99 013968	History	RS - Restaurant Inspection - No Risk - Routine Inspection	Establishment The Lexington Restaurant
11/24/1992	99 005536	Closed	EC - Environmental Complaint History (DC)	CONVERTED FROM PARADOX SYSTEM. NO NARRATIVE.
11/24/1992	99 013912	History	RS - Restaurant Inspection - No Risk - Routine Inspection	Establishment The Lexington Restaurant
04/03/1992	99 013984	History	RS - Restaurant Inspection - No Risk - Routine Inspection	Establishment The Lexington Restaurant
07/30/1991	99 015262	History	RS - Restaurant Inspection - No Risk - Routine Inspection	Establishment The Lexington Restaurant
07/22/1991	99 015301	History	RS - Restaurant Inspection - No Risk - Routine Inspection	Establishment The Lexington Restaurant
11/30/1990	90 092543	Canceled	XF - ECLIPS Food Related - Restaurant (B) - more than 12 seats	Licensee The Grand Lexington Co (A The Lexington Restaurant - ECLIPS License# 0092543
11/30/1990	90 092543	Canceled	XL - ECLIPS License - Liquor - Liquor On Sale - Over 200 seats (A)	Licensee The Grand Lexington Co (A The Lexington Restaurant - ECLIPS License# 0092543
11/30/1990	90 092543	Canceled	XL - ECLIPS License - Liquor - Liquor On Sale - Sunday	Licensee The Grand Lexington Co (A The Lexington Restaurant - ECLIPS License# 0092543
10/15/1990	90 048705	Withdrawn	XL - ECLIPS License - Liquor - Liquor On Sale - Over 200 seats (A)	Licensee The Lexington Restaurant - ECLIPS License# 0048705
10/15/1990	90 048705	Withdrawn	XL - ECLIPS License - Liquor - Liquor On Sale - Sunday	Licensee The Lexington Restaurant - ECLIPS License# 0048705
10/15/1990	90 048705	Withdrawn	XL - ECLIPS License - Liquor - Malt Off Sale	Licensee The Lexington Restaurant - ECLIPS License# 0048705
06/23/1989	89 099385	Canceled	XL - ECLIPS License - Liquor - Liquor On Sale - Over 200 seats (A)	Licensee The Lexington Restaurant - ECLIPS License# 0099385
06/23/1989	89 099385	Canceled	XL - ECLIPS License - Liquor - Liquor On Sale - Sunday	Licensee The Lexington Restaurant - ECLIPS License# 0099385
06/23/1989	89 099385	Canceled	XL - ECLIPS License - Liquor - Malt Off Sale	Licensee The Lexington Restaurant - ECLIPS License# 0099385
12/14/1988	88 015880	Canceled	XL - ECLIPS License - Liquor - Liquor On Sale - Over 200 seats (A)	Licensee McLean's Inc The Lexington - ECLIPS License# 0015880
12/14/1988	88 015880	Canceled	XL - ECLIPS License - Liquor - Malt Off Sale	Licensee McLean's Inc The Lexington - ECLIPS License# 0015880
12/11/1969	69 000359	History	CO - Certificate of Occupancy - Assembly	Responsible Party Deephaven Corporation - 022823320102
12/11/1969	69 010358	History	CO - Certificate of Occupancy - Assembly	Responsible Party Deephaven Corporation - 022823320102
01/01/1953	53 002008	Red Tagged	EA - Elevator Annual Inspection - Dumbwaiter - Commercial	Management Company Lexington Restaurant

[53 001670](#) Active/Issued EV - Elevating Device -
Dumbwaiter - Commercial
New

[52 Lexington Pkwy S - Historic/Archived](#)

10/18/2012 [12 197860](#) Open

RE - Real Estate
Assessments

Owner Grand & Lexington Llc