



APPLICATION FOR APPEAL

RECEIVED

OCT 31 2011

CITY CLERK

Saint Paul City Clerk

310 City Hall, 15 W. Kellogg Blvd.

Saint Paul, Minnesota 55102

Telephone: (651) 266-8560

The City Clerk needs the following to process your appeal:

- \$25 filing fee payable to the City of Saint Paul (if cash: receipt number _____)
- Copy of the City-issued orders or letter which are being appealed
- Attachments you may wish to include
- This appeal form completed

<p>YOUR HEARING Date and Time:</p> <p>Tuesday, <u>NOV. 15, 2011</u></p> <p>Time <u>1:30 p.m.</u></p> <p>Location of Hearing:</p> <p><u>Room 330 City Hall/Courthouse</u></p>
--

walk in

Address Being Appealed:

Number & Street: 1242 Sargent AVE City: St Paul State: MN Zip: 55105

Appellant/Applicant: The Window Store Home Improv Email Michelle @homesure inc.com

Phone Numbers: Business 763 352-5780 Residence _____ Cell 763 477-1820

Signature: Derek Janney Date: 10-31-11

Name of Owner (if other than Appellant): Jessalyn Hines

Address (if not Appellant's): _____

Phone Numbers: Business _____ Residence _____ Cell _____

What Is Being appealed and why? *Attachments Are Acceptable*

- Vacate Order/Condemnation/Revocation of Fire C of O
- Summary/Vehicle Abatement
- Fire C of O Deficiency List
- Fire C of O: Only Egress Windows
- Code Enforcement Correction Notice
- Vacant Building Registration
- Other
- Other
- Other

Can't get a casement window to fit current opening. Needs to be a Double Hung



CITY OF SAINT PAUL
INTERDEPARTMENTAL MEMORANDUM

EGRESS WINDOW NON-COMPLIANCE DETERMINATION

TO: CITY CLERK
15 KELLOGG BLVD. WEST
310 CITY HALL
SAINT PAUL, MN 55102

PHONE: 651-266-8688
FAX: 651-266-8574

DATE: 10-31-11

APPEAL PROPERTY ADDRESS: 1242 Sargent Ave St Paul mn

APPLICANT NAME: The Window Store Home Improvements PHONE NUMBER: 612 353-5780

PERMIT NUMBER: 20 11 282862

TYPE OF WINDOW: DH

NUMBER OF WINDOWS: 1

TOTAL GLAZED AREA: 3.9270 ^{total egress open} DIFFERENCE FROM REQUIRED AREA: _____

WIDTH OF OPENING: 35.344 ~~20.344~~ DIFFERENCE FROM REQUIRED OPENING: # 15" ~~10.7500~~

HEIGHT OF OPENING: 16. DIFFERENCE FROM REQUIRED OPENING: - 8."

HEIGHT OF OPENING TO FINISHED FLOOR: 32" DIFFERENCE FROM MAXIMUM HEIGHT: _____

RECOMMENDATION (IF APPLICABLE): _____

FROM: _____

Select a Model

(Model 0201)	0201 ▼	Min. W: 11	Max W: 52																	
Excalibur Double Hung		Min. H: 20	Max H: 84	Max Ul: 132																
Top Sash Width	36.5000	<table style="width: 100%; border-collapse: collapse;"> <tr> <td colspan="2" style="text-align: center;">Exact Size</td> </tr> <tr> <td style="border: 1px solid black; padding: 2px;">Width: 39.75</td> <td style="border: 1px solid black; padding: 2px;">39.75</td> </tr> <tr> <td style="border: 1px solid black; padding: 2px;">Height: 45.5</td> <td style="border: 1px solid black; padding: 2px;">45.5</td> </tr> <tr> <td colspan="2" style="padding: 5px;"> Extrusion: Select Extrusion ▼ << For Arch-Top Models Only </td> </tr> <tr> <td colspan="2" style="padding: 2px;"> Opening: Exact Size ▼ </td> </tr> <tr> <td colspan="2" style="padding: 2px;"> Type: Standard ▼ </td> </tr> <tr> <td colspan="2" style="padding: 2px;"> Screen: Half ▼ </td> </tr> <tr> <td colspan="2" style="padding: 2px;"> Glass: Double Strength (3 mm) ▼ </td> </tr> </table>			Exact Size		Width: 39.75	39.75	Height: 45.5	45.5	Extrusion: Select Extrusion ▼ << For Arch-Top Models Only		Opening: Exact Size ▼		Type: Standard ▼		Screen: Half ▼		Glass: Double Strength (3 mm) ▼	
Exact Size																				
Width: 39.75	39.75																			
Height: 45.5	45.5																			
Extrusion: Select Extrusion ▼ << For Arch-Top Models Only																				
Opening: Exact Size ▼																				
Type: Standard ▼																				
Screen: Half ▼																				
Glass: Double Strength (3 mm) ▼																				
Top Sash Height	21.1875																			
Bottom Sash Width	37.5000																			
Bottom Sash Height	22.1875																			
Top Glass Width	34.8125																			
Top Glass Height	19.5000																			
Bottom Glass Width	35.8125																			
Bottom Glass Height	20.5000																			
Screen Width	36.0625																			
Screen Height	22.4375																			
Top Sash Weight (Plus 5 lb)	24 lb	<input type="checkbox"/> AC Sash Calculator																		
Top Balance Size (C.F)	66YW																			
Top Balance Size (Spiral)	17-5B																			
Bottom Sash Weight	20 lb																			
Bottom Balance Size (C.F)	55RD																			
Bottom Balance Size (Spiral)	21-7B																			
Egress Opening Width	35.3440																			
Egress Opening Height	16.0000																			
Egress Opening Area (sq.ft.)	3.9270																			