



CITY OF SAINT PAUL

*Business Licensing*  
375 Jackson Street, Suite 220  
Saint Paul, Minnesota 55101-1806

*Telephone:* 651-266-8989  
*Facsimile:* 651-266-9124  
*Web:* [www.stpaul.gov/dsi](http://www.stpaul.gov/dsi)

February 28, 2022

Jennifer Williams  
4047 Camberwell Dr N  
Eagan, MN 55123

Dear Jennifer Williams:

This is to confirm that our office has received your application for a variance from the city's noise ordinance for the ALS Super Hero Dash and that it is being processed. The Department of Safety and Inspections has recommended that a variance be issued with conditions.

**Submit comments for Public Hearing electronically.** The public may comment on public hearing items in person, in writing or via voicemail. Any comments and materials submitted by 12:00 pm of the day before the meeting, Tuesday, March 15, 2022, will be attached to the public record and available for review by the City Council. Comments may be submitted as follows: Written public comment on public hearing items can be submitted to [Contact-Council@ci.stpaul.mn.us](mailto:Contact-Council@ci.stpaul.mn.us), [CouncilHearing@ci.stpaul.mn.us](mailto:CouncilHearing@ci.stpaul.mn.us), or by voicemail at 651-266-6805. Live testimony will be taken in person in the Council Chambers, and by telephone by registering to speak by noon on the day before the meeting. The registration link is located on the City Council website at [www.stpaul.gov/council](http://www.stpaul.gov/council) or <https://forms.office.com/g/TD3xN7WHy5>

Public attendance at the City Council's regular meeting location may not be feasible due to the COVID-19 health pandemic. Members of the public may view City Council meetings online at <https://stpaul.legistar.com/Calendar.aspx> or on local cable Channel 18.

**A public hearing before the City Council on this variance request will be held on:**

Date: Wednesday, March 16, 2022

Time: 3:30 p.m.

Location: 3rd floor, City Hall Council Chambers

After the public hearing, the Council may grant, deny, or modify the variance request.

If you have questions about the sound level variance, please contact: Barb McMonigal-St.Dennis, Environmental Health Specialist, 651-266-9137, [barb.mcmonigal-st.dennis@ci.stpaul.mn.us](mailto:barb.mcmonigal-st.dennis@ci.stpaul.mn.us)