



SAINT PAUL
SAFETY & INSPECTIONS

Received

DEPARTMENT OF SAFETY & INSPECTIONS (DSI)

JUN 08 2022

375 Jackson Street, Suite 220

Saint Paul, MN 55101-1806

Tel: 651-266-8989 | Fax: 651-266-9124

City of Saint Paul - DSI

Sound Level Variance Application


Legislative Code Chapter 293. - Noise Regulations Application and \$178 fee should be submitted a minimum of sixty (60) days prior to the event date to allow ample time for required public notification period and scheduling of a Council public hearing. Applications submitted within sixty (60) days of the event date may not satisfy the processing timeline requirements.

1. Organization/person seeking variance: Tanya Adelman
2. Event Name: memorial for Ira Adelman (my father)
3. Address and physical description of noise source location (Event, Worksite): Cherokee Regional Park, large picnic shelter, 700 Cherokee Heights Blvd, St Paul, MN 55107
4. Responsible person: Tanya Adelman Title: _____
5. Telephone: 651-341-5656 E-Mail: tanyaadelman@gmail.com
6. Date(s) variance requested: 09/10/2022
7. Noise source - Time(s) of operation: 12pm-1pm (1 hour of music)
- Time(s) of pre-event sound check: 11am
8. Sound level requested (dBA/Decibels): less than 90 dB
9. Mailing address w/zip code: 2212 Scheffer Ave, St Paul, MN 55116
10. Briefly describe the noise source and equipment involved: small jazz band - amplified jazz guitar, microphone for singing, electric piano
11. Describe the steps that will be taken to minimize the noise levels: play classic jazz that tends to be quieter, midday, outside, will set speakers low volume
12. State reason for seeking variance (example - music, announcements, construction, etc.): music
13. Maximum number of attendees: 80
14. A site diagram & map must be attached showing location of noise source(s), streets, stages, tents, etc. (If there will be amplified sound, indicate location and direction that all speakers will be facing. Multiple locations may require more than one application.) 1 location
15. Submit completed application, site diagram/map, and \$178 fee to:
CITY OF SAINT PAUL, DEPARTMENT OF SAFETY AND INSPECTIONS
375 JACKSON STREET, SUITE 220
SAINT PAUL, MN 55101-1806

I understand any social gathering associated with this variance must be managed in compliance with any applicable Mayor Carter executive order regarding vaccinations, distancing, masks and attendance limits.

Signature of responsible person: Tanya Adelman Date: 06/03/2022

City of Saint Paul Parks and Recreation Cherokee Regional Park





DSI RECEIPT

CITY OF SAINT PAUL
Department of Safety and Inspections
375 Jackson Street Suite 220
Saint Paul, Minnesota 55101-1806
Phone: (651) 266-8989 Fax: (651) 266-9124
www.stpaul.gov/dsi

Date: 06/09/2022

Received From: TANYAADELMAN
2212 SCHEFFER AVE ST PAUL MN 55116

Description:

Invoice Details	Invoice Amount	Amount Paid
1126820 Noise Variance	\$178.00	\$178.00
TOTAL AMOUNT PAID:		\$178.00

Paid By:

Payment Type	Check #	Received Date	Amount
Check	2669	06/09/2022	\$178.00