



## HEARING REQUEST

**To: BETTIE LEWIS  
543 CENTRAL AVE W  
SAINT PAUL MN 55103-2223**

**From: Saint Paul Regional Water Services**

**Date: April 22, 2022**

**RE: Account Number: 0471009  
Customer Number: 005331  
Service Address: 543 CENTRAL AVE W**

Dear SPRWS Customer,

You have a right to a hearing if there is a disagreement regarding your account. Hearings are held with an impartial Hearing Officer, who listens to your concerns, considers all relevant information and makes a recommendation for a settlement. The Hearing Officer will contact you to arrange for a hearing after this completed and signed form is returned to Saint Paul Regional Water Services, 1900 Rice St Saint Paul MN 55113.

Sincerely,

Customer Service  
**Saint Paul Regional Water Services**  
1900 Rice St., Office Building  
Saint Paul Minnesota 55113  
Phone: 651-266-6351

**Reason for Hearing:**

(I would like our last quarter bill reduced to our average usage. Someone turned water on from outside our unit causing excessive bill.)

**Signature: Bettie Lewis Date: 04/27/22**

**Name: Bettie Lewis Telephone Number: 6517065745**  
**(Please print)**

Created Date/Tim 4/27/2022 7:54:34 AM

Customer Numbe 005331

Account Number: 0471009

Service Address: 543 CENTRAL AVE W

Mailing Address:

BETTIE LEWIS

543 CENTRAL AVE W

SAINT PAUL MN 55103-2223

Transaction Date	Transaction	Transaction Amount	Balance
4/20/2022	Cycle Billing Due: 5/5/2022	\$794.99	\$794.99
3/1/2022	Payment - IVR	(\$123.09)	\$0.00
2/23/2022	Late Charge - Quarterly	\$5.86	\$123.09
1/21/2022	Cycle Billing Due: 2/5/2022	\$117.23	\$117.23
11/1/2021	Payment - IVR	(\$130.18)	\$0.00
10/21/2021	Cycle Billing Due: 11/5/2021	\$130.18	\$130.18
8/4/2021	Payment - Remittance Processor	(\$120.19)	\$0.00
7/22/2021	Cycle Billing Due: 8/6/2021	\$120.19	\$120.19
5/3/2021	Payment - IVR	(\$96.81)	\$0.00
4/21/2021	Cycle Billing Due: 5/6/2021	\$96.81	\$96.81
2/1/2021	Payment - IVR	(\$112.53)	\$0.00
1/21/2021	Cycle Billing Due: 2/5/2021	\$112.53	\$112.53
11/2/2020	Payment - IVR	(\$98.75)	\$0.00
10/21/2020	Cycle Billing Due: 11/5/2020	\$98.75	\$98.75
8/3/2020	Payment - IVR	(\$80.13)	\$0.00
7/22/2020	Cycle Billing Due: 8/6/2020	\$80.13	\$80.13
5/1/2020	Payment - IVR	(\$94.73)	\$0.00
4/21/2020	Cycle Billing Due: 5/6/2020	\$94.73	\$94.73
2/3/2020	Payment - IVR	(\$94.73)	\$0.00
1/24/2020	Cycle Billing Due: 2/8/2020	\$94.73	\$94.73
11/2/2019	Payment - IVR	(\$85.52)	\$0.00
10/21/2019	Cycle Billing Due: 11/5/2019	\$85.52	\$85.52
8/1/2019	Payment - IVR	(\$99.33)	\$0.00
7/22/2019	Cycle Billing Due: 8/6/2019	\$99.33	\$99.33
5/2/2019	Payment - Remittance Processor	(\$47.31)	\$0.00
4/19/2019	Cycle Billing Due: 5/4/2019	\$84.82	\$47.31
1/25/2019	A/R Reconciliation - Credit	(\$43.64)	(\$37.51)
1/25/2019	A/R Reconciliation - Debit	\$43.64	\$6.13
1/24/2019	Cycle Billing Due: 2/8/2019	\$92.21	(\$37.51)
12/6/2018	Payment - Remittance Processor	(\$136.55)	(\$129.72)
11/28/2018	Payment - Remittance Processor	(\$136.55)	\$6.83
11/21/2018	Late Charge - Quarterly	\$6.83	\$143.38
10/19/2018	Cycle Billing Due: 11/3/2018	\$136.55	\$136.55

8/6/2018	Payment - Remittance Processor	(\$137.01)	\$0.00
7/23/2018	Cycle Billing Due: 8/7/2018	\$130.41	\$137.01
5/24/2018	Payment - Remittance Processor	(\$131.98)	\$6.60
5/23/2018	Late Charge - Quarterly	\$6.60	\$138.58
4/20/2018	Cycle Billing Due: 5/5/2018	\$131.98	\$131.98
1/26/2018	Payment - Remittance Processor	(\$126.04)	\$0.00
1/19/2018	Cycle Billing Due: 2/6/2018	\$126.04	\$126.04
10/24/2017	Payment - Remittance Processor	(\$106.87)	\$0.00
10/19/2017	Cycle Billing Due: 11/3/2017	\$106.87	\$106.87
7/31/2017	Payment - Remittance Processor	(\$99.89)	\$0.00
7/19/2017	Cycle Billing Due: 8/3/2017	\$99.89	\$99.89
5/1/2017	Payment - Remittance Processor	(\$92.01)	\$0.00
4/19/2017	Cycle Billing Due: 5/4/2017	\$92.01	\$92.01
2/2/2017	Payment - Remittance Processor	(\$181.45)	\$0.00
1/19/2017	Cycle Billing Due: 2/3/2017	\$181.45	\$181.45
11/3/2016	Payment - Remittance Processor	(\$124.89)	\$0.00
10/20/2016	Cycle Billing Due: 11/4/2016	\$124.89	\$124.89
8/3/2016	Payment - Remittance Processor	(\$111.45)	\$0.00
7/21/2016	Cycle Billing Due: 8/5/2016	\$111.45	\$111.45
5/2/2016	Payment - Remittance Processor	(\$96.91)	\$0.00
4/19/2016	Cycle Billing Due: 5/4/2016	\$96.91	\$96.91
2/3/2016	Payment - Remittance Processor	(\$123.39)	\$0.00
1/20/2016	Cycle Billing Due: 2/4/2016	\$123.39	\$123.39
11/6/2015	Payment - Remittance Processor	(\$150.81)	\$0.00
10/20/2015	Cycle Billing Due: 11/4/2015	\$150.81	\$150.81
8/6/2015	Payment - Remittance Processor	(\$147.99)	\$0.00
7/21/2015	Cycle Billing Due: 8/5/2015	\$147.99	\$147.99
5/1/2015	Payment - Remittance Processor	(\$125.70)	\$0.00
4/20/2015	Cycle Billing Due: 5/5/2015	\$125.70	\$125.70
2/4/2015	Payment - Remittance Processor	(\$134.91)	\$0.00
1/22/2015	Cycle Billing Due: 2/6/2015	\$134.91	\$134.91
11/5/2014	Payment - Remittance Processor	(\$102.65)	\$0.00
10/20/2014	Cycle Billing Due: 11/4/2014	\$102.65	\$102.65
8/5/2014	Payment - Remittance Processor	(\$100.21)	\$0.00
7/21/2014	Cycle Billing Due: 8/5/2014	\$100.21	\$100.21
5/1/2014	Payment - Remittance Processor	(\$97.22)	\$0.00
4/18/2014	Cycle Billing Due: 5/3/2014	\$97.22	\$97.22
2/4/2014	Payment - Remittance Processor	(\$115.16)	\$0.00
1/22/2014	Cycle Billing Due: 2/6/2014	\$115.16	\$115.16
11/4/2013	Payment - Remittance Processor	(\$125.39)	\$0.00
10/18/2013	Cycle Billing Due: 11/2/2013	\$119.03	\$125.39
9/28/2013	Safe Drinking Water Fee	\$6.36	\$6.36
8/1/2013	Payment - Remittance Processor	(\$104.69)	\$0.00
7/19/2013	Cycle Billing Due: 8/3/2013	\$104.69	\$104.69
5/1/2013	Payment - Remittance Processor	(\$108.13)	\$0.00
4/18/2013	Cycle Billing Due: 5/3/2013	\$103.09	\$108.13
3/5/2013	Payment - Remittance Processor	(\$100.80)	\$5.04

2/25/2013	Late Charge - Quarterly	\$5.04	\$105.84
1/23/2013	Cycle Billing Due: 2/7/2013	\$100.80	\$100.80
11/1/2012	Payment - Remittance Processor	(\$100.66)	\$0.00
10/18/2012	Cycle Billing Due: 11/2/2012	\$94.24	\$100.66
10/6/2012	Safe Drinking Water Fee	\$6.36	\$6.42
8/2/2012	Payment - Remittance Processor	(\$85.61)	\$0.06
7/19/2012	Cycle Billing Due: 8/3/2012	\$85.67	\$85.67
5/4/2012	Payment - Remittance Processor	(\$75.90)	\$0.00
4/19/2012	Cycle Billing Due: 5/4/2012	\$75.90	\$75.90
2/6/2012	Payment - Remittance Processor	(\$87.80)	\$0.00
1/23/2012	Cycle Billing Due: 2/7/2012	\$87.80	\$87.80
11/3/2011	Payment - Remittance Processor	(\$102.92)	\$0.00
10/20/2011	Cycle Billing Due: 11/4/2011	\$96.56	\$102.92
10/8/2011	Safe Drinking Water Fee	\$6.36	\$6.36
8/3/2011	Payment - Remittance Processor	(\$106.04)	\$0.00
7/21/2011	Cycle Billing Due: 8/5/2011	\$106.04	\$106.04
5/4/2011	Payment - Remittance Processor	(\$61.38)	\$0.00
4/20/2011	Cycle Billing Due: 5/5/2011	\$61.38	\$61.38
2/2/2011	Payment - Remittance Processor	(\$94.86)	\$0.00
1/24/2011	Cycle Billing Due: 2/8/2011	\$94.86	\$94.86
11/3/2010	Payment - Remittance Processor	(\$95.32)	\$0.00
10/20/2010	Cycle Billing Due: 11/4/2010	\$95.32	\$95.32
8/2/2010	Payment - Remittance Processor	(\$114.77)	\$0.00
7/16/2010	Cycle Billing Due: 7/31/2010	\$114.77	\$114.77
5/4/2010	Payment - Remittance Processor	(\$57.91)	\$0.00
4/20/2010	Cycle Billing Due: 5/5/2010	\$57.91	\$57.91
2/11/2010	Payment - Remittance Processor	(\$97.12)	\$0.00
1/28/2010	Cycle Billing Due: 2/12/2010	\$97.12	\$97.12
11/2/2009	Payment - Remittance Processor	(\$90.84)	\$0.00
10/31/2009	Conv-Internal Balancing	\$0.00	\$90.84
10/31/2009	Conv-Internal Balancing	\$90.84	\$90.84
10/20/2009	Billing - Converted	\$84.48	\$0.00
10/1/2009	Safe Drinking Water - Converted	\$6.36	(\$84.48)
8/4/2009	Payment - Converted	(\$98.36)	(\$90.84)
7/21/2009	Billing - Converted	\$98.36	\$7.52
5/6/2009	Payment - Converted	(\$86.01)	(\$90.84)
4/22/2009	Billing - Converted	\$86.01	(\$4.83)
2/4/2009	Payment - Converted	(\$88.06)	(\$90.84)
1/21/2009	Billing - Converted	\$88.06	(\$2.78)
11/3/2008	Payment - Converted	(\$94.01)	(\$90.84)
10/18/2008	Billing - Converted	\$87.65	\$3.17
10/1/2008	Safe Drinking Water - Converted	\$6.36	(\$84.48)
8/1/2008	Payment - Converted	(\$87.65)	(\$90.84)
7/18/2008	Billing - Converted	\$87.65	(\$3.19)
5/1/2008	Payment - Converted	(\$87.51)	(\$90.84)
4/16/2008	Billing - Converted	\$87.51	(\$3.33)
2/1/2008	Payment - Converted	(\$80.07)	(\$90.84)

1/19/2008	Billing - Converted	\$80.07	(\$10.77)
11/6/2007	Payment - Converted	(\$78.52)	(\$90.84)
10/24/2007	Billing - Converted	\$72.16	(\$12.32)
10/1/2007	Safe Drinking Water - Converted	\$6.36	(\$84.48)
8/3/2007	Payment - Converted	(\$96.39)	(\$90.84)
7/21/2007	Billing - Converted	\$96.49	\$5.55
5/1/2007	Payment - Converted	(\$70.66)	(\$90.94)
4/18/2007	Billing - Converted	\$70.56	(\$20.28)
2/1/2007	Payment - Converted	(\$85.49)	(\$90.84)
1/18/2007	Billing - Converted	\$85.49	(\$5.35)
10/31/2006	Payment - Converted	(\$67.35)	(\$90.84)
10/17/2006	Billing - Converted	\$60.99	(\$23.49)
10/11/2006	Safe Drinking Water - Converted	\$6.36	(\$84.48)
8/3/2006	Payment - Converted	(\$72.96)	(\$90.84)
7/19/2006	Billing - Converted	\$72.96	(\$17.88)
5/3/2006	Payment - Converted	(\$51.24)	(\$90.84)
4/19/2006	Billing - Converted	\$51.24	(\$39.60)
2/2/2006	Payment - Converted	(\$49.63)	(\$90.84)
1/20/2006	Billing - Converted	\$49.63	(\$41.21)
11/3/2005	Payment - Converted	(\$82.25)	(\$90.84)
10/20/2005	Billing - Converted	\$77.04	(\$8.59)
10/7/2005	Safe Drinking Water - Converted	\$5.21	(\$85.63)
8/4/2005	Payment - Converted	(\$117.92)	(\$90.84)
7/21/2005	Billing - Converted	\$117.92	\$27.08
4/29/2005	Payment - Converted	(\$86.22)	(\$90.84)
4/15/2005	Billing - Converted	\$86.22	(\$4.62)
2/4/2005	Payment - Converted	(\$108.68)	(\$90.84)
1/19/2005	Billing - Converted	\$108.68	\$17.84
11/1/2004	Payment - Converted	(\$121.16)	(\$90.84)
10/16/2004	Billing - Converted	\$115.95	\$30.32
10/1/2004	Safe Drinking Water - Converted	\$5.21	(\$85.63)
7/29/2004	Payment - Converted	(\$112.73)	(\$90.84)



Created C 4/27/2022 7:55:47 AM

Customer 005331

Account # 0471009

Service Address 543 CENTRAL AVE W

Mailing Address:

BETTIE LEWIS

543 CENTRAL AVE W

SAINT PAUL MN 55103-2223

Service	Read Date	Meter	Read Type	Read Status	Previous Reading	Current Reading	Consumption	Pending?	Days	Informational?	Billed Consumption	Average	Bill Date
Water	4/19/2022	52095436	Water	Verified Read	0.00	765.00	0.00	FALSE	0	TRUE	0.00	0.00	
Water	4/11/2022	52095436	Water	Actual Read	560.00	762.00	202.00	FALSE	89	FALSE	202.00	2.27	4/20/2022
Water	1/12/2022	52095436	Water	Actual Read	550.00	560.00	10.00	FALSE	92	FALSE	10.00	0.11	1/21/2022
Water	10/12/2021	52095436	Water	Actual Read	535.00	550.00	15.00	FALSE	91	FALSE	15.00	0.16	10/21/2021
Water	7/13/2021	52095436	Water	Actual Read	523.00	535.00	12.00	FALSE	95	FALSE	12.00	0.13	7/22/2021
Water	4/9/2021	52095436	Water	Actual Read	515.00	523.00	8.00	FALSE	87	FALSE	8.00	0.09	4/21/2021
Water	1/12/2021	52095436	Water	Actual Read	505.00	515.00	10.00	FALSE	92	FALSE	10.00	0.11	1/21/2021
Water	10/12/2020	52095436	Water	Actual Read	496.00	505.00	9.00	FALSE	91	FALSE	9.00	0.10	10/21/2020
Water	7/13/2020	52095436	Water	Actual Read	490.00	496.00	6.00	FALSE	94	FALSE	6.00	0.06	7/22/2020
Water	4/10/2020	52095436	Water	Actual Read	482.00	490.00	8.00	FALSE	88	FALSE	8.00	0.09	4/21/2020
Water	1/13/2020	52095436	Water	Actual Read	474.00	482.00	8.00	FALSE	94	FALSE	8.00	0.09	1/24/2020
Water	10/11/2019	52095436	Water	Actual Read	467.00	474.00	7.00	FALSE	92	FALSE	7.00	0.08	10/21/2019
Water	7/11/2019	52095436	Water	Actual Read	457.00	467.00	10.00	FALSE	92	FALSE	10.00	0.11	7/22/2019
Water	4/10/2019	52095436	Water	Actual Read	450.00	457.00	7.00	FALSE	86	FALSE	7.00	0.08	4/19/2019
Water	1/14/2019	52095436	Water	Actual Read	442.00	450.00	8.00	FALSE	95	FALSE	8.00	0.08	1/24/2019
Water	10/11/2018	52095436	Water	Actual Read	426.00	442.00	16.00	FALSE	91	FALSE	16.00	0.18	10/19/2018
Water	7/12/2018	52095436	Water	Actual Read	412.00	426.00	14.00	FALSE	92	FALSE	14.00	0.15	7/23/2018
Water	4/11/2018	52095436	Water	Actual Read	397.00	412.00	15.00	FALSE	91	FALSE	15.00	0.16	4/20/2018
Water	1/10/2018	52095436	Water	Actual Read	384.00	397.00	13.00	FALSE	91	FALSE	13.00	0.14	1/22/2018
Water	10/11/2017	52095436	Water	Actual Read	373.00	384.00	11.00	FALSE	90	FALSE	11.00	0.12	10/19/2017
Water	7/13/2017	52095436	Water	Actual Read	363.00	373.00	10.00	FALSE	92	FALSE	10.00	0.11	7/19/2017
Water	4/12/2017	52095436	Water	Actual Read	354.00	363.00	9.00	FALSE	91	FALSE	9.00	0.10	4/19/2017
Water	1/11/2017	52095436	Water	Actual Read	332.00	354.00	22.00	FALSE	90	FALSE	22.00	0.24	1/19/2017
Water	10/13/2016	52095436	Water	Actual Read	317.00	332.00	15.00	FALSE	93	FALSE	15.00	0.16	10/20/2016
Water	7/12/2016	52095436	Water	Actual Read	304.00	317.00	13.00	FALSE	91	FALSE	13.00	0.14	7/21/2016
Water	4/12/2016	52095436	Water	Actual Read	293.00	304.00	11.00	FALSE	91	FALSE	11.00	0.12	4/19/2016
Water	1/12/2016	52095436	Water	Actual Read	278.00	293.00	15.00	FALSE	92	FALSE	15.00	0.16	1/20/2016
Water	10/12/2015	52095436	Water	Actual Read	255.00	278.00	23.00	FALSE	91	FALSE	23.00	0.25	10/20/2015
Water	7/13/2015	52095436	Water	Actual Read	233.00	255.00	22.00	FALSE	96	FALSE	22.00	0.23	7/21/2015
Water	4/8/2015	52095436	Water	Actual Read	217.00	233.00	16.00	FALSE	86	FALSE	16.00	0.19	4/20/2015
Water	1/12/2015	52095436	Water	Actual Read	199.00	217.00	18.00	FALSE	90	FALSE	18.00	0.20	1/22/2015
Water	10/14/2014	52095436	Water	Actual Read	184.00	199.00	15.00	FALSE	96	FALSE	15.00	0.16	10/20/2014
Water	7/10/2014	52095436	Water	Actual Read	170.00	184.00	14.00	FALSE	91	FALSE	14.00	0.15	7/21/2014

Water	5/14/2014	52095436	Water	Actual Read	0.00	175.00	0.00	FALSE	0	TRUE	0.00	0.00	
Water	4/10/2014	52095436	Water	Actual Read	156.00	170.00	14.00	FALSE	90	FALSE	14.00	0.16	4/18/2014
Water	1/10/2014	52095436	Water	Actual Read	139.00	156.00	17.00	FALSE	91	FALSE	17.00	0.19	1/22/2014
Water	10/11/2013	52095436	Water	Actual Read	117.00	139.00	22.00	FALSE	92	FALSE	22.00	0.24	10/18/2013
Water	7/11/2013	52095436	Water	Actual Read	101.00	117.00	16.00	FALSE	90	FALSE	16.00	0.18	7/19/2013
Water	4/12/2013	52095436	Water	Actual Read	85.00	101.00	16.00	FALSE	93	FALSE	16.00	0.17	4/18/2013
Water	1/9/2013	52095436	Water	Actual Read	70.00	85.00	15.00	FALSE	89	FALSE	15.00	0.17	1/23/2013
Water	10/12/2012	52095436	Water	Actual Read	54.00	70.00	16.00	FALSE	87	FALSE	16.00	0.18	10/18/2012
Water	7/17/2012	52095436	Water	Actual Read	40.00	54.00	14.00	FALSE	98	FALSE	14.00	0.14	7/19/2012
Water	4/10/2012	52095436	Water	Actual Read	28.00	40.00	12.00	FALSE	92	FALSE	12.00	0.13	4/19/2012
Water	1/9/2012	52095436	Water	Actual Read	14.00	28.00	14.00	FALSE	90	FALSE	14.00	0.16	1/23/2012
Water	10/11/2011	52095436	Water	Actual Read	0.00	14.00	14.00	FALSE	82	FALSE	17.00	0.17	10/20/2011
Water	7/21/2011	33064105	Water	Actual Read	1168.00	1171.00	3.00	FALSE	6	FALSE	17.00	0.50	10/20/2011
Water	7/15/2011	33064105	Water	In-House Estimate	1147.00	1168.00	21.00	FALSE	95	FALSE	21.00	0.22	7/21/2011
Water	4/11/2011	33064105	Water	In-House Estimate	1136.00	1147.00	11.00	FALSE	89	FALSE	11.00	0.12	4/20/2011
Water	1/12/2011	33064105	Water	In-House Estimate	1119.00	1136.00	17.00	FALSE	92	FALSE	17.00	0.18	1/24/2011
Water	10/12/2010	33064105	Water	In-House Estimate	1103.00	1119.00	16.00	FALSE	91	FALSE	16.00	0.18	10/20/2010
Water	7/13/2010	33064105	Water	Actual Read	1077.00	1103.00	26.00	FALSE	92	FALSE	26.00	0.28	7/16/2010
Water	4/12/2010	33064105	Water	Actual Read	0.00	1077.00	0.00	FALSE	0	TRUE	0.00	0.00	
Water	4/12/2010	33064105	Water	Actual Read	1067.00	1077.00	10.00	FALSE	82	FALSE	10.00	0.12	4/20/2010
Water	1/20/2010	33064105	Water	Field Estimate	1048.00	1067.00	19.00	FALSE	100	FALSE	19.00	0.19	1/28/2010
Water	10/12/2009	33064105	Water	Actual Read	1032.00	1048.00	16.00	FALSE	90	FALSE	0.00	0.18	
Water	7/14/2009	33064105	Water	Actual Read	1011.00	1032.00	21.00	FALSE	92	FALSE	0.00	0.23	
Water	4/13/2009	33064105	Water	Actual Read	995.00	1011.00	16.00	FALSE	88	FALSE	0.00	0.18	
Water	1/15/2009	33064105	Water	Actual Read	978.00	995.00	17.00	FALSE	93	FALSE	0.00	0.18	
Water	10/14/2008	33064105	Water	Actual Read	958.00	978.00	20.00	FALSE	92	FALSE	0.00	0.22	
Water	7/14/2008	33064105	Water	Actual Read	938.00	958.00	20.00	FALSE	97	FALSE	0.00	0.21	
Water	4/8/2008	33064105	Water	Actual Read	917.00	938.00	21.00	FALSE	84	FALSE	0.00	0.25	
Water	1/15/2008	33064105	Water	Actual Read	900.00	917.00	17.00	FALSE	91	FALSE	0.00	0.19	
Water	10/16/2007	33064105	Water	Actual Read	884.00	900.00	16.00	FALSE	91	FALSE	0.00	0.18	
Water	7/17/2007	33064105	Water	Actual Read	859.00	884.00	25.00	FALSE	96	FALSE	0.00	0.26	
Water	4/12/2007	33064105	Water	Actual Read	843.00	859.00	16.00	FALSE	90	FALSE	0.00	0.18	
Water	1/12/2007	33064105	Water	Actual Read	823.00	843.00	20.00	FALSE	94	FALSE	0.00	0.21	
Water	10/10/2006	33064105	Water	Actual Read	806.00	823.00	17.00	FALSE	89	FALSE	0.00	0.19	
Water	7/13/2006	33064105	Water	Actual Read	782.00	806.00	24.00	FALSE	93	FALSE	0.00	0.26	
Water	4/11/2006	33064105	Water	Actual Read	770.00	782.00	12.00	FALSE	90	FALSE	0.00	0.13	
Water	1/11/2006	33064105	Water	Actual Read	759.00	770.00	11.00	FALSE	86	FALSE	0.00	0.13	
Water	10/17/2005	33064105	Water	Actual Read	741.00	759.00	18.00	FALSE	91	FALSE	0.00	0.20	
Water	7/18/2005	33064105	Water	Actual Read	711.00	741.00	30.00	FALSE	104	FALSE	0.00	0.29	
Water	4/5/2005	33064105	Water	Actual Read	691.00	711.00	20.00	FALSE	85	FALSE	0.00	0.24	
Water	1/10/2005	33064105	Water	Actual Read	665.00	691.00	26.00	FALSE	90	FALSE	0.00	0.29	
Water	10/12/2004	33064105	Water	Actual Read	634.00	665.00	31.00	FALSE	96	FALSE	0.00	0.32	







