## **STAMP - Activities**

New Search

Help using this report

Starting Date:

Run Date: House#:

08/19/22 10:51 AM

**Sort by Most Recent Date** 

Folder Type: All Folder Types

**Street Name:** Folder Count: 84 **Ending Date:** 

**Include Same PIN Addresses: Yes** 

Click on address links below to access mapping services and Ramsey County info.

Click on ID# link below to view detail

	:1128231301	6	1
--	-------------	---	---

PIN:112823130161						
Address I 859 Randolph Ave - 1	n Date The Spot Ba	ID#	Status	Туре	Description	
	5/09/2022		Pending	XL - ECLIPS License - Liquor - Liquor-Outdoor Service Area (Patio)	Licensee The Spot Bar - ECLIPS License# 0016384	
04	4/04/2022	<u>22 041485</u>		RW - PW Right of Way Permit - Obstruction - Film	Contractor Downtown Owl LLC - CLOSURE ON VICTORIA Btn RANDOLPH & JAMES (AADT 5536) 6PM-6AM 2 WORKING DAYS 04/21,04/26 APPROX. 150' PARKING LANE ON JAMES Btn VICTORIA & CLIFTON 04/20-04/21 & 04/25-04/26 APPROX. 20' SIDEWALK/BLVD CLOSURE~MUST PROVIDE 4' OPEN WALK(ADA RULES) MUST USE FLAGGER(crew member) TO STOP PEDESTRIANS DURING FILMING. APPROX. 140' OF PARKING LANE ON RANDOLPH AVE & CLIFTON Btn VICTORIA & JAMES AVE FOR GENERATORS (NOISE ORD. 10PM-7AM) 10 NO PARKING LABELS (22-00132) & 2 NO PARKING SIGNS WITH LATH (22-00157)	
	3/03/2022			Commercial Repair/Alter	Contractor Focus Electric Co Inc - Lighting and outlets for new deck	
U.S	3/03/2022	<u>22 033456</u>		Commercial Repair/Alter	Contractor Focus Electric Co Inc - Exterior lighting and receptacles for new deck	
12	2/13/2021	21 326777	Active/Issued	B - Building Permit - Commercial - Remodel	Contractor Collective Carpentry LLC - BUILD NEW FREESTANDING DECK ON EAST SIDE OF BUILDING (SMOKING PATIO) WITH 6' TALL PRIVACY FENCE AROUND SOUTH AND EAST SIDE. SEE ALSO PERMIT 21-317044.	
11	I/03/2021 _	21 317044	Inspected	- Remodel	Contractor Collective Carpentry LLC - TO PUT IN A NEW EXIT DOOR ON EAST SIDE OF BUILDING. DOOR TO BE BLOCKED FROM USE WITH APPROPRIATE SIGNED/BLOCKAGE UNTIL SEPARATE FUTURE PERMIT IS PULLED FOR THE DECK/PATIO THAT IS TO BE INSTALLED OUTSIDE THE DOOR. 11/22/21 PLANS MAILED. SE	
10	0/22/2021	21 313703	Pending	CO - Certificate of Occupancy - Business	Responsible Party Merideth O'Toole - 112823130161	
04	1/20/2021	21 255110	Withdrawn		Contractor Abels Concrete And Construction - CUT OUT, FRAME AND INSTALL NEW EXTERIOR DOOR - 36" FOR RATED, TRIM	
11	L/09/2020 <u>.</u>	20 090552	Resolved	CS - CSO Complaint - License - Complaint	Spot Bar - a loud concert going on for 6 hours at a local bar can hear from over a block away	
05	5/30/2019	<u>19 045734</u>		CO - Certificate of Occupancy - Business	Responsible Party Merideth O'Toole - 112823130161	
03	3/14/2019 .	19 019110	Resolved	CS - CSO Complaint - Garbage Rubbish - Complaint	Cigarette butts and other trash covering the ground. There is cigarette disposal near the side entrance on Victoria, but not at the front entrance.	
01	./30/2018	<u>18 024174</u>		CS - CSO Complaint - Snow Walk - Complaint	01/30/2018 Snow Walk Complaint Received.	
10	)/19/2017	17 206698			10/19/2017 Generated 300' property ownership list/map and emailed for	

				potential liq. patio. JWF
10/02/2017 05/31/2017	17 183561 17 045041		RE - Real Estate Assessments	Owner Otoole Properties Llc
		,	CO - Certificate of Occupancy - Business	Responsible Party Merideth O'Toole - 112823130161
07/14/2016	16 057574	Finaled	B - Building Permit - Commercial - Express Repair	Contractor Warren Simmons Warren Simmons Construction CO - RE-ROOF (SHINGLE W/TEAR OFF).
06/14/2016	<u>16 047064</u>	Open	GT - General Activity Tracking - License	06/14/2016 Generate 300' property ownership list and emailed to Meridith O'toole (612-747-4815
				mmotoole28@gmail.com) with handout explaining petition requirements and license process for Liq. Out. Serv. Area (Patio) lic. Inquiring about adding new 14' X 14' patio deck to east of building with new door, 2 windows, and 6' privacy fence surrounding deck. JWF
04/29/2016	16 031731	Canceled	B - Building Permit - Commercial - Remodel	·
11/02/2015	<u>15 175286</u>	Closed	CF - CSO Information Request - Leaf Letter - Phone	Spot Barr blowing Leaves out into the street.
02/26/2015	<u>15 013644</u>	Pending	BS - Billboard / Sign - Temporary Sign - Commercial New	
12/24/2014	<u>14 355890</u>	History	CO - Certificate of Occupancy - Business	Responsible Party Merideth O'Toole - 112823130161
11/18/2014	<u>14 347307</u>	Finaled	W - Warm Air, Ventilation &	Contractor Rodney Albers Northwest Sheetmetal Co Of St Paul Inc
01/13/2014	14 003290	Resolved		01/13/2014 Snow Walk Complaint Received.
11/21/2013	13 252182	Scheduled	RS - Restaurant Inspection - Low Risk - Routine Inspection	Establishment The Spot Bar
11/21/2013	11 107515	History	·	Establishment The Spot Bar - MDH inspection on 10/30/13
02/25/2013	<u>13 157028</u>	Closed	PA - Parks Summary Abatement - Graffiti	Owner Michael K Otoole - Graffitti on the west side of the building
02/25/2013	13 157027	Transferred - Closed	CS - CSO Complaint - Graffiti - Complaint	Graffitti on the west side of the building
01/08/2013	13 141390	In Compliance	CS - CSO Complaint - Zoning - Complaint	Banners without permits
10/30/2012	12 205723	•	CO - Certificate of Occupancy - Business	Responsible Party Merideth O'Toole - 112823130161
05/30/2012	12 062042	Resolved	CS - CSO Complaint - Graffiti - FYI - No Response Required	Graffiti on bus bench.
03/09/2011	08 063284	•	RS - Restaurant Inspection - Low Risk - Routine Inspection	·
08/27/2010	10 797574	Closed	RF - Referral - C of O	Owner Michael K Otoole - Follow up on C of O folder approved with corrections.
08/27/2010	10 797573	•	CO - Certificate of Occupancy - Business	Responsible Party Michael K Otoole - 112823130161
08/25/2009	09 092070		XE - ECLIPS License - Entertainment - Gambling Location	Licensee The Spot Bar - ECLIPS License# 0016384
07/01/2008	08 105195	History	CO - Certificate of Occupancy - Business	Responsible Party Michael K Otoole - 112823130161
04/30/2008	08 029596	Canceled	XF - ECLIPS Food Related - Restaurant (3) - 13-50 Seats	Licensee The Spot Bar - ECLIPS License# 0016384
04/22/2008	06 089515	History	RS - Restaurant Inspection - Low Risk - Routine Inspection	
03/25/2008	08 047151	Closed	PA - Parks Summary Abatement - Graffiti	Owner Michael K Otoole - graffiti
03/25/2008	<u>08 047150</u>	Resolved	CS - CSO Complaint - Graffiti - Complaint	graffiti
03/13/2008	08 041975	Resolved	CS - CSO Complaint - Exterior -	Cigarette butts and vomit on the side of the builiding and next to the light pole on the corner.
03/03/2008	08 035399	Closed	CL - Compliance Checks - Liquor	Licensee The Spot Bar - ECLIPS
03/03/2008	08 035187	Pending	Compliance Check CL - Compliance Checks - Liquor Compliance Check	License# 0016384 Licensee The Spot Bar - ECLIPS License# 0016384
12/14/2007	07 219051	Resolved	CS - CSO Complaint - Snow Walk	

			- Complaint	
11/03/2006	06 262985	In Compliance	CL - Compliance Checks - Tobacco Compliance Check	Licensee The Spot Bar - ECLIPS License# 0016384
11/03/2006	06 262394	In Compliance	CL - Compliance Checks - Liquor Compliance Check	Licensee The Spot Bar - ECLIPS License# 0016384
06/21/2006	06 100490	•	CO - Certificate of Occupancy - Business	Responsible Party Michael K Otoole - 112823130161
05/23/2006	04 140482	History	RS - Restaurant Inspection - Medium Risk - Routine Inspection	Establishment The Spot Bar
11/01/2005	05 179666	Canceled	XE - ECLIPS License - Entertainment - Gambling Manager	Licensee Jon Heilig National Multiple Sclerosis Society - ECLIPS License# 20050003878
07/07/2005	05 129302	Canceled	XE - ECLIPS License - Entertainment - Gambling Manager	Licensee Richard Matson St Paul Festival And Heritage Foundation - ECLIPS License# 20050002432
08/04/2004	02 238398	History	RS - Restaurant Inspection - Medium Risk - Routine Inspection	Establishment The Spot Bar
07/21/2004	04 122278	Finaled	E - Electrical Permit - Unit Table Only - Commercial Repair/Alter	Contractor North Central Satellite Antenna Systems Inc
05/01/2004	04 060546	Canceled	XE - ECLIPS License - Entertainment - Gambling Manager	Licensee Jennifer Olson Como Area Hockey - ECLIPS License# 20040000990
09/15/2003	03 352189		B - Building Permit - Commercial - Express Repair	Contractor King And Son Construction Inc - 16-Nov-2005: Folder closed by system due to no activity in one year . Closed without final approval
09/15/2003	03 352194	Finaled	W - Warm Air, Ventilation & General Sheet - General Sheet Metal - Commercial Repair/Alter	Contractor King And Son Construction Inc
06/16/2003	03 315027	History	CO - Certificate of Occupancy - Business	Responsible Party Michael K Otoole - 112823130161
11/07/2002	99 005405	History	RS - Restaurant Inspection - Medium Risk - Routine Inspection	Establishment The Spot Bar
08/01/2002	02 003088	Canceled	XE - ECLIPS License - Entertainment - Gambling Manager	Licensee Daniel Chandler Minnesota/Usa Wrestling Inc - ECLIPS License# 20020003088
01/24/2002	02 096418	Closed	CS - CSO Complaint - Exterior - Complaint	Refridgerator left outdoors in back end of property at this bar;
05/18/2001	01 205232	Active	PS - Pre-Fire Survey - Business	Owner Michael K Otoole/Meridith M Otoole
03/13/2001	01 022437	History	CO - Certificate of Occupancy - Business	Responsible Party Michael K Otoole - 112823130161
09/03/1999	99 021388	History	RS - Restaurant Inspection - Medium Risk - Routine Inspection	Establishment The Spot Bar
06/09/1998	98 004097	History	EC - Environmental Complaint History (DC) - No Risk - Routine Inspection	
06/09/1998	99 003421	Closed	EC - Environmental Complaint History (DC)	From Mayor's Complaint Office. Complainant says there is noise from the bar doors being left open and after closing (2 a.m.) when they throw away
02/19/1998	98 015647	History	RS - Restaurant Inspection -	bottles. kko Establishment The Spot Bar
02/13/1998	98 003506	•	Medium Risk - Routine Inspection RS - Restaurant Inspection -	Establishment The Spot Bar
01/20/1998	98 003827	·	Medium Risk - Routine Inspection RS - Restaurant Inspection -	Establishment The Spot Bar
01/15/1998	98 017122		Medium Risk - Routine Inspection RS - Restaurant Inspection -	Establishment The Spot Bar
01/06/1998		•	Medium Risk - Routine Inspection	·
	98 014820		RS - Restaurant Inspection - Medium Risk - Routine Inspection PF - Police Alarm Permit - Alarm	Establishment The Spot Bar
10/25/1997	21 229281		Permit (New) - Commercial	Applicant Spot Bar - Eclips Data conversion
01/30/1997	94 001748	•	RS - Restaurant Inspection - Medium Risk - Routine Inspection	Establishment The Spot Bar
01/01/1996	96 040893		XE - ECLIPS License - Entertainment - Gambling Manager	Licensee Thomas Youness Ihm - St Luke's School/The Spot Bar - ECLIPS License# 0040893
03/10/1993	93 016384		XL - ECLIPS License - Liquor - Liquor On Sale - 100 seats or less	Licensee The Spot Bar - ECLIPS License# 0016384
03/10/1993	93 016384		XL - ECLIPS License - Liquor - Liquor On Sale - Sunday	Licensee The Spot Bar - ECLIPS License# 0016384

03/10/1993	93 016384	Canceled	XF - ECLIPS Food Related - Restaurant (B) - more than 12 seats	Licensee The Spot Bar - ECLIPS License# 0016384
03/10/1993	93 016384	Canceled	XE - ECLIPS License - Entertainment - Gambling Location (Class C)	Licensee The Spot Bar - ECLIPS License# 0016384
03/10/1993	93 016384	Canceled	XL - ECLIPS License - Liquor - Malt Off Sale	Licensee The Spot Bar - ECLIPS License# 0016384
03/10/1993	93 016384	Canceled	XS - ECLIPS License - Miscellaneous - Cigarette/Tobacco	Licensee The Spot Bar - ECLIPS License# 0016384
12/27/1991	99 008168	History	RS - Restaurant Inspection - No Risk - Routine Inspection	Establishment The Spot Bar
09/01/1991	91 038164	Canceled	XE - ECLIPS License - Entertainment - Gambling Location (Class C)	Licensee The Spot Bar - ECLIPS License# 0038164
09/01/1991	91 056063	Canceled	XE - ECLIPS License - Entertainment - Gambling Manager	Licensee Carole Donaghue Church Of St James/The Spot Bar - ECLIPS License# 0056063
04/01/1991	91 014205	Canceled	XS - ECLIPS License - Miscellaneous - Cigarette/Tobacco	Licensee The Spot Bar - ECLIPS License# 0014205
02/27/1969	69 005203	History	CO - Certificate of Occupancy - Business	Responsible Party Michael K Otoole - 112823130161
02/27/1969	69 015202	History	CO - Certificate of Occupancy - Business	Responsible Party Michael K Otoole - 112823130161
	99 003137	Scheduled	EC - Environmental Complaint History (DC) - No Risk - Routine Inspection	