Saint Paul Fire Department
645 Randolph Avenue
Saint Paul, MN 55102
(651) 224-7811

NFIRS-1 Basic

A

FDID	State	Month	Day	Year	Station	Number	Exposure
62210	MN	02	09	2021	Station #4 (04)	SPFD210209005551	0

B Location Type

Census tract: 0345.00

- [x] Street Address
- [ ] Intersection
- [ ] In Front Of
- [ ] Rear Of
- [ ] Adjacent To
- [ ] Directions
- [ ] US National Grid

Number	Prefix	Street or Highway	Street Type	Suffix
1006		3RD	ST-Street	E-East

Apt./Suite/Room	City	State	Zip Code
	Saint Paul	MN	55106

Cross Street:

C Incident Type

111-Building fire

D Aid Given Or Received

- [ ] 1 Mutual Aid Received
- [ ] 2 Auto. Aid Received
- [ ] 3 Mutual Aid Given
- [ ] 4 Auto. Aid Given
- [ ] 5 Other Aid Given
- [x] None

Their FDID: | Their State:

Their Incident Number:

E1 Dates and Times

Alarm	02	09	2021	15:17
Arrival	02	09	2021	15:23
Controlled				
Last Unit Cleared	02	09	2021	17:05

E2 Shifts and Alarms

Shift or Platoon	Alarms	District
C	1	D3

E3 Special Studies

ID#	Value
9244	4 - Unknown

F Actions Taken

87-Investigate fire out on arrival

Primary Action Taken

G1 Resources

- [x] Apparatus or Personnel Module is used.

	Apparatus	Personnel
Suppression	1	0
EMS	0	0
Other	1	0

- [ ] Resource counts include aid received resources.

G2 Estimated Dollar Losses and Values

Losses: Required for all fires if known. Optional for all non-fires. None

Property: $ 15,000.00 ☐

Contents: $ 1,500.00 ☐

Pre-Incident Values: Optional None

Property: $ 203,000.00 ☐

Contents: $ 4,000.00 ☐

Completed Modules
- [ ] 2 - Fire
- [ ] 3 - Structure Fire
- [ ] 4 - Civilian Fire Cas.
- [ ] 5 - Fire Service Cas.
- [ ] 6 - EMS
- [ ] 7 - HazMat
- [ ] 8 - Wildland Fire
- [ ] 9 - Apparatus
- [ ] 10 - Personnel
- [ ] 11 - Arson

H1 **Casualties** [x] None

	Deaths	Injuries
Fire Service	0	0
Civilian	0	0

H2 **Detector**
Required for Confined Fires
- [ ] 1 - Detector Alerted Occupants
- [ ] 2 - Detector Did Not Alert Them
- [ ] 3 - Unknown

H3 **Hazardous Materials Release**
- [ ] 1 - Natural Gas
- [ ] 2 - Propane Gas
- [ ] 3 - Gasoline
- [ ] 4 - Kerosene
- [ ] 5 - Diesel Fuel / Fuel Oil
- [ ] 6 - Household Solvents
- [ ] 7 - Motor Oil
- [ ] 8 - Paint
- [ ] 0 - Other
- [x] None

I **Mixed Use Property**
- [ ] Not Mixed
- [ ] 10 - Assembly Use
- [ ] 20 - Education Use
- [ ] 33 - Medical Use
- [ ] 40 - Residential Use
- [ ] 51 - Row Of Stores
- [ ] 53 - Enclosed Mall
- [ ] 58 - Business and Residential
- [ ] 59 - Office Use
- [ ] 60 - Industrial Use
- [ ] 63 - Military Use
- [ ] 65 - Farm Use
- [ ] 00 - Other Mixed Use

J **Property Use** [ ] None

Structures
- [ ] 131 Church, Place of Worship
- [ ] 161 Restaurant or Cafeteria
- [ ] 162 Bar/Tavern or Nightclub
- [ ] 213 Elementary School, Kindegarten
- [ ] 215 High School, Junior High
- [ ] 241 College, Adult Education
- [ ] 311 Nursing Home
- [ ] 331 Hospital
- [ ] 341 Clinic, Clinic-Type Infirmary
- [ ] 342 Doctor/Dentist Office
- [ ] 361 Prison or Jail, Not Juvenile
- [x] 419 1- or 2-Family Dwelling
- [ ] 429 MultiFamily Dwelling
- [ ] 439 Rooming/Boarding House
- [ ] 449 Commerical Hotel or Motel
- [ ] 459 Residential, Board and Care
- [ ] 464 Dormitory/Barracks
- [ ] 519 Food and Beverage Sales
- [ ] 539 Household Goods, Sales, Repairs
- [ ] 571 Gas or Service Station
- [ ] 579 Motor Vehicle/Boat Sales/Repairs
- [ ] 599 Business Office
- [ ] 615 Electric-Generating Plant
- [ ] 629 Laboratory/Science Laboratory
- [ ] 700 Manufacturing Plant
- [ ] 819 Livestock/Poultry Storage (Barn)
- [ ] 882 Non-Residential Parking Garage
- [ ] 891 Warehouse

Outside
- [ ] 124 Playground or Park
- [ ] 655 Crops or Orchard
- [ ] 669 Forest (Timberland)
- [ ] 807 Outdoor Storage Area
- [ ] 919 Dump or Sanitary Landfill
- [ ] 931 Open Land or Field
- [ ] 936 Vacant Lot
- [ ] 938 Graded/Cared for Plot of Land
- [ ] 946 Lake, River, Stream
- [ ] 951 Railroad Right-of-Way
- [ ] 960 Other Street
- [ ] 961 Highway/Divided Highway
- [ ] 962 Residential Street/Driveway
- [ ] 981 Construction Site
- [ ] 984 Industrial Plant Yard

Property Use:

Description

Look up and enter a Property Use code and description only if you have NOT checked a Property Use box.

K2

Owner

Local Option	Person/Entity Type	Business Name (if applicable)	Phone Number

Mr., Ms., Mrs.	First Name	MI	Last Name	Suffix

Number	Prefix	Street or Highway	Street Type	Suffix

Post Office Box	Apt./Suite/Room	City

State	Zip Code

L **Remarks:**

Squad 1 was dispatched as the Fire Investigation Unit to assist Saint Paul Police with reports of a possible break-in at a single family residence. Saint Paul Police were notified by the Department of Safety and Inspections that the address of concern has been on the vacant/condemned list for multiple months.

Neighbors have been reporting suspicious activity to include a couple and a young child that were supposedly living out of the basement of the building. Squad 1 arrived and were met by on-site police Officers stating that there appears to have been a previous fire in the basement and began investigations. A window was broken on side alpha (north side) of the residence and the door on bravo side (east side) appeared forced per police officers on site.

An extinguished fire was noticed in the basement. The fire was contained to the immediate area of origin on what appeared to be an ottoman with v-patterns noted on an adjoining wall. There was significant smoke staining located on all three floors and enough heat was generated to melt blinds and ceiling fan blades on the first floor.

However the structure appeared to be largely intact. The building appeared to be undergoing renovation with related construction materials found in multiple areas of the house. Several pipes appeared to have froze and burst causing significant water damage throughout the dwelling. A mattress was located in the basement near the area of origin, however no other significant signs of current...

Full primary narrative can be found in NFIRS 1S - Supplemental

M **Authorization**

Officer In Charge ID	Signature	Position or Rank	Assignment	Date
3321	Sampson, Steven	DEPUTY	CAR7	02/10/2021

Member Making Report ID	Signature	Position or Rank	Assignment	Date
3321	Sampson, Steven	DEPUTY	CAR7	02/10/2021

NFIRS-2 Fire

A

FDID	State	Month	Day	Year	Station	Number	Exposure
62210	MN	02	09	2021	Station #4 (04)	SPFD210209005551	0

B

Property Details

B1 1 ☐ Not Residential

Estimated number of residential living units in the building of origin whether or not all units became involved

B2 1 ☐ Buildings Not Involved

Number of buildings involved

B3 ☑ None ☐ Less than 1 acre

Acres burned (outside fires)

C

On-Site Materials Or Products

On-Site Materials Storage Use

D

Ignition

D1 40-Storage area, other

Area of Fire Origin

D2 40-Hot or smoldering object, other

Heat Source

D3 21-Upholstered sofa, chair, vehicle seats

Item First Ignited

D4 99-Multiple types of material

Type of Material First Ignited

E1

Cause of Ignition

☐ 1 - Intentional
☑ 2 - Unintentional
☐ 3 - Failure of Equipment or Heat Source
☐ 4 - Act of Nature
☐ 5 - Cause Under Investigation
☐ U - Cause Undetermined After Investigation

E2

Factors Contributing to Ignition

12-Heat source too close to combustibles.

Factor Contributing to Ignition

E3

Human Factors Contributing to Ignition

Check all applicable boxes

☑ None
☐ 1 - Asleep
☐ 2 - Possibly impaired by alcohol or drugs
☐ 3 - Unattended person
☐ 4 - Possibly Mentally Disabled
☐ 5 - Physically Disabled
☐ 6 - Multiple Persons Involved

☐ 7 - Age Was A Factor

Estimated Age of Person Involved

☐ Male ☐ Female

F1

Equipment Involved In Ignition

☑ None

Equipment Involved

Brand

Model

Serial #

Year

F2

Equipment Power Source

Equipment Power Source

F3

Equipment Portability

☐ 1 - Portable
☐ 2 - Stationary

Portable equipment normally can be moved by one or two persons.

G

Fire Suppression Factors

H1

Mobile Property Involved

☐ 1 - Not involved in ignition, but burned
☐ 2 - Involved in ignition, but did not burn
☐ 3 - Involved in ignition and burned
☑ None

H2

Mobile Property Type and Make

Mobile Property Type

Mobile Property Make

Mobile Property Model

Year

State

License Plate Number

VIN

Local Use

☐ Pre-Fire Plan Available
☐ Arson Report Attached
☐ Police Report Attached
☐ Coroner Report Attached
☐ Other Reports Attached

NFIRS-3 Structure Fire

I1

Structure Type

- [x] 1 - Enclosed Building
- [ ] 2 - Portable/Mobile Structure
- [ ] 3 - Open Structure
- [ ] 4 - Air-Supported Structure
- [ ] 5 - Tent
- [ ] 6 - Open Platform
- [ ] 7 - Underground Structure
- [ ] 8 - Connective Structure
- [ ] 0 - Other

I2

Building Status

- [ ] 1 - Under Construction
- [ ] 2 - In Normal Use
- [ ] 3 - Idle, Not Routinely Used
- [ ] 4 - Under Major Renovation
- [ ] 5 - Vacant and Secured
- [x] 6 - Vacant and Unsecured
- [ ] 7 - Being Demolished
- [ ] 0 - Other
- [ ] U - Undetermined

I3

Building Height

2
Number of Stories At/Above Grade

1
Number of Stories Below Grade

I4

Main Floor Size

Total Square Feet

OR

20 BY 20
Length (ft) X Width (ft)

J1

Fire Origin

0 [x] Below Grade
Story of Fire Origin

J2

Fire Spread

- [ ] Confined to Object of Origin
- [x] 2 - Confined to Room of Origin
- [ ] 3 - Confined to Floor of Origin
- [ ] 4 - Confined to Building of Origin
- [ ] 5 - Beyond Building of Origin

J3

Number of Stories Damaged By Flame

Number of Stories w/Minor Damage (1-24%)
Number of Stories w/Significant Damage (25-49%)
Number of Stories w/Heavy Damage (50-74%)
Number of Stories w/Extreme Damage (75-100%)

*Count the roof as part of the highest story

K

Type of Material Contributing Most to Flame Spread

K1
Item Contributing Most to Flame Spread

K2
Type of Material Contributing Most To Flame Spread

L1

Presence of Detectors

- [ ] N - None Present
- [x] 1 - Present
- [ ] U - Undetermined

L2

Detector Type

- [x] 1 - Smoke
- [ ] 2 - Heat
- [ ] 3 - Combination of Smoke and Heat
- [ ] 4 - Sprinkler, Water Flow Detection
- [ ] 5 - More Than One Type Present
- [ ] 0 - Other
- [ ] U - Undetermined

L3

Detector Power Supply

- [x] 1 - Battery Only
- [ ] 2 - Hardwire Only
- [ ] 3 - Plug-In
- [ ] 4 - Hardwire With Battery
- [ ] 5 - Plug-In With Battery
- [ ] 6 - Mechanical
- [ ] 7 - Multiple Detectors & Power Supplies
- [ ] 0 - Other
- [ ] U - Undetermined

L4

Detector Operation

- [ ] 1 - Fire Too Small To Activate
- [x] 2 - Operated
- [ ] 3 - Failed To Operate
- [ ] U - Undetermined

L5

Detector Effectiveness

- [ ] 1 - Alerted Occupants, Occupants Responded
- [ ] 2 - Alerted Occupants, Occupants Failed to Respond
- [x] 3 - There Were No Occupants
- [ ] 4 - Failed to Alert Occupants
- [ ] U - Undetermined

L6

Detector Failure Reason

- [ ] 1 - Power Failure, Shutoff, or Disconnect
- [ ] 2 - Improper Installation or Placement
- [ ] 3 - Defective
- [ ] 4 - Lack of Maintenance, Dirty
- [ ] 5 - Battery Missing or Disconnected
- [ ] 6 - Battery Discharged or Dead
- [ ] 0 - Other
- [ ] U - Undetermined

M1

Presence of Automatic Extinguishing System

- [x] N - None Present
- [ ] 1 - Present
- [ ] 2 - Partial System Present
- [ ] U - Undetermined

M2

Type of Automatic Extinguishing System

- [ ] 1 - Wet-Pipe Sprinkler
- [ ] 2 - Dry-Pipe Sprinkler
- [ ] 3 - Other Sprinkler System
- [ ] 4 - Dry Chemical System
- [ ] 5 - Foam System
- [ ] 6 - Halogen-Type System
- [ ] 7 - Carbon Dioxide System
- [ ] 0 - Other
- [ ] U - Undetermined

Required if fire was within designed range of AES

M3

Operation of Automatic Extinguishing System

- [ ] 1 - Operated/Effective
- [ ] 2 - Operated/Not Effective
- [ ] 3 - Fire Too Small To Activate
- [ ] 4 - Failed To Operate
- [ ] 0 - Other
- [ ] U - Undetermined

Required if fire was within designed range

M4

Number of Sprinkler Heads Operating

Required if system operated

M5

Reason for Automatic Extinguishing System Failure

- [ ] 1 - System Shut Off
- [ ] 2 - Not Enough Agent Discharged
- [ ] 3 - Agent Discharged But Did Not Reach Fire
- [ ] 4 - Wrong Type of System
- [ ] 5 - Fire Not In Area Protected
- [ ] 6 - System Components Damaged
- [ ] 7 - Lack of Maintenance
- [ ] 8 - Manual Intervention
- [ ] 0 - Other
- [ ] U - Undetermined

Required if system failed or not effective

NFIRS-1S Supplemental

A

FDID	State	Month	Day	Year	Station	Number	Exposure
62210	MN	02	09	2021	Station #4 (04)	SPFD210209005551	0

Primary Narrative:

Squad 1 was dispatched as the Fire Investigation Unit to assist Saint Paul Police with reports of a possible break-in at a single family residence. Saint Paul Police were notified by the Department of Safety and Inspections that the address of concern has been on the vacant/condemned list for multiple months.

Neighbors have been reporting suspicious activity to include a couple and a young child that were supposedly living out of the basement of the building. Squad 1 arrived and were met by on-site police Officers stating that there appears to have been a previous fire in the basement and began investigations. A window was broken on side alpha (north side) of the residence and the door on bravo side (east side) appeared forced per police officers on site.

An extinguished fire was noticed in the basement. The fire was contained to the immediate area of origin on what appeared to be an ottoman with v-patterns noted on an adjoining wall. There was significant smoke staining located on all three floors and enough heat was generated to melt blinds and ceiling fan blades on the first floor.

However the structure appeared to be largely intact. The building appeared to be undergoing renovation with related construction materials found in multiple areas of the house. Several pipes appeared to have froze and burst causing significant water damage throughout the dwelling. A mattress was located in the basement near the area of origin, however no other significant signs of current occupancy existed.

Xcel gas was called and confirmed that the gas had been previously secured. Xcel electric secured utilities at the pole. A daughter confirmed she was en route to the location but was going to stop at Home Depot and purchase materials to secure the residence and refused fire personnel from contacting a board-up service. Saint Paul Police were called to provide security and Squad 1 and Car 7 returned to service, terminating command.