Exhibit A

Ordinance Permit 20220010108

Exhibit G

Form of Completion Certificate



CITY OF SAINT PAUL DEPARTMENT OF PUBLIC WORKS

Certificate of Compliance

I hereby certify that work completed under this Ordinance Permit and materials provided for installation conform to the appropriate specifications and provisions of and the Department of Public Works, City of Saint Paul, Minnesota, Standard Supplemental Specifications for Construction of Public Infrastructure by Private Developers Policy, as amended, and that I am a duly Licensed Professional Engineer under the laws of the State of Minnesota.

| /2022 |
|-------|
| Date |
| |
| |
| |

1/2012

Exhibit H

Form of Public Infrastructure Conveyance

PUBLIC INFRASTRUCTURE CONVEYANCE

ORDINANCE PERMIT # #20220010108

This Public Infrastructure Conveyance Agreement ("<u>Agreement</u>") is made and entered into effective _February 3, 2022, by and between PROJECT PAUL, LLC, a Delaware limited liability company ("<u>Developer</u>"), and CITY OF SAINT PAUL, MINNESOTA, a municipal corporation existing under the laws of the State of Minnesota ("<u>City</u>").

NOW, THEREFORE, in consideration of the mutual obligations of the parties hereto, each of them does hereby covenant and agree as follows:

- 1. <u>Notification</u>. The Developer has delivered to the City a duly executed Certificate of Completion and, thereafter, the City has determined that the applicable components of the Public Infrastructure as described in <u>Exhibit A</u> hereto (the "<u>Infrastructure</u>") appear to have been constructed in accordance with the approved plans and specifications and the preliminary and final plat and has so notified the Developer in writing. As a result, via this Agreement, the Developer is conveying the Property to the City in accordance with the Site Improvement Performance Agreement, dated December 19, 2019. The acceptance of the Infrastructure does not take effect until the Saint Paul City Council accepts the Infrastructure via Resolution.
- 2. <u>Representations.</u> The Developer hereby represents, certifies, and promises to the City the following:
 - (a) With respect to the Property, Developer has complied with the provision of the Redevelopment Agreement, dated December 19, 2019, including that the Property conveyed to the City in this Agreement is completely constructed, constructed in compliance with all applicable Standards as described in the St. Paul Department of Public Works' Construction of Infrastructure by Private Developers Policy, is free of defects, and is free and clear of any encumbrances or liens.
 - (b) A final walk-through inspection with appropriate City staff has been completed and any required corrective work (written punch list) determined through said walk-through or as determined under the normal and ordinary course of on-site observations by City staff or those hired by the City to complete such observations, has been completed.
 - (c) The following documents respecting the Property are complete, accurate, and have been filed with the appropriate department(s) of the City of Saint Paul:
 - (i) Original, reproducible As-Built Plans acceptable to the Department of Public Works, City of Saint Paul are on file with said Department.
 - (ii) Certificate of Completion signed by Engineer of Record who is a licensed Professional Engineer with the State of Minnesota per Minnesota State Statute 326.

| (iii) | For sewer systems, video records of televised inspections of sewer mains |
|-------|--|
| | have been submitted by permittee and approved by Sewer Utility staff. |

- (iv) For sewer systems, sewer connection permit information on file with Public Works.
- (v) Operation and Maintenance plans.
- (vi) All other permit requirements as set forth in the Ford site ordinance permit policy.
- (d) Developer has undertaken any and all necessary actions to assign warranties it owns or possesses on or with the Property to the City.
- (e) Developer will duly execute and deliver any other documents as may be reasonably and customarily required in connection with the transfer of the Property to the City.
- 3. <u>Conveyance</u>. The Developer hereby dedicates, conveys and assigns in good title to the City of Saint Paul, together with all hereditaments and appurtenances all rights, entitlements, benefits, permits, approvals, and licenses that pertain to, with, or in the Property in its entirety, without reservation or exception, together with all warrantees, free and clear of any mortgage, pledge, hypothecation, encumbrance, lease, license, lien or others security interest. If necessary, Developer shall execute a recordable Warranty Deed to be recorded with the Ramsey County Registrar's Office.

IN WITNESS WHEREOF, the City and Developer have caused this Agreement to be duly executed in their names and on their behalf, all on or as of the date first above written.

PROJECT PAUL, LLC, a Delaware limited liability company

By: Ryan Companies US, Inc., a Minnesota corporation, its Sole Member

| | | corporation, its Sole Member |
|----------|------------|--|
| | | By: Mauflekti E1430C9DF3EB48A Name: Maureen Michalski |
| | | Its |
| STATE OF |) | |
| STATE OF |) ss.) | |
| | | owledged before me this day of, 2019 |
| | | of Ryan Companies US, Inc., a Minnesota corporation Delaware limited liability company, on behalf of the limited |
| | | |
| | | Notary Public |

SAINT PAUL

CITY OF ST PAUL

Department of Public Works 25 West 4th Street 1500 City Hall Annex Saint Paul, MN 55102

ORDINANCE PERMIT

| | OFFICE USE ONLY |
|-------------|-----------------|
| Application | No |
| Application | Date |
| SPR File # | |
| Permit No. | |
| | |

| City in America | | i e | | |
|-----------------------------------|---------------------|----------------------|----------------------------------|--|
| Type of Permit (select one only): | | | | |
| ☐Base Roadway | | ☐Roadway Sidew | valks | ☐ Sanitary Sewer Collection System |
| □Bridge | | □Roadway Traffi | c | ☐Storm Sewer Collection System |
| ☐Retaining Wall | | ☐Sanitary Drop S | haft | ☐Storm Sewer Treatment System |
| DI . | T 4 (G: | O. F. W. 1 | 4.1° (D1 . 1 .) | |
| Phase: | Location (Street | On, From/10, and | Adjacent Lots/Blocks): | |
| | | | | |
| | | | | |
| | | | | |
| | e description provi | ded in the permit ap | oplication and all subsequent an | nendments or revisions, which are hereby |
| incorporated by reference.] | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| Applicant Contact Person: | Contact Person | Title: | Contact Person Telephone: | Contact Person Email: |
| Applicant Contact Ferson: | Contact Ferson | Tiue: | Contact reison relephone: | Contact Person Eman. |
| | | | | |
| Bond Co.: | | | Bond Amount: | Bond No.: |
| | | | | |
| Insurance Co.: | | | Insurance Certificate No.: | L |
| | | | | |
| | | | | |
| Permit Conditions: | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | 1 . 1 . 1 | 1 6.1 | | |

This permit is issued with the stipulation that the work of the permittee and related agents, employees and contractors shall conform in all respects to the Redevelopment Agreement (including all Legal Requirements as defined by Article 1), the City of Saint Paul Department of Public Works Ordinance Permit Process Document, and the Department of Public Works List of Applicable Standards & Specifications. The permit shall be available for display at the site referred to herein and shown to any Police Officer or Inspector upon demand and does not authorize or allow for interference with the work of any Contract made or to be made with the City of Saint Paul.

THIS PERMIT MAY BE REVOKED AT ANY TIME BY THE DIRECTOR OF PUBLIC WORKS


| A PERMIT FOR THE ABOVE DESC David Kusbler | RIBED CONSTRUCTION IS AU | THORIZED BY: | |
|--|--------------------------|--------------|--|
| Signature Value Control | Title | Date | |
| Printed Name | | | |


PERMIT NUMBER

ITEMS TO BE COMPLETED PRIOR TO ACCEPTANCE OF INFRASTRUCTURE AND RELEASE OF PERMIT


| the satisfaction of the City: |
|---|
| K☐ Corrective (punch list) work completed; |
| ☐ Original reproducible CAD and PDF as-built plans, signed by the Engineer of Record, provided to Public Works; Submittal of final copies of Metropolitan Council Environmental Services and MN Pollution Control Agency Permits (Sewer Extension, SAC Determination, etc.); CAD file to be provided at the end of the project which, for the purposes of obtaining the CAD file, is defined as the end of 2025 or within a reasonable time post 2025. |
| ☑ Full compliance with project Quality Management Plan or other document(s) governing quality management and quality assurance; |
| ☑ Documentation of compliance with all applicable City and non-City permit requirements, including, but not limited to: City Public Works Right-of-Way Office, Minnesota Pollution Control Agency, Capitol Region Watershed District, and National Pollution Discharge Elimination System permit requirements; |
| ☑ Documentation of roadway materials at compaction of grading and base, plant mix design report, strength; |
| NA Video of all sanitary sewer mains and laterals, storm sewer mains and laterals, and any structural BMP's (pipe galleries, draintile, sediment control structures, weir structures, etc.) installed under any permit, provided to the Public Works Sewer Division; |
| NA Sewer Permit drawings for paving connections or stubs installed to service vertical development provided to Public Works, in addition to Private Service Lateral Permit Drawings; |
| NA Documentation of Public Works notified for signal and lighting inspection of pole field layouts (staking), conduits and foundations installed, poles and wiring installed, and head positioning and phasing/detection verification (signals only); |
| NA For infrastructure within parks: Documentation that Parks Department has been notified of completion status; |
| NA All applicable operation and maintenance manuals provided to Public Works; and |
| |
| |
| |
| RELEASE OF PERMIT: |
| Permit No Council Res. No Permit Date |
| |
| Release Authorized by Title |

2022 Infrastructure Projection Exhibit Draft Updated on 1/11/2022







INSET A - PRIMARY ROAD




INSET B - SECONDARY ROAD




INSET C - 4" CONCRETE SIDEWALK



TYPICAL GRADING DETAIL AT CURBS



WOODLAWN AVENUE BOHLAND AVENUE TO HILLCREST AVENUE (STA. 102+73 - STA. 106+18)



WOODLAWN AVENUE

YORKSHIRE AVENUE TO MONTREAL AVENUE

(STA. 83+96 - STA. 87+93)

SAUNDERS AVENUE TO VILLAGE WAY

(STA. 91+50 - STA. 95+00)

BEECHWOOD AVENUE TO BOHLAND AVENUE

(STA. 98+93 - STA. 102+73)

<u>LEGEND</u>


- 1 BOULEVARD CROSS SLOPE MAY VARY FROM 0.5% TO 8%.
- ② EXCAVATE AND DISPOSE OF SHALE OR CONSTRUCTION DEBRIS ENCOUNTERED WITHIN 3 FEET OF FINISHED GRADE.
- (TOPSOIL SHALL DISPLACE ROADWAY MATERIALS).
- 4 LIGHT BASE DIMENSIONS OF 2' DIAMETER AND 6' DEEP PER MNDOT STANDARD PLATE 8127E. TOP OF FOUNDATION TO BE 3" ABOVE BLVD GRADE.
- (5) PRIVATE UTILITY CORRIDOR.

GENERAL NOTES:

- 1. TREE DETAILS INCLUDED FOR GENERAL INFORMATION AND COMMENT. SPACING AND SPECIES OF BOULEVARD TREES TO BE INCLUDED ON LANDSCAPE PLANS.
- 2. STREETLIGHT DETAIL AND LOCATION INCLUDED FOR GENERAL INFORMATION AND COMMENT. SPACING OF STREET LIGHTING TO BE INCLUDED ON LIGHTING PLANS.
- 3. CITY STANDARD 12" OF TOPSOIL AND SEED/SOD.
- 4. UNLESS OTHERWISE SPECIFIED, THE OUTFALL CURB AND GUTTER CROSS SLOPES SHALL BE THE SAME AS THE ADJACENT FINISHED SURFACE.
- 5. TACK COAT TO BE APPLIED BETWEEN BITUMINOUS PAVEMENT LIFTS.
- 6. SIDEWALKS SHALL HAVE A MINIMUM CROSS SLOPE OF 1.5% AND A MAXIMUM CROSS SLOPE OF 2%. SIDEWALK THAT IS CONSTRUCTED OUT OF COMPLIANCE WILL BE REJECTED

| No. | Date | Revisions | App. | DRAWING N | |
|-----|------|-----------|------|--------------|-----------|
| | | | | Ford Plan Ty | ps.awg |
| | | | | DESIGNED BY: | RJG |
| | | | | DRAWN BY: | RJG |
| | | | | CHECKED BY: | GSB |
| | | | | DATE: | 05/27/20 |
| | | | | PROJECT NO. | 160640016 |






| | Dry S. Brown | |
|------|----------------------|-------|
| | GREGORY S. BROWN, PE | |
| ATE: | 05/27/20 MN LIC. NO | 22814 |







| RYAN COMPANIES US, INC |
|----------------------------|
| FORD SITE REDEVELOPMENT |
| CITY OF ST PAUL, MINNESOTA |
| FINAL SITE PLAN |

TYPICAL SECTIONS







INSET A - PRIMARY ROAD



INSET C - 4" CONCRETE SIDEWALK




TYPICAL GRADING DETAIL AT CURBS



HILLCREST AVENUE

MOUNT CURVE BOULEVARD TO CIVIC SQUARE

(STA. 110+43 - STA. 113+15)



HILLCREST AVENUE


WOODLAWN AVENUE TO MOUNT CURVE BOULEVARD

(STA. 106+18 - STA. 110+43)

| No. | Date | Revisions | App. | DRAWING | |
|-----|------|-----------|------|--------------|-----------|
| | | | | Ford Plan T | <u> </u> |
| | | | | DESIGNED BY: | RJG |
| | | | | DRAWN BY: | RJG |
| | | | | CHECKED BY: | GSB |
| | | | | DATE: | 05/27/20 |
| | | | | PROJECT NO. | 160640016 |




WWW.KIMLEY-HORN.COM



| | Dry S. Brown | |
|------|----------------------|-------|
| | GREGORY S. BROWN, PE | _ |
| ATE: | 05/27/20 MN LIC. NO. | 22814 |





| RYAN COMPANIES US, INC |
|----------------------------|
| FORD SITE REDEVELOPMENT |
| CITY OF ST PAUL, MINNESOTA |
| FINAL SITE PLAN |

<u>LEGEND</u>

1) BOULEVARD CROSS SLOPE MAY VARY FROM 0.5% TO 8%.

2 EXCAVATE AND DISPOSE OF SHALE OR CONSTRUCTION DEBRIS ENCOUNTERED WITHIN 3

3 CENTER TREES IN BOULEVARD. MINIMUM OF 300 CF

(TOPSOIL SHALL DISPLACE ROADWAY MATERIALS).

DEEP PER MNDOT STANDARD PLATE 8127E. TOP OF

OF TOPSOIL REQUIRED FOR TREE ROOT ZONE

(4) LIGHT BASE DIMENSIONS OF 2' DIAMETER AND 6'

FOUNDATION TO BE 3" ABOVE BLVD GRADE.

1. BOULEVARD TREES AND STREETLIGHT TO

TREE DETAILS INCLUDED FOR GENERAL

ALTERNATE THE LENGTH OF THE STREET.

INFORMATION AND COMMENT. SPACING AND

SPECIES OF BOULEVARD TREES TO BE INCLUDED ON LANDSCAPE PLANS.

3. STREETLIGHT DETAIL AND LOCATION INCLUDED FOR

STREET LIGHTING TO BE INCLUDED ON LIGHTING

4. CITY STANDARD 12" OF TOPSOIL AND SEED/SOD.

AS THE ADJACENT FINISHED SURFACE.

5. UNLESS OTHERWISE SPECIFIED, THE OUTFALL CURB

6. TACK COAT TO BE APPLIED BETWEEN BITUMINOUS

7. SIDEWALKS SHALL HAVE A MINIMUM CROSS SLOPE OF 1.5% AND A MAXIMUM CROSS SLOPE OF 2%.

SIDEWALK THAT IS CONSTRUCTED OUT OF

COMPLIANCE WILL BE REJECTED

AND GUTTER CROSS SLOPES SHALL BE THE SAME

GENERAL INFORMATION AND COMMENT. SPACING OF

FEET OF FINISHED GRADE.

(5) PRIVATE UTILITY CORRIDOR.

GENERAL NOTES:

PLANS.

PAVEMENT LIFTS.

TYPICAL SECTIONS

| SHEET NO. |
|-----------|
| 10 |
| |

