



MAY 01 2023

375 Jackson Street, Suite 220

Saint Paul, MN 55101-1806

Tel: 651-266-8989 | Fax: 651-266-9124

City of Saint Paul - DSI

Sound Level Variance Application

Legislative Code Chapter 293. - Noise Regulations Application and \$178 fee should be submitted a minimum of sixty (60) days prior to the event date to allow ample time for required public notification period and scheduling of a Council public hearing. Applications submitted within sixty (60) days of the event date may not satisfy the processing timeline requirements.

- 1. Organization/person seeking variance: Tawfiq Islamic Center
- 2. Event Name: Eid-al-Adha Muslim Festivals
- 3. Address and physical description of noise source location (Event, Worksite): Oxford Community Center
270 N Lexington Pkwy, St Paul MN 55104
- 4. Responsible person: Hussen Kedir Title: Facility Manager
- 5. Telephone: 612-207-4669 E-Mail: hussen@tawfiq.org
- 6. Date(s) variance requested: June 28 or 29th, 2023
- 7. Noise source - Time(s) of operation: 6:30-10:30am
- Time(s) of pre-event sound check: 6:30-7:00am
- 8. Sound level requested (dBA/Decibels): 80db
- 9. Mailing address w/zip code: 2400 Minnehaha Ave Minneapolis, MN 55404
- 10. Briefly describe the noise source and equipment involved: PA and Speaker

11. Describe the steps that will be taken to minimize the noise levels: Face the speakers towards the field and lower the volume

12. State reason for seeking variance (example - music, announcements, construction, etc.): For Annual Eid Prayer


13. Maximum number of attendees: 1000+

14. A site diagram & map must be attached showing location of noise source(s), streets, stages, tents, etc. (If there will be amplified sound, indicate location and direction that all speakers will be facing. Multiple locations may require more than one application.)

15. Submit completed application, site diagram/map, and \$178 fee to:

**CITY OF SAINT PAUL, DEPARTMENT OF SAFETY AND
INSPECTIONS 375 JACKSON STREET, SUITE 220
SAINT PAUL, MN 55101-1806**


I understand any social gathering associated with this variance must be managed in compliance with any applicable Mayor Carter executive order regarding vaccinations, distancing, masks and attendance limits.

Signature of responsible person:  Date: 04/25/2023

ony Ave.

Le. Oxford




St Anthony Ave.



Concordia Ave.




Old Rondo Ave.

Old Rondo Ave.



irshall Ave.

Marshall Ave.



Dayton Ave.



DSI RECEIPT

CITY OF SAINT PAUL
Department of Safety and Inspections
375 Jackson Street Suite 220
Saint Paul, Minnesota 55101-1806
Phone: (651) 266-8989 Fax: (651) 266-9124
www.stpaul.gov/dsi

Date: 05/03/2023

Received From: AHMED A MUSSA dba: TAWFIQ ISLAMIC CENTER
1515 4TH ST APT E1001 MINNEAPOLIS MN 55454

Description:

| Invoice Details | Invoice Amount | Amount Paid |
|---------------------------|----------------|-----------------|
| 1143859 Noise Variance | \$178.00 | \$178.00 |
| TOTAL AMOUNT PAID: | | \$178.00 |

Paid By:

| Payment Type | Check # | Received Date | Amount |
|--------------|---------|---------------|----------|
| Check | 157 | 05/03/2023 | \$178.00 |