

## **APPLICATION FOR APPEAL**

### Saint Paul City Council - Legislative Hearings

City Clerks Office
Received
Date 1/13/25

310 City Hall, 15 W. Kellogg Blvd. Saint Paul, Minnesota 55102 Telephone: (651) 266-8585 legislativehearings@ci.stpaul.mn.us

We need the following to process your app \$25 filing fee (non-refundable) (payable to Saint Paul) (if cash: receipt number 784220)	HEARING DATE & TIME
Copy of the City-issued orders/letter lappealed & any attachments you may include	
☐ Walk In ☐ Mail ✔ Ema	in person (Room 330 City Hall) at: 1:30pm (required for all condemnation orders and Fire C of O revocations and orders to vacate)
Address Being Appeale	ed:
948 Cook Ave Number & Street:	St. Paul MN 55106 City: State: Zip:
Gomaa Elzamel	
	715-216-9678 612-491-2895 Residence Cell
	01/09/2025 Date:
Mailing Address if Not Appellant's:	
Phone Numbers: Business	ResidenceCell
What is being appealed and why?	Attachments Are Acceptable
Vacate Order/Condemnation/	.500
	An initial date for inspection (01/02/2025)after a hearing was provided. However
	we did reach out to inspector to let him know that we are unable to enter home
Fire C of O Deficiency List/Correction	due to tenant holdover and in the middle of legal process to evict. Aditionally,
Code Enforcement Correction Notice	enant is suspected under drugs and has weapons, also had requested to not enter
Vacant Building Registration	nome( felt like it was invasion of privacy). Our attorney also reached out to
Other (Fonce Variance Code Compliance etc.)	nspector and left a voicemail due to the circumstance.



375 Jackson Street, Suite 220 Saint Paul, MN 55101-1806 Tel: 651-266-8989 | Fax: 651-266-9124

January 3, 2025

Gomaa Elzamel 831 Magnolia Ave E St Paul MN 55106-3225

#### Revocation of Fire Certificate of Occupancy and Order to Vacate

RE:

948 COOK AVE E

Ref. # 116473

Dear Property Representative:

Your building was inspected on January 2, 2025, for the renewal of the Certificate of Occupancy. Since you have failed to comply with the applicable requirements, it has become necessary to revoke the Certificate of Occupancy in accordance with Section 40.06 of the Saint Paul Legislative Code.

# `A reinspection will be made on January 15, 2025, at 1:00 PM or the property vacated.

The Saint Paul Legislative Code further provides that no building shall be occupied without a Certificate of Occupancy. Failure to immediately complete the following deficiency list or the building vacated may result in a criminal citation.

#### **DEFICIENCY LIST**

- 1. Basement MMC 504.1 Provide, repair or replace the dryer exhaust duct. Exhaust ducts for domestic clothes dryers shall be constructed of metal and shall have a smooth interior finish. The exhaust duct shall be a minimum nominal size of four inches (102 mm) in diameter and installed in accordance with the mechanical code. This work may require a permit(s). Call DSI at (651) 266-8989. -Dryer vent is not attached or secured to dryer or to duct.
- 2. Bedroom SPLC 34.09 (4), 34.33 (3) Repair and maintain the window frame. -Bedroom window does not stay up when opened.

3. SPLC40 per city council resolution fire certificate of occupancy was to be reinstated by January 1, 2025. You failed to show for inspection to verify completion of deficiencies on January 2, 2025, at 9:30 AM. this results in the enforcement action of revocation of the fire certificate of occupancy and vacation of the building. An inspection to verify the building has been vacated will take place on January 15, 2025, at 1:00PM-

Saint Paul Legislative Code authorizes this inspection and collection of inspection fees. For forms, fee schedule, inspection handouts, or information on some of the violations contained in this report, please visit our web page at: http://www.stpaul.gov/cofo

You have the right to appeal these orders to the Legislative Hearing Officer. Applications for appeals may be obtained at the Office of the City Clerk, 310 City Hall, City/County Courthouse, 15 W Kellogg Blvd, Saint Paul MN 55102 Phone: (651-266-8585) and must be filed within 10 days of the date of this order.

If you have any questions, email me at: Michael.P.Tschida@ci.stpaul.mn.us or call me at 651-266-1917 between 7:30 - 9:00 a.m. Please help to make Saint Paul a safer place in which to live and work.

Sincerely,

Michael P Tschida Ref. # 116473