


□ Other



1155 7th Stw

APPLICATION FOR APPEAL



JUN 0 5 2012 CITY CLERK

Saint Paul City Clerk

310 City Hall, 15 W. Kellogg Blvd. Saint Paul, Minnesota 55102 Telephone: (651) 266-8560

	ig(
The City Clerk needs the following to process your appeal:	howers				
\$25 filing fee payable to the City of Saint Paul (if cash: receipt number MLS client)	\vee				
	YOUR HEARING Date and Time:				
Copy of the City-issued orders or letter which are being appealed	Tuesday, 6-12-12				
☐ ✓ Attachments you may wish to include					
This appeal form completed	Time_ / 1 / 00 a m.				
Walk-In OR □ Mail-In	Location of Hearing:				
VVIII III OIL II IVIIII III	Room 330 City Hall/Courthouse				
Address Being Appealed:					
Number & Street: 1155 7th St.W City: St	r-Paul State: MN Zip: 5510'L				
Appellant/Applicant: Lolita Cole Email					
Phone Numbers: Business 651-225863 Residence	•				
Name of Owner (if other than Appellant): Craig Deleth an	Date: <u>6-5-12</u>				
Name of Owner (if other than Appellant): Craig Deuth an	nd Brenda Deuth				
Address (if not Appellant's): 1030 Theresa Marie	D-, New Market, MN SSOSY				
Phone Numbers: Business Residence	Cell				
What Is Being Appealed and Why? Attachments Are Acceptable					
Wacate Order/Condemnation/					
Revocation of Fire C of O -2012 Vignesty Tax	Statement				
Summary/Vehicle Abatement - Letter from Ms					
Fire C of O Deficiency List - helocation of le	ent of Occup and older towarde				
☐ Fire C of O: Only Egress Windows					
Code Enforcement Correction Notice					
□ Vacant Building Registration					



CITY OF SAINT PAUL Christopher B. Coleman, Mayor

375 Jackson Street, Suite 220 Saint Paul, Minnesota 55101-1806

 Telephone:
 651-266-8989

 Facsimile:
 651-266-8951

 Web:
 www.stpaul.gov/dsi

June 1, 2012

CHRIS DEUTH 1349 ROBERT ST S # 201 WEST ST PAUL MN 55118

Revocation of Fire Certificate of Occupancy and Order to Vacate

RE:

1155 7TH ST W

Ref. # 79737

Dear Property Representative:

Your building was determined to be a registered vacant building on June 1, 2012. Since certificates are for the occupancy of buildings, it has become necessary to revoke the Certificate of Occupancy.

Saint Paul Legislative Code provides that no building shall be occupied without a Certificate of Occupancy. In order to re-occupy the building, the following deficiencies (if applicable) must be corrected and a complete Certificate of Occupancy inspection will be required.

DEFICIENCY LIST

- 1. Exterior Front SPLC 71.01 The address posted is not visible from street. (HN-1)-Provide reflective numbers or background or illuminate at night.
- 2. Exterior Front Retaining Wall SPLC 34.08 (5), 34.31 (3) Repair, replace and maintain all exterior surfaces on fences, sheds, garages and other accessory structures free from holes and deterioration. Provide and maintain exterior unprotected surfaces painted or protected from the elements.-Repair deteriorated concrete retaining wall in an approved manner.
- 3. Exterior Northeast UMC 504.6 Repair or replace the dryer exhaust duct. Exhaust ducts for domestic clothes dryers shall be constructed of metal and shall have a smooth interior finish. The exhaust duct shall be a minimum nominal size of four inches (102 mm) in diameter. This work may require a permit(s). Call DSI at (651) 266-8989.- Repair or replace damaged dryer vent back-draft damper and vent in an approved manner.

- 4. Exterior Rear SPLC 34.08 (3) Provide and maintain suitable ground cover on all exterior areas to control erosion.
- 5. Exterior Throughout SPLC 34.09 (1) b,c, 34.32 (1) b,c Provide and maintain all exterior walls free from holes and deterioration. All wood exterior unprotected surfaces must be painted or protected from the elements and maintained in a professional manner free from chipped or peeling paint.
 Scrape and paint as needed wherever chipped or peeling or wood is exposed on trim, windows, siding, porches, railing, soffit, fascia and other surfaces.

 Repair holes and damaged areas of the soffit and fascia in a professional manner.

 Replace rotting and deteriorated wood as necessary throughout exterior.

 Repair cracking and deterioration to foundation as necessary in an approved manner.
- 6. Exterior Throughout SPLC 34.09 (3), 34.32 (3) Repair and maintain the window frame.
- 7. Exterior Throughout SPLC 34.12 (2), 34.35 (1) Repair and maintain all required and supplied equipment in an operative and safe condition.-Repair or replace all damaged and disconnected gutters and downspouts.

Saint Paul Legislative Code authorizes this inspection and collection of inspection fees. For forms, fee schedule, inspection handouts, or information on some of the violations contained in this report, please visit our web page at: http://www.stpaul.gov/cofo

You have the right to appeal these orders to the Legislative Hearing Officer. Applications for appeals may be obtained at the Office of the City Clerk, 310 City Hall, City/County Courthouse, 15 W Kellogg Blvd, Saint Paul MN 55102 Phone: (651-266-8688) and must be filed within 10 days of the date of this order.

If you have any questions, email me at: mitchell.imbertson@ci.stpaul.mn.us or call me at 651-266-8986 between 7:30 - 9:00 a.m. Please help to make Saint Paul a safer place in which to live and work.

Sincerely,

Mitchell Imbertson Fire Inspection

Ref. # 79737



Southern Minnesota Regional Legal Services

Saint Paul Central Office

55 East Fifth Street, Suite 400 St. Paul, MN 55101 Phone: (651) 222 - 5863 • FAX: (651) 297-6457 Website: www.smrls.org • Email: central@smrls.org

June 5, 2011

Saint Paul City Clerk 310 City Hall 15 W. Kellogg Blvd. St. Paul, MN 55102

Appeal of Revocation of Fire Certificate of Occupancy and Order to Vacate for 1155 7th St. W., RE: Ref. #79737

Dear City Clerk:

I am writing to you on behalf of, Ms. Lolita Cole, a tenant at 1155 7th St. W., Apt. 1, St. Paul, MN 55102, to request an appeal of the Revocation of Fire Certificate of Occupancy and Order to Vacate that was issued on June 1, 2012.

I make this request for two reasons. First, this property has not been condemned as unfit for occupancy. None of the deficiencies rise to the level of unsafe or dangerous and there are no serious or ongoing life safety issues under SPLC 34.23 that would create a hazard to health, safety, or welfare of the occupants or to the public. Second, Ms. Cole, a law-abiding tenant of this property, is experiencing significant hardship as a result of the revocation and vacate order and needs additional time to find alternative suitable housing.

Should you have any questions or need any additional information to consider my request, please contact me.

Sincerely,

Heather Mevers Attorney at Law

Lolita Cole, cc:

Enc.: Revocation of Fire Certificate of Occupancy and Order to Vacate







Ramsey County

Property Records and Revenue

P O Box 64097 St. Paul, MN 55164-0097

TAXPAYER NAME(S) AND ADDRESS

CRAIG R DEUTH BRENDA K DEUTH 1030 THERESA MARIE DR NEW MARKET MN 55054-5426 71828 8



112823420116

2012 Property Tax Statement

January 2, 2010 Pavable 2011 219,200	January 2, 2011 Pavable 2012 164,400	Tax Payable Year Estimated Market Value Improvements Excluded	PROPERTY ADDRESS 1155 7TH ST W ABBREVIATED TAX DESCRIPTION		
0 219,200	0 164,400		CLARKE'S ADDITION EX ST LOTS 18 & LOT 19 BLK 5		
Res Non-Hstd	Res Non-Hstd	New Improvements/Expired Exclusions Property Classification	ROPERTY IDENTIFICATION NUMBER (P.I.N.) 12823420116 151		

\$\$\$ Refunds? You may be eligible for one or even two refunds to reduce your property tax. Read the back of the tax stub form to find out how to apply.

	2011	20	12	***************************************	TAXES PAYABLE YEAR		
\$	0.00	\$	0.00	1. 2.	File by August 15. If box is checked, you owe delinquent taxes and are not eligible.		
					Property Tax and Credits		
	3,988.66	• ;	3,392.24	3.	Property taxes before credits		
	0.00		0.00	4.	Agricultural credits that reduce property taxes		
	3,988.66	;	3,392.24	5.	Property taxes after credits		
-				NATION HOUSE	Property Tax by Jurisdiction	Property Information	
	1,378.74		1,159.56	6.	Ramsey County		
	107.45		88.99		a. Regional Rail Authority		
	10.22		8.34		b. Public Safety Radio System		
	0.00		0.00		C.		
	1,042.80		921.43	7.	City or Town - ST PAUL		
	0.00		0.00	8.	State General Tax		
				9.	School District 625		
	231.03		186.83		a. Voter approved levies		
	1,049.13		883.23		b. Other local levies		
				10.	Special taxing districts		
	77.14		67.35		Metropolitan special taxing districts		
	92.15		76.51		b. Other special taxing districts		
	0.00		0.00		c. Tax increment	Salar Sa	
	0.00		0.00		d. Fiscal disparity		
	0.00		0.00	11.	Non-school voter approved referenda levies	direction of the second of the	
	3,988.66		3,392.24	12.	Total property tax before special assessments		
	617.34		635.76	13.	Special assessments and charges added to this property tax state	ement for taxes payable in 2012	
					a. 316.76 T-011100320 2011 ROW/Street Maint b. 210.52 T-011100800 2011 SSSC/Storm Sewer		
					D		
					d.		
					e. f.		
					h ·		

Property Records and Revenue Contact Information

 Web:
 www.co.ramsey.mn.us/prr
 Location:
 90 West Plato Blvd, St. Paul, MN

 Types of Information
 Email
 Telephone

 General Tax Information – Taxes, Payments, Taxpayer and Mailing Address, Special Assessments
 AskPropertyTaxandRecords@co.ramsey.mn.us
 651-266-2000

 Assessing Services – Value, Classification, Exemption Homestead
 AskCountyAssessor@co.ramsey.mn.us
 651-266-2014

 Mapping – Legal Description, Splits
 AskCountyAssessor@co.ramsey.mn.us
 651-266-2040

 Delinquent Taxes
 AskPropertyTaxandRecords@co.ramsey.mn.us
 651-266-2002

 County Recorder
 AskCountyRecorder@co.ramsey.mn.us
 651-266-2002

 County Recorder (Co.ramsey.mn.us
 651-266-2060

 Elections
 Elections@co.ramsey.mn.us
 651-266-2060

Need a Tax Payment Reminder? Go to www.co.ramsey.mn.us/prr/paytaxes and click on Subscribe For resources to help with mortgage foreclosure – go to www.co.ramsey.mn.us/ced/Mortgage_foreclosure.htm

g. h.

Contamination Tax

4,028.00 14. Total Property Tax and Special Assessments

0.00

0.00

4,606.00 \$