



CITY OF SAINT PAUL
Christopher B. Coleman, Mayor

375 Jackson Street, Suite 220
Saint Paul, Minnesota 55101-1806

Telephone: 651-266-8989
Facsimile: 651-266-9124
Web: www.stpaul.gov/dsi

August 20, 2012

TO: District Council 7

Dear Ladies/Gentlemen:

This is to inform you of a request for a variance from the sound level limitations as indicated in the Saint Paul Noise Ordinance (Chapter 293 of the Saint Paul Legislative Code).

A public hearing before the City Council on this variance request will be held on:

Date: September 5, 2012
Time: 5:30 p.m.
Location: 3rd floor, City Hall Council Chambers

Anyone attending the public hearing will be given the opportunity to present verbal comments or objections before the City Council.

Anyone unable to attend the public hearing, may, within fifteen (15) days of the mailing date on this notice, file written comments or objections with the: City of Saint Paul, Department of Safety and Inspections, 375 Jackson Street, Suite 220, Saint Paul, Minnesota 55101-1806.

Description of Variance:

Noise Source: Jill Henriksen, of Greater Frogtown CDC, has requested a sound level variance to allow the use of a PA system and amplified live music from 6:30 p.m. until 10:00 p.m. during a fundraising event for the Greater Frogtown CDC on September 13, 2012.

Location: 533 North Dale Street.

If you have any questions, please feel free to call Mark Kaisersatt, Environmental Health Specialist, at 651-266-1908 or e-mail him at Mark.Kaisersatt@ci.stpaul.mn.us

Sincerely,

Natasha Murphy
Department of Safety and Inspections
Office Assistant III