

City of St. Paul

Copy of » Sound Level Variance Application Tawfiq Islamic Center Eid-al-Adha Muslim Prayer Festival September, 2015

Back to Bulletins List

			*
Recip	pients (537)		
	то		
	ENS - D8: Summit-University Planning Council (536)		
	Criteria		
	New Criteria	•	=
	View Recipients Export Recipients		
Emai	I Message		
From	City of Saint Paul <cityofsaintpaul@public.govd< td=""><td>eliv</td><td>-</td></cityofsaintpaul@public.govd<>	eliv	-
•		Þ	-

	riance Application Tawfiq Islamic Center Eid-al-Adha Mus
Header	
Body	
Edit - Forr	nat ▼ Insert ▼ View ▼ Table ▼
¥ 🗅 🛱	$\textcircled{\bullet} B I \forall E E E E E$
A • A •	₩ Ξ Ξ Ξ 66
	• Macros • • Ø
Formats -	Font Family Font Sizes
Event: Eid-al-Ac	ha Muslim Prayer Festival Sound Level Variance 2015
order to provid Festival Service	awfiq Islamic Center has applied for a sound level variance i e announcements and prayer for a Eid-al-Adha Muslim Praye at the Oxford Community Center Football Field, 270 Lexingt The Fid-al Adha Muslim Prayer Festival Service is to be held
order to provid Festival Service Parkway North. Thursday, Septe to 10:30 a.m., v The Departmen conditions: 1) T with a pre-ever September 24, powered equip dBA as measure announcement ensure complia electronically p	e announcements and prayer for a Eid-al-Adha Muslim Praye
order to provid Festival Service Parkway North. Thursday, Septe to 10:30 a.m., v The Departmen conditions: 1) T with a pre-ever September 24, powered equip dBA as measure announcement ensure complia electronically p shall be turned	e announcements and prayer for a Eid-al-Adha Muslim Praye at the Oxford Community Center Football Field, 270 Lexingt The Eid-al Adha Muslim Prayer Festival Service is to be held ember 24, 2015 or Friday, September 25, 2015, from 6:30 a.u. vith a pre-event sound check between 6:30 a.m. until 7:00 a t of Safety and Inspections (DSI) recommends the following he variance shall be for the hours of 6:30 a.m. to 10:30 a.m. t sound check from 6:30 a.m. until 7:00 a.m. on Thursday, 2015 or Friday, September 25, 2015. 2) All electronically ment used in conjunction with the event shall not exceed 75 ed 50 feet from any sound source used for prayer and/or s. 3) The applicant shall provide personnel and equipment to nce with the sound level variance conditions. 4) All owered equipment, PA systems, loudspeakers or similar dev
order to provid Festival Service Parkway North. Thursday, Septe to 10:30 a.m., v The Departmen conditions: 1) T with a pre-ever September 24, powered equip dBA as measure announcement ensure complia electronically p shall be turned A public hearin held on: Date:	e announcements and prayer for a Eid-al-Adha Muslim Praye at the Oxford Community Center Football Field, 270 Lexingt The Eid-al Adha Muslim Prayer Festival Service is to be held ember 24, 2015 or Friday, September 25, 2015, from 6:30 a.u. vith a pre-event sound check between 6:30 a.m. until 7:00 a t of Safety and Inspections (DSI) recommends the following he variance shall be for the hours of 6:30 a.m. to 10:30 a.m. t sound check from 6:30 a.m. until 7:00 a.m. on Thursday, 2015 or Friday, September 25, 2015. 2) All electronically ment used in conjunction with the event shall not exceed 75 ed 50 feet from any sound source used for prayer and/or s. 3) The applicant shall provide personnel and equipment to nee with the sound level variance conditions. 4) All owered equipment, PA systems, loudspeakers or similar dev off no later than 10:30 a.m. on the date of the event. g before the City Council on this variance request will be Wednesday, September 16, 2015
order to provid Festival Service Parkway North. Thursday, Septe to 10:30 a.m., v The Departmen conditions: 1) T with a pre-ever September 24, powered equip dBA as measure announcement ensure complia electronically p shall be turned A public hearin held on:	e announcements and prayer for a Eid-al-Adha Muslim Praye at the Oxford Community Center Football Field, 270 Lexingt The Eid-al Adha Muslim Prayer Festival Service is to be held ember 24, 2015 or Friday, September 25, 2015, from 6:30 a.u. vith a pre-event sound check between 6:30 a.m. until 7:00 a t of Safety and Inspections (DSI) recommends the following he variance shall be for the hours of 6:30 a.m. to 10:30 a.m. t sound check from 6:30 a.m. until 7:00 a.m. on Thursday, 2015 or Friday, September 25, 2015. 2) All electronically ment used in conjunction with the event shall not exceed 75 ed 50 feet from any sound source used for prayer and/or s. 3) The applicant shall provide personnel and equipment to nee with the sound level variance conditions. 4) All owered equipment, PA systems, loudspeakers or similar dev off no later than 10:30 a.m. on the date of the event.
order to provid Festival Service Parkway North. Thursday, Septe to 10:30 a.m., v The Departmen conditions: 1) T with a pre-ever September 24, powered equip dBA as measure announcement ensure complia electronically p shall be turned A public hearin held on: Date: Time: Location: If you attend th	e announcements and prayer for a Eid-al-Adha Muslim Praye at the Oxford Community Center Football Field, 270 Lexingt The Eid-al Adha Muslim Prayer Festival Service is to be held ember 24, 2015 or Friday, September 25, 2015, from 6:30 a.u. vith a pre-event sound check between 6:30 a.m. until 7:00 a t of Safety and Inspections (DSI) recommends the following he variance shall be for the hours of 6:30 a.m. to 10:30 a.m. t sound check from 6:30 a.m. until 7:00 a.m. on Thursday, 2015 or Friday, September 25, 2015. 2) All electronically ment used in conjunction with the event shall not exceed 75 ed 50 feet from any sound source used for prayer and/or s. 3) The applicant shall provide personnel and equipment to nee with the sound level variance conditions. 4) All owered equipment, PA systems, loudspeakers or similar dev off no later than 10:30 a.m. on the date of the event. g before the City Council on this variance request will be Wednesday, September 16, 2015 5:30 p.m.

Edit 🔻	Format ▼ Insert ▼ View ▼ Table ▼	Â
ж		
A -		
	III ▼ Macros ▼ -	
Forma	ats ▼ Font Family ▼ Font Sizes ▼	
[[SHAI	RE_THIS]]	
STAY (Questions? <u>Contact Us</u> CONNECTED:	
	CRIBER SERVICES: <u>e Preferences</u> <u>Unsubscribe</u> <u>Help</u>	
Chaosa	Different	
Footer	Custom Footer	=
Bulletin Message	n Channels Visibility	
Public	•	
	Email	
	HTML, Plain Text	
	Publish to Facebook No Facebook accounts have been authorized.	
	Facebook Comment	
	4 III	-

	Publish to Twitter	No Twitter accounts have bee authorized.	en			
	Tweet	140 characters remaining				
	Publish in RSS Feed	Yes				
Send O	ptions					
Urgent						
No			•			
Urgent b	Urgent bulletins ignore subscriber digest preferences.					
Schedu	_	d time specified. send time				
Send Bu Report	ulletin Detail					
Yes			•			
Save as Dr	aft Send Test or	view Autosave?	Send Now			
•		II	۲.			
Copyright © 2015 GovDelivery, Inc. All righ	ts Version : 3.29.0-	f1e1d5d-E2 (2015-08-18 13:32:	27 -0500)			

reserved.

 \square