

Other (Fence Variance, Code Compliance, etc.)

APPLICATION FOR APPEAL

Saint Paul City Council – Legislative Hearings RECEIVED 310 City Hall, 15 W. Kelloog Blvd

NOV 19 2015

310 City Hall, 15 W. Kellogg Blvd. Saint Paul, Minnesota 55102 Telephone: (651) 266-8585

Revised 8/11/2014

CITY CLERK

we need the following to process your appear.	
\$25 filing fee (non-refundable) (payable to the City of Saint Pa	ul) HEARING DATE & TIME
(if cash: receipt number 1946 06	(provided by Legislative Hearing Office)
Copy of the City-issued orders/letter being appealed	Tuesday, November 24th 2015
Attachments you may wish to include	TimeN.M
This appeal form completed	Location of Hearing:
Walk-In OR - Mail-In	Room 330 City Hall/Courthouse
for abatement orders only: Email OR Fax	
Address Raing Annealed:	
Address Being Appealed:	
Number & Street: 109N, LEXINGTON City: ST. PAUL State: MIN Zip: 55104	
Appellant/Applicant: SORA BENNEY, Email	
Phone Numbers: Business Residence	21-0245 Cell
Signature: Dorcas f. Dennos	Date:// - 19- 2015
Name of Owner (if other than Appellant): G. Dr. Gennar III	
Mailing Address if Not Appellant's:	
Phone Numbers: Business Residence	Cell
What Is Being Appealed and Why?	Attachments Are Acceptable
Vacata Order/Condemnation/	
Revocation of Fire C of O NEED MO	RE TIME &
	S AN ISSUE.
□ Fire C of O Deficiency List/Correction	
Code Enforcement Correction Notice	
12 Vacant Building Registration	

Steve Magner, Manager of Code Enforcement



CITY OF SAINT PAUL

Christopher B. Coleman, Mayor

375 Jackson Street., Suite 220 Saint Paul, MN 55101-1806 Telephone: 651-266-8989 Facsimile: 651-266-1919 Web: <u>www.stpaul.gov/dsi</u>

- Yog hais tias koj hais tsis to taub tsab ntawv no, hu rau tus txhais lus ntawm (651) 266-8989. Nws yog pab dawb zwb.
- Si necessita un traductor, por favor llamanos al (651)266-8989. No costo.

335

November 10, 2015

Cornelius W Benner/Sara J Benner 109 Lexington Pky N St Paul MN 55104-6936 Cornelius W Benner/Cornelius W Benner Iv 1616 57th St E Minneapolis MN 55417-2631

CORRECTION NOTICE

RE: 109 LEXINGTON PKWY N

File #: 15-126094

Dear Sir or Madam:

The City of Saint Paul, Department of Safety and Inspections has inspected the above referenced property on **November 10, 2015** and has determined that the following deficiencies exist in violation of the Saint Paul Legislative Code¹ (see footnote 1, below).

1. STAIRS AND ACCESSORY STRUCTURES. All stairs and accessory structures must be in sound condition. The front cement steps are deteriorated and must be repaired or replaced. Permit will be required.

You are hereby notified to correct these deficiencies in accordance with the appropriate codes. The Enforcement Officer will reinspect these premises on or after **November 30, 2015**, by which date the violations noted must be corrected. **Failure to correct these deficiencies may result in the issuance of criminal charges**² and/or a civil lawsuit, and possible abatement/assessment by the City. All repairs and new installations must be made in accordance with the appropriate codes. Permits may be obtained by calling 651-266-8989.

You may file an appeal to this notice by contacting the City Clerk at 651-266-8585. Any appeal must be made in writing within 10 days of this notice. (You must submit a copy of this Notice when you appeal, and pay a filing fee.)

If you have any questions or request additional information, please contact me. To arrange an appointment or request an extension of time to complete repairs, you will need to speak directly to me at 651-266-1940.

Sincerely,

Lisa Martin Badge # 335

CODE ENFORCEMENT OFFICER

November 10, 2015 109 LEXINGTON PKWY N Page 2 of 2

Footnotes:

To see the Legislative Code go to www.stpaul.gov on the internet, click on "Departments", then click on "Department of Safety and Inspections", scroll down the page for the "Codes". Most Correction Notices derive from Chapter 34.

Criminal charges can be brought on the day the violation is observed, but generally we allow time to correct

unless this is a repeat violation.

lm

WARNING Code inspection and enforcement trips cost the taxpayers money. If the violations are not corrected within the time period required in this notice, the city's costs in conducting a reinspection after the due date for compliance will be collected from the owner rather than being paid by the taxpayers of the city. If additional new violations are discovered within the next following 12 months, the city's costs in conducting additional inspections at this same location within such 12 months will be collected from the owner rather than being paid by the taxpayers of the city. Any such future costs will be collected by assessment against the real property and are in addition to any other fines or assessments which may be levied against you and your property.

cn60100 4/13

brever Las often Jases Sait of thenge there's made to careed of fordledernes that Charles the Box the county Mous 19 2018 Capasas Consider as caralled Laboral you was oble are near the the Line the helps & Deales Doese Sas Des mos street 39 iner there the there, Moree Course a members (Breeze mones) my sons ares alreaded (15-12694) (JOPU) Dea Charchartal Deer Misum Jarter Lagran Celebra 一十五人、から Deport

the motion, 2,36 P.M. 8-174-201. Peter Ross. Ded metignore (Bore Bounse) 5100-61-11 1. Called and sperke to polin 146 Leader (8-18-30 B) Osped for descertiens o she was ed to bear the more. Rosse, as thes described for speake the Diacon wear there and bound prest polidays) 10 Disult alle to There Spoke the great mostiles December, Deatons thank mine with She's offere mot bring 40 4 600, 18 2015 0-2002 14 agare 00e Laxer halphella 下江井 18-126094) they deed 11-10-2018 くらなるい Dang.