

CITY OF SAINT PAUL Christopher B. Coleman, Mayor 375 Jackson Street, Suite 220 Saint Paul, Minnesota 55101-1806

Telephone: 651-266-8989 Facsimile: 651-266-9124 Web: <u>www.stpaul.gov/dsi</u>

December 16, 2015

Rosanne Bump, CEO Saint Paul Festival and Heritage Foundation 75 5th Street W, Suite 429 Saint Paul, MN 55102

Dear Ms. Bump:

This is to confirm that our office has received your application for a variance from the city's noise ordinance and that it is being processed. The Department of Safety and Inspections (DSI) has recommended that a variance be issued to allow you to provide amplified music and entertainment on a stage at Rice Park, during the Saint Paul Winter Carnival, on the following dates and times:

- a. Thursday, January 28, 2016 from 11:00 AM to 9:00 PM;
- b. Friday, January 29, 2016 from 9:00 AM to 10:00 PM;
- c. Saturday, January 30, 2016 from 9:00 AM to 10:00 PM;
- d. Sunday, January 31, 2016 from 9:00 AM to 10:00 PM;
- e. Monday, February 1, 2016 from 11:00 AM to 9:00 PM;
- f. Tuesday, February 2, 2016 form 11:00 AM to 9:00 PM;
- g. Wednesday, February 3, 2016 from 11:00 AM to 9:00 PM;
- h. Thursday, February 4, 2016 from 9:00 AM to 10:00 PM;
- i. Friday, February 5, 2015 from 9:00 AM to 10:00 PM;
- j. Saturday, February 6, 2016 from 9:00 AM to 10:00 PM; and
- k. Sunday, February 7, 2015 from 9:00 AM to 10:00 PM.

The DSI recommendation is for a sound level limit of 90 dBA measured at 50 feet from the speakers and/or stage.

A public hearing on your request for a variance has been scheduled for **January 6, 2016**, **5:30 p.m.**, Third Floor, City Council Chambers, at the Saint Paul City Hall/Ramsey County Courthouse, 15 Kellogg Boulevard W., Saint Paul, Minnesota. You may wish to be present at this hearing to answer any questions that the City Council might have. After the public hearing, the Council may grant, deny, or modify the variance request.

If you have any questions, you can contact: Barb McMonigal-St.Dennis, Environmental Health Specialist barb.mcmonigal-st.dennis@ci.stpaul.mn.us

Enclosure