RLH FCO 16-46



□ Other (Fence Variance, Code Compliance, etc.)

APPLICATION FOR APPEAL

Saint Paul City Council - Legislative Hearings

RECEIVED

MAR 16 2016

CITY OF EDK

310 City Hall, 15 W. Kellogg Blvd. Saint Paul, Minnesota 55102 Telephone: (651) 266-8585

We need the following to process your ap	ppeal:				
\$25 filing fee (non-refundable) (payable	HEARING DATE & TIME				
(if cash: receipt number	(if cash: receipt number)				
★ Copy of the City-issued orders/letter Copy of the City-issued orders/letter Copy of the City-issued orders/letter Copy of the City-issued orders/lette					
★ Attachments you may wish to include	Attachments you may wish to include				
▼ This appeal form completed		Time_ 1.30 p.m.			
Walk-In OR - Mail-In		<u>Location of Hearing:</u> Room 330 City Hall/Courthouse			
for abatement orders only: □ Email	OR 🗆 Fax				
Address Being Appeal	ed:				
Number & Street: 2446 UNINERS	Biry AVE. W. City: 5	State: MN Zip: 55114			
Appellant/Applicant: 2446 UNIVERSITY	AVENUE, LLC Em	ail jordanrealtymn@gmail.com			
Phone Numbers: Business 612-827-3	Residence	Cell			
Signature: " Patricia J. Jordan,	ITS CHIEF MANAGE	Date: 3 - 16 - 1 4			
Name of Owner (if other than Appellant):					
GO JORDAN REALTY	NC. 400 EAST LAK	CE ST., MINNEAPOLIS, MN 55408			
Mailing Address if Not Appellant's:					
Phone Numbers: Business	Residence	Cell			
What Is Being Appeale	d and TATh2	DOWNER NEEDS NOKE TIME			
what is being Appeare	and why:	Attachments Are Acceptable			
Vacate Order/Condemnation/	PLEADE DEE	HE FOLLOWING ATTACHMENTS:			
Revocation of Fire C of O	A. COPY OF CI	TY'S CORPECTION NOTICE.			
□ Summary/Vehicle Abatement	B- PHOTOS OF 7	DUR IN QUESTION.			
Fire C of O Deficiency List/Correction	D. PIROM IECIS	NARRATME.			
□ Code Enforcement Correction Notice		PLANS FOR DEMOLITION/ RECONSTRUCTION			
□ Vacant Building Registration	TOTAL CONTRACTOR OF THE PROPERTY OF THE PROPER	ESDUATE			

ARRATIVE FOR THIS APPEAL

JEFFREY S. JOHNSON RUSSELL H. CROWDER MICHAEL F. HURLEY CHARLES M. SEYKORA DANIEL D. GANTER, JR. BEVERLY K. DODGE JAMES D. HOEFT JOAN M. QUADE* JOHN T. BUCHMAN* SCOTT M. LEPAK STEVEN G. THORSON ELIZABETH A. SCHADING DOUGLAS G. SAUTER WILLIAM F. HUEFNER BRADLEY A KLETSCHER KAREN K. KURTH TIMOTHY D. ERB ADRIEL B. VILLARREAL TAMMY J. SCHEMMEL

*Also Licensed in Wisconsin



Barna, Guzy & Steffen, Ltd.

ATTORNEYS AT LAW 400 Northtown Financial Plaza 200 Coon Rapids Boulevard N.W. Minneapolis, Minnesota 55433

(763) 780-8500 FAX (763) 780-1777 1-800-422-3486 www.bgs.com

Writer's Direct Line: (763) 783-5124 E-Mail Address: sthorson@bgs.com HERMAN L. TALLE JENNIFER C. MOREAU DAVID R. SCHAPS THOMAS R. WENTZELL

Of Counsel
W. JAMES VOGL, JR.
DARRELL A. JENSEN
JON P. ERICKSON

Retired ROBERT A. GUZY RICHARD A. MERRILL THOMAS P. MALONE DOUGLAS J. DEHN

BERNARD E. STEFFEN 1931-2002 PETER BARNA 1926-2005

March 15, 2016

Office of Legislative Hearings City of Saint Paul 310 City 15 W. Kellogg Boulevard Saint Paul, MN 55102

RE: CORRECTION NOTICE dated March 8, 2016, issued to 2446 University Avenue, LLC

City Reference Number 17305

Our File No. 58071-007

Dear sir/madam:

Our firm represents 2446 University Avenue, LLC, the owner of the property at that address. This letter is simply a statement of the owner's request for additional time to comply with the CORRECTION NOTICE.

We are presently engaged in legal matters with the tenant in Suite 104: Meridian Behavioral Health, LLC ["Meridian"]. Meridian did not disclose to the owner or to the city that it intended to operate a chemical dependency treatment clinic and facility at this address. The owner and the city approved plans and Meridian's statement of intent to occupy the suite for general office purposes. The occupancy load was approved for 43 persons or less. The owner's staff reports that as many as 90 persons at a time have occupied the suite, commencing on or about January 4, 2016. Meridian's mis-use of the space has resulted in the CORRECTION NOTICE.

The CORRECTION NOTICE issued by Sebastian Migdal, Fire Inspector, appears to be correct in all respects -- if the owner is unsuccessful in resolving Meridian's use of the space. Meridian's use of the space needs to brought into compliance with the Fire Code and other applicable city codes.



There are two results of our present dealings with Meridian which would be satisfactory to the owner:

- 1. Meridian will cease to operate a clinic out of its office space in Suite 104; or,
- 2. Meridian will vacate Suite 104 (taking its clinic operations with it).

Either of those results will remove the need for the demolition and reconstruction work described in other exhibits to the Application for Appeal.

Unless Meridian voluntarily vacates the space or consents to the owner's contractor coming into the space, the owner does not yet have the legal right to enter the space. Without that right of entry, it will be impossible for the owner to comply with the CORRECTION NOTICE.

The owner is requesting a 30 day extension of time to either favorably resolve Meridian's use of the property or to come into compliance with the CORRECTION NOTICE.

Sincerely,

BARNA, GUZY & STEFFEN, LTD.

Seeren II. Thorson

Steven G. Thorson

Minnesota State Bar Association Certified A Specialist

Real Property Law

SGT:mos

pc:

Patricia J. Jordan, 2446 University Avenue, LLC Timothy Jordan, 2446 University Avenue, LLC

Bradley A. Kletscher

City of StPaul 031516.wpd



CITY OF SAINT PAUL

Christopher B. Coleman, Mayor

375 Jackson Street, Suite 220 Telephone: 651-266-8989

Fax: 651-266-8951

Saint Paul, MN 55101-1806

March 8, 2016

TIM JORDAN 400 E LAKE ST MINNEAPOLIS MN 55408

CORRECTION NOTICE - COMPLAINT INSPECTION

RE:

2446 UNIVERSITY AVE W

Ref. # 17305

Dear Property Representative:

An inspection was made of your building on March 7, 2016 in response to a referral. You are hereby notified that the following deficiency list must be corrected immediately. A reinspection will be made on or after April 8. 2016.

Failure to comply may result in a criminal citation or revocation of the Certificate of Occupancy. The Saint Paul Legislative Code requires that no building shall be occupied without a Certificate of Occupancy. The code also provides for the assessment of additional reinspection fees.

DEFICIENCY LIST

- 1. SUITE 104 - BACK EXIT - MSFC 1027.7 - Exit doors must swing in the direction of travel. Change the swing of the door.
 - -Change the swing of the door. All work must be done by a qualified contractor and under permit.

Saint Paul Legislative Code authorizes this inspection and collection of inspection fees. For forms, fee schedule, inspection handouts, or information on some of the violations contained in this report, please visit our web page at: http://www.stpaul.gov/cofo

You have the right to appeal these orders to the Legislative Hearing Officer. Applications for appeals may be obtained at the Office of the City Clerk, 310 City Hall, City/County Courthouse, 15 W Kellogg Blvd, Saint Paul MN 55102 Phone: (651-266-8585) and must be filed within 10 days of the date of the original orders.

If you have any questions, email me at: Sebastian.Migdal@ci.stpaul.mn.us or call me at 651-266-8985 between 8:00 a.m. - 9:30 a.m. Please help to make Saint Paul a safer place in which to live and work.

Sincerely,

Sebastian Migdal Fire Inspector

Ref. # 17305

EXHIBIT B TO APPLICATION FOR APPEAL




Figure 1



Figure 3



Figure 2

The door in <u>Figure 1</u> is the subject of the **CORRECTION NOTICE** dated March 8, 2016, issued by Sebastian Migdal, Fire Inspector. The door in <u>Figure 1</u> is presently hinged to swing into the building from the sidewalk.

The door in <u>Figure 2</u> is another exterior door on the east side of the same building. It is constructed to swing out from the building. It is set back within a vestibule to allow it to open without encroaching onto the public sidewalk.

The **CORRECTION NOTICE** indicates that the door in <u>Figure 1</u> needs to be replaced with an outward swinging door. To do that replacement requires that a vestibule be constructed so that the new door can be set back from the sidewalk.

<u>Figure 3</u> shows the interior side of the door in <u>Figure 1</u>. To construct the necessary vestibule, the flight of six (6) concrete steps needs to be demolished and reconstructed approximately three (3) feet further into the interior.



2145 Ford Parkway, Suite 301 Saint Paul, Minnesota 55116

Tel: 651,690,5525

www.finn-daniels.com

March 11, 2016

Re: Meridian Behavioral Health

2446 University Ave., Suite 104 St. Paul, Minnesota 55114

To Whom It May Concern:

The original approved permit drawings for Suite 104 at 2446 University were designed with the intention of a general business occupancy throughout. However, it would appear that the current tenant use would also include assembly type spaces within the rooms noted "Therapy." Therefore, the permit drawings have been updated per Revision #2 dated 03.11.2016 to reflect the increased occupancy load within the space and thus, the need for a second code approved exit.


In order to provide a second code compliant exit from the tenant space, the current exterior door (labeled #124) must be moved toward the interior of the tenant space. This will allow the door to swing outward for proper egress without extending beyond the building's property line. In order to accomplish this, the interior concrete stair & handrail will need to be removed and reconstructed further into the tenant's space to meet applicable code required clearances. The new exterior alcove/vestibule will need to be constructed for exterior use, meeting current applicable energy code requirements. Any existing electrical & plumbing lines along the current exterior wall will need to be relocated in with the newly constructed exterior wall. While this is no small undertaking, no other impact would be necessary within Suite 104 to meet the added occupancy load and requirements for a second exit.

Any further questions or comments related to this matter may be directed to myself, via email or phone. Thank you.

Becky Olson

Becky

Enclosures - Revision #2, dated 03.11.2016



GENERAL NOTES

- ALLELEC, MECH., & PLUMB, TO BE BY DESIGN-BUILD CONTRACTOR, ALL WORK SHALL COMPLY WITH THE APPLICABLE CODES, AMENDMENTS, RULES, REGULATIONS, ORDINANCES, LAWS, ORDERS, APPROVALS, ETC. THAT ARE REQUIRED BY PUBLICAUTHORITIES. IN THE EVENT OF COMPLICIT, THE MOST STRINGENT REQUIREMENTS SHALL COMPLY, REQUIREMENTS INCLUDE, BUT ARE NOT LIMITED TO, THE CURRENT APPLICABLE ADDITIONS OR PUBLICATIONS. ALL WORK TO BE PERFORMED TO INDUSTRY STANDARDS. NO SUBSTITUTIONS WILL BE ACCEPTED WITHOUT THE ARCHITECTS WRITTEN APPROVAL.
- WIGHTEN APPROVAL.

 ALL EXPOSED SURFACES TO BE PREPARED TO RECEIVE NEW FINISHES

ALL EXPOSED SUBFACES TO BE PREPARED TO RECEIVE NEW PINNSHES, DO NOT SCALE DRAWNINGS; WINTERD DIMENSIONS GOVERN, VERIFY DIMENSIONS WITH PIELD CONDITIONS PRIOR TO CONSTRUCTION. IF DISCREPANCIES ARE DISCOVERED BETWEEN FIELD CONDITIONS AND DRAWNINGS, CONTRACT ARCHITECT BEFORE PROCEEDING. SUBCONTRACTORS ARE RESPONSIBLE TO REVIEW ALL CONSTRUCTION DRAWNINGS, ELEVATIONS, AND DETAILS. PATCH TO MATCH ADJACENT SURFACE WHERE DEMOLITION OCCURS, PROVIDE AND INSTALL FIRE RETARDANT SUDCKING/BACKER BOADD IN WALLS WITH BUILT-IN COUNTERS, SHELVING, ETC. AS REQUIRED. DEFORE STRAITING ANY OPERATION, EACH CONTRACTOR SHALL EXAMINE WORK PERFORMED BY OTHERS TO WHICH HIS WORK ADJOINS OR IS APPLIED AND WILL REPORT TO THE ARCHITECT ANY CONDITIONS THAT WILL PREVENT SATISFACTORY ACCOMPLISHMENT OF HIS CONTRACT.

COMDITIONS THAT WILL PREVENT SATISFACTORY ACCOMPLISHMENT OF HIS CONTRACTOR SHALL GIVE THE PROPER AUTHORITIES ALL NOTICES REQUIRED BY LAW AND OBTAIN OFFICIAL BUILDING PERMITS. UPON COMPLETION OF THE WORK THE BUILDING, PREMISES & ADIONING AREAS SHALL BE ANDE NEAT & LEARL THE TENANT SPACE SHALL BE DELIVERED CLEAN, WHOLE, TIGHT, ZHTFOR IMMEDIATE OCCUPANCY. EACH INDIVIDUAL CONTRACTOR IS RESPONSIBLE AFTER THEIR WORK IS COMPLETED TO CLEAN UP AREAS FEECTED BY THEIR WORK.

ANY PENETRATIONS THROUGH NEW OR EXISTING RATED WALLS ARE

AMY PENEL NALLIONS HINGUISH NEW ON EXISTING RATED WALLS ARE TO BE SEALED AMO/OR PATCHED WITH FIRESTOP PER CODE TO MAINTAIN RATED SEPARATION. ALL SUBCONTRACTORS ARE RESPONSIBLE FOR MAINTAINING FIRE RATINGS. ALL EXST. DECK & FLOOR PENETRATIONS MUST BE PATCHED FLUSH, ALL EXISTING BOORS, FIXTURES, WINDOWS, FINSHES, & MISC. ITEMS TO REMAIN SHALL BE PROTECTED FROM MAMAGE DURING. DEMOLITION AND CONSTRUCTION. ANY ITEMS DAMAGED TO BE REPARAED OR REPLACED AT THE CONTRACTORS EXPENSE.

CODE SYNOPSIS

APPLICABLE CODES:

A. INTERNATIONAL SUILDING CODE (IBC)

B. MINNESOTA STATE BUILDING CODE (MNSBC)

C ST, PAUL CITY CODE

D. NATIONAL ELECTRICAL CODE

INTERNATIONAL MECHANICAL CODE

MINNESOTA MECHANICAL & PUEL GAS CODE ICC/ANSI A117.1 (ACCESSIBLE BUILDINGS & FACILITIES)
MINNESOTA ACCESSIBILITY CODE

BUILDING CLASSIFICATION:
A. BUILDING OCCUPANCY & CLASSIFICATION (MINSBC Ch. 3)

BUILDING OCCUPANCY & C.ASSIFICATION (MNSBC Ch. 9

- Group B / 4,239 S.F.

BUILDING CONSTRUCTION TYPE (MNSBC Ch. 6)

- Group III-B / 1 Story with Partial Basement (Existing)

Satisfacts

(H ING: DESIGN OCCUPANT LOAD (MNSSC 1004.1): 143 Occupants Total General Office: 2,388/100 = 24 Occ. Therapy Rooms: 1,780/15 = 119 Occ. EXTS (IBC 1021.2): 2 Reguired / 2 Provided

DEMOLITION KEY NOTES

- 1 EXISTING AREA TO REMAIN. NO WORK REQUIRED.
- DURING TO REMAIN SHOWN SHADED. PROTECT FROM DAMAGE DURING DEMOLITION AND CONSTRUCTION. PATCH, REPAIR & PREP SURFACES AS REQUIRED TO RECEIVE NEW FINISHES.
- 3) REMOVE PORTION OF EXIST. WALL / DOOR SHOWN DASHED. PATCH & REPAIR ADJACENT SURFACES TO REMAIN. REFER TO STRUCT.
- 4) REMOVE EXISTING GLAZING & FRAME, PREP OPENING FOR NEW GLAZING FRAME & INFILL AS SCHEDULED.
- S REMOVE ALL EXISTING SURFACE APPLIED FLOOR & FINISHES, CEILING TILE/GRID, LIGHTS, FURNISHINGS, ETC. THROUGHOUT AREA OF WORK (UMLESS MOTEO OTHERWISES). GRIND EXISTING CONCRETE FLOOR SMOOTH & LEVE, READY TO ACCEPT NEW FINISHES AS SCHEDULED. PATCH & REPAIR ADJACENT SURFACES TO REMAIN AS REQUIRED. COORDINATE WITH SHEETS AS & & 3.
- FREMOVE ALL EXISTING ABANDONED MATERIALS NOT INTENDED FOR RE-USE INCLUDING, BUT NOT LIMITED TO, GAS LINES, ELECTRICAL CONDUITS, DUCTWORK, ETC.
- SAWCUT & REMOVE EXISTING CONCRETE RAMP IN ITS ENTIRETY,
 DOWN TO EXISTING CONC. SLAB. PATCH & REPAIR EXISTING SLAB TO
 REMAIN AS REQUIRED, LEVEL & SMOOTH.
- EXISTING ACCESS TO BUILDING FIRE SPRINKLER ROOM TO REMAIN.

 PROTECT AS REQUIRED DURING DEMOLITION & CONSTRUCTION.
- (10) EXISTING CEILING TILE & GRID TO REMAIN IN THIS ROOM. MODIFY AS REQUIRED FOR NEW CONSTRUCTION AS SCHEDULED.
- (11) REMOVE EXISTING TELEPHONE & DATA EQUIPMENT AS REQ'D.
- (12) EXISTING STRUCTURAL BEAM ABOVE TO REMAIN.
- (33) ASSUMED STRUCT, BEAM & OPENING BEHIND EXIST, WALL FURRING.
 VERIEY ACTUAL, OPENING SIZE AT TIME OF DEMOLITION. SEE STRUCT.
 & CONTACT ARCHITECT IMMEDIATELY IF HEAD HEIGHT IS LESS THAN
 7-0" OR IF THERE ARE OBSTRUCTIONS IN PROPOSED HALLWAY '11s'.
- (14) EXISTING MILLWORK / SHELVING TO REMAIN.
- (15) REMOVE EXIST. WALL FURRING (SMOOTH/CLEAN) BACK TO MASON WALL BEYOND OR TO EXPOSE THROUGH WALL OPENING. PATCH & REPAIR ADJACENT SURFACES TO REMAIN & PREP FOR NEW AS SCHEI

16) LEASE LINE TO REMOVE EXISTING STAIR, HANDRAIL, AND CONCRETE FLOOR AS REQUID FOR CONCRETE FLOOR SLAB AND CONCRETE STAIR. SEE SMEETS AZ & AS FOR EXTENTS OF NEW CONSTRUCTION, PROTECT EXISTING ADJACENT WALL AND FLOOR SURFACES FROM DAMAGE, PATCH & REPAIR ADJACENT SURFACES TO REMAIN & PREP FOR NEW AS SCHED.

18) REMOVE AND RELOCATE EXISTING PIPE AS REO'D FOR NEW CONSTRUCTION. SEE SHEETS AZ & AS FOR EXTENTS OF NEW CONSTRUCTION.

PROJECT DIRECTORY

JORDAN REALTY 400 EAST LAKE STREET MINNEAPOLIS, MINNESOTA 55408 612.827.3844 (VOICE) 612.827.3051 (FACSIMILE)

> CITY OF ST. PAUL ST. PAUL 375 JACKSON STREET, SUITE 220 ST. PAUL, MINNESOTA 55101 651.266.8989 (VOICE)

FINN DANIELS ARCHITECTS 214S FORD PARKWAY, SUITE 301 ST. PAUL, MINNESOTA 55116 651,690,5525 (VOICE) 651.690.5545 (FACSIMILE)

STRUCTURAL ALIGN STRUCTURAL, INC.
241 CLEVELAND AVENUE 5., SUITE B7
ST. PAUL, MINNESOTA 55105 651,698,0164 (VOICE)

ENERAL KIEHM CONSTRUCTION, INC.
ONTRACTOR: 8415 WEST 220TH STREET
LAKEVILLE, MINNESOTA 55044
952.469.5600 (VOICE)

DRAWING INDEX

- PROJECT INFORMATION & DEMOLITION PLAN
- A2 FLOOR PLAN DOOR SCHEDULE & DETAILS
- REFLECTED CEILING PLAN. FINISH SCHEDULE & ACCESSIBILITY DETAIL
- CONSTRUCTION DETAILS AS STAIR & WALL SECTION FRAMING PLAN AND SECTIONS






BUILDING KEY PLAN



PARTITION TYPES



NOTE: USE WATER RESISTANT GYP. 8D. ADJACENT TO PLUMBING FIXTURES

Iinn Claniels ARCHITECTS

> 2145 Ford Parkway, Suite 301 Saint Paul, Minnesota 55116 651.690.5525 Fax 690.5545

CONSULTANT

ereby certify that this plan, specification, o report was prepared by me or under my direct supervision and that I am a duly Ucensed Architect in the State of Minnesota.

REBECCA L. OLSON

Typed Name

Ruckey Olson

49243

1 Produce Number

Date

PROJECT:

MERIDIAN BEHAVIORAL HEALTH

TENANT IMPROVEMENT


2446 UNIVERSITY AVE. W SUITE 104 ST. PAUL, MINNESOTA 55114


PROJECT NO.:	1504
DRAWN BY:	RL
CHECKED BY:	RL

SSUES AND REVISIONS ERMIT ISSUE 08,20,2015

1 REVISION #1 10,12,2015 2 REVISION #2 03.11.2016

SHEET TITLE: PROJECT INFORMATION & DEMOLITION PLAN





H.M. FRAME FINISH AT HALLWAY SIDE TO MATCH EXISTING BUILDING STANDARD. VERIFY IN FIELD.
PATCH, REPAIR, & MODIFY EXISTING DOOR FRAME FOR NEW DOOR. IF FRAME CANNOT BE REPAIRED TO A LIKE NEW FINISH, THEN REPLACE WITH A NEW

-POOR FARME TO MATCH.

ENISTING DOOR, FRAME, AND HARDWARE TO BE REUSED/RELOCATED WHERE POSSIBLE & IN "LIKE NEW" CONDITION. G.C. TO COORDINATE REUSE WITH
OWNER, TYPICATION.

HARDWARE NOTES

- WHEN EXISTING TO REMAIN, G.C. TO REVIEW EXISTING HARDWARE CONDITIONS AND MAKE RECOMMENDATIONS ON REPLACEMENTS AS REQUIRED PRIOR TO CONSTRUCTION.

 GENERAL CONTRACTOR SHALL COORDINATE ALL HARDWARE GROUPS AND FINISHES WITH OWNER PRIOR TO ORDERING.

 CONTRACTOR SHALL COORDINATE THE FURNISHING, INSTALLATION & KEVING OF LOCKS, CYLINDERS, CREDENTIALS WITH OWNER.

 ALL HARDWARE SHALL BE OF EN LOCAL, STREE AND NATIONAL CODES AS WIELL AS THE AMERICANS WITH DISABILITIES ACT.

 HARDWARE SHALL BE FEE LOCAL, STREE AND NATIONAL CODES AS SCREWS, BOLTS, AND CONTRACTOR SHALL INCLUDE ALL INCESSORY ACCESSORIES SUCH AS SCREWS, BOLTS, NATO, ANCHORS, TO GOBE BOLTS, AND OTHER FASTENERS AS REQUIRED FOR A COMPLETE INSTALLATION.

 INSTALL HARDWARE PER MANUFACTURER'S RECOMMENDATIONS.

 ALL DOORS WHICH OPEN TOWARDS AN ADJOINCENT WALL SHALL BE SUPPLIED WITH WALL DOOR NACENT WALL SHALL BE SUPPLIED WITH WALL DOOR NACENT WALL SHALL BE SUPPLIED WITH WALL DOOR NACENT WALL SHALL BE SUPPLIED WITH WALL DOOR HARDWARE PER SPECIFIC CODE REQUIREMENTS FOR THIS FACILITY.

 THUMB-TURN LATCHES TO BE SINGLE ACTION RELEASE.

 ALL RATED OFFINING ASSEMBLIES TO HAVE SMOKE GASKETING. IF REQUIRED BY CODE, PROVIDE POSTITYE ARE PRESSURE GASKETING. IF REQUIRED BY CODE, PROVIDE POSTITYE ARE PRESSURE GASKETING.

 ALL COSESS TO NAVE BELAYED ACTION.

 CORDINARE ALL NEW HARDWARE WITH OWNER FOR BUILDING

COORDINATE ALL NEW HARDWARE WITH OWNER FOR BUILDING STANDARD FINISH & GRADE, TYP.

HARDWARE SCHEDULE

3 HINGES 1 OFFICE LEVER LOCKSET 1 WALL STOP I SWEEP 1 WALL STOP

ROUP 3 L STOREROOM LEVER LOCKSET 1 WALL STOP

3 HINGES 1 CLOSER 1 PRIVACY LOCKSET 1 HDCP/ADA RESTROOM 1 WALL STOP


LOCKSET W/ CIPHER
1 CYLINDER
1 SET SMOKE GASKET WEATHERSTRIPPING

FRAME TYPES 3'-0 1/2" 2" 3'-0" 1-2" 2" 3'-0" 2" EQ. 2" EQ. 2" 2" 3'-0" 1'-6" 2"-2'-8 1/2" 2" HOLLOW METAL HOLLON METAL

FLOOR PLAN KEY NOTES

- (2) FURR AROUND EXISTING STRUCTURAL COLUMN WITH METAL STUD FRAMING & GYP. BD. AS REQUIRED, FURRING FROM FINISHED FLOOR TO 6" ABOVE CEILING.
- EXISTING PORTION OF HALLWAY SHOWN HATCHED TO BE INFILLED
 WITH CONCRETE SLAB LEVEL WITH FLOOR LEVEL OF LOBBY "201" &
 LEVEL WITH ADJACENT TERNANT'S LANDING. VERITY ACTUAL
 CONDITIONS IN THE FIELD & CONTACT ARCHITECT IMMEDIATELY IF
 ANY DISCEPRANCIES ARIES
- 4 FURNITURE BY TENANT SHOWN FOR REFERENCE
- 5 VERIFY EXISTING WALL CONSTRUCTION IS ADEQUATE TO SUPPORT NEW PLUMBING FIXTURES. CONTACT ARCHITECT IMMEDIATELY IF A CONFLICT ARISES IN THE FIELD.
- (6) PRIOR TO CONSTRUCTION, G.C. TO REVIEW PRACTICALITY OF TOILET ROOM & REQ'D. PLUMBING AT PORPOSED LOCATION. COORDINATE ANY UNUSUAL REQUIREMENTS & RELATED COSTS WITH OWNER.

DOOR TYPES



WOOD DOOR SPECIES & FINISH TO MATCH BUILDING STANDARDS, VERIFY IN FIELD.


tinn daniels ARCHITECTS

2145 Ford Parkway, Suite 301 Saint Paul, Minnesota 55116 651.690.5525 Fax 690.5545

CONSULTANT:

hereby certify that this plan, specification, or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect in the State of Minnesota.

REBECCA L. OLSON
Typed Name



PROJECT:

MERIDIAN BEHAVIORAL HEALTH

TENANT IMPROVEMENT


2446 UNIVERSITY AVE. W SUITE 104 T. PAUL, MINNESOTA 55114


SSUES AND REVISIONS ERMIT ISSUE 08.20.2015

1 REVISION # 10.12.2015 2 REVISION #2 03.11.2016

HEET TITLE:

FLOOR PLAN, DOOR SCHEDULE, & DETAILS





ROOM FINISH SCHEDULE										
NO.	LOCATION	FLOOR	BASE	WALL-N	WALL-E	WALL-S	WALL-W	CLG, HT.	CLG. FIN.	NOTES
101	LOBBY	CPT	VB	₽T	PT	PT	PT	EXPOSED	PT	-
102	OFFICE	CPT	VB.	PT	PΓ	₽T	PT	9'-0" A.F.F.	ACT	-
103	OFFICE	CPT	VB	PŢ	PT/MSN1	PT	PT	9'-0" A.F.F.	ACT	•
104	OFFICE	CPT	Vβ	PT	PΤ	PT	PT/MSN1	9'-0" A.F.F.	ACT	-
105	OFFICE	CPT'	VB	PT	TS	MSN1	PT	9'-0" A.F.F.	ACT	
106	THERAPY	CONC	VB	PT	PT/MSN1	MSN1	PT	EXPOSED	PT	-
107	HALLWAY	CPT	VB	PT	₽T	PΤ	PT	EXPOSED	PT	-
108	THERAPY	CONC	VB	PT/MSN1	MSN1	PŢ	PT	EXPOSED	PT	-
109	OFFICE	CPT	VΒ	MSNI	PT	PT	PT	9'-0" A.F.F.	ACT	-
110	OFFICE	CPT	VB	MSN1	PΤ	PT	PT/MSN1	9'-0" A.F.F.	ACT	•
111	OFFICE	СРТ	VB	PT	PT	PT	PT/MSN1	9'-0" A.F.F.	ACT	*
112	UNISEX TOILET	CT1	СТЗ	СТ2/РТ	PT	PT	CT2/PT	9'-0" A.F.F.	ACT	
113	OFFICE	CPT	VB	PΤ	PT/MSN1,	PT	PT	9'-0" A.F.F.	ACT	
114	DEFICE	CPT	VB	PT	PT	PT	PT	9'-0" A.F.F.	ACT	-
115	HALLWAY	CPT	VB	PT	PT	PT	PT	EXPOSED	PŦ	
116	HALLWAY	CPT	VB	-	PT	PT	MSN1/PT	EXPOSED	PT	-
117	OFFICE	CPT	VB	PT	PT :	PT	MS1/PT	9'-0" A.F.F.	ACT	=
118	THERAPY	CONC	VB	MSN1	MSN1/PT	MSN1	M\$N1/PT	EXPOSED	PT	-
119	SERVER	CPT	VB	PT	PT	PΤ	PT	EXPOSED	PT	<u> </u>
120	BASEMENT ACCESS	EXIST.	EXIST.	EXIST.	EXIST.	EXIST.	EXIST.	EXIST.	EXIST.	•
121	OFFICE	CPT	VB	PT	PT	PT	PT	9'-0" A.F.F.	ACT	
122	THERAPY	CONC	VB	PT	MSN2/PT	PT	PT	9'-2" A.F.F.	EXIST.	
123	THERAPY	CONC	VB	PT	PΥ	PΤ	PT	9'•2" A.F.F.	EXIST.	-
124	HALLWAY	CONC	VB	PT	PT	PT	PT	EXPOSED	PT	-
125	LOUNGE	CONC	VB	P T	PΥ	MSN1	PT	EXPOSED	PT	-
126	OFFICE	CPT*	VB	PT	PT	M5N1	PT	9'-0" A.F.F.	PT	-

CEILING LEGEND



EXIT/EMERGENCY LIGHTING

- JTES COORDINATE LIGHTING SPECIFICATIONS WITH BUILDING OWNER TO
- COORDINATE LIGHTING SPECIFICATIONS WITH BUILDING OWNER TO MATCH BUILDING STANDARD.

 COORDINATE MOUNTING HEIGHTS, QUANTITIES, & LOCATIONS OF EMERGENCY FIXTURES WITH LOCAL FIRE MARSHAUL.

 CONTACT ARCHITECT IMMEDIATELY IF CONFLICTS ARISE IN THE FIELD.

 (E) DENOTES EXISTING LIGHT FIXTURE TO REMAIN.

 ELECRIFICAL CONTRACTOR IS RESPONSIBLE FOR ALL MOUNTING MEANS & METHODS FOR LIGHT FIXTURES, INCLUDING BLOCKING.

 ANY NEW SPRINKLER HEADS TO MATCHE MESTING, IF REQUIRED, CENTER LIGHT FIXTURE & CELLING TILE/GRID IN ROOM AS SHOWN.

DIRECTIONAL EXIT/EMERGENCY LIGHTING 6° RECESSED LED DOWNLIGHT

ALL FINISHES TO BE SELECTED FROM BUILDING STANDARDS BY
TENANT AND SUPPLIED & INSTALLED BY G.C.
PROVIDE HORIZONTAL BLINDS ON ALL EXTERIOR WINDOWS AND
DOORS PER BUILDING STANDARD. COORDINATE FINISH WITH
BUILDING DWINER.
ALL PAINTED WALLS/CEILINGS TO BE PRIMED & PAINTED W/ 2 COATS.
PAINT SURFACES AS FOLLOWS:
A) METALS:
1 COAT ALKYD PRIMER
2 COATS ALKYD FRIMER
2 COATS ALKYD FRIMER
1 COAT ALKYD PRIMER (SHEEN AS INDICATED)
B) CYPSUM BOARD / PLASTER / WOOD:
1 COAT ALKYD PRIMER / SEALER
2 COATS LATEX-ACYLLC (SHEEN AS INDICATED)
WHERE EMST. MASONNY EXISTS, PATCH, REPAIR, & FINISH AS SCHED.

2x4 ACOUSTICAL CEILING TILE & GRID CONCRETE FLOOR- PAINTED CAPET CAPET CERAMIC FLOOR TILE (WHITE 12"x12"- VERIFY W/ OWNER) CERAMIC TULE (WHITE 3"%6"- VERIFY W/ OWNER)
CERAMIC TILE COVE BASE (WHITE 6" HIGH-VERIFY W/ OWNER)
PAINTED MASONRYTO BE REPAINTED

ROOM FINISH NOTES

FAIRL EU WASUNKY TO BE REPAINTED
UNPAINTED MASONRY TO BE SANDBLASTED/CLEANED/SEALED
PAINT
VINYL BASE

finn daniels ARCHITECTS

2145 Ford Parkway, Suite 301 Saint Paul, Minnesota 55116 651.690.5525 Fax 690.5545 www.finn-daniels.com

CONSULTANT

hereby certify that this plan, specification, o report was prepared by me or under my direct supervision and that I am a duly Licensed Architect in the State of Minnesota.

REBECCA L. OLSON Becky Claim 49243 08.20.2015 Date

PROJECT:

MERIDIAN BEHAVIORAL HEALTH

TENANT IMPROVEMENT

2446 UNIVERSITY AVE, W SUITE 104 ST. PAUL, MINNESOTA 55114

10,000,1	
RAWN BY:	ŘLO
HECKED BY:	RLO
SSUES AND REVISIONS:	
ERMIT ISSUE	08.20.2015
REVISION #2	03.11.2016

HEET TITLE:

REFLECTED CEILING PLAN, FINISH'SCHEDULE, & ACCESSIBILITY DETAILS

NOT USED B.O. SOFFIT
EL, 104'-2 1/4"± 1 1/2" E.I.F.S. (R-7.5 MIN.)
TO MATCH EXISTING OVER
5/8" 'DENISCIASS GOLD' EXT. GYP. SHTG.
3 5/8" METAL STUDS @ 16" O.C.
W/ R-40 BATT INSULATION
6 MIL. POLY VAPOR BARRIER NOT USED
A5 E.I.F.S. REVEAL TO MATCH -EXISTING ADJACENT E.I.FS. NEW E.L.F.S. TO MATCH EXISTING BEYOND (SEE FLOOR PLAN FOR COMPOSITION) 1 1/2" DIA. PIPE HANDRAIL — (TOP @ 3'-0" ABOVE LEADING EDGE OF TREADS) MOUNTED TO WALL-PAINT 1.1/2" E.F.S. (R-7.5 MIN.)
TO MATCH EXISTING OVER
TO DENISCLASS GOLD EXT. GYP. SHTG.
3 8/8" METAL STUDS @ J.6" O.C.
W/ R-13 BATT HISULATION
5/8" GYP. BO, OVER
6 MIL POLY VAPOR BARRIER POURED CONCRETE STAIR W/ --BROOM FINISH HOLD E.I.F.S. OFF OF EXISTING CONCRETE SLAB TO MATCH EXISTING ADJACENT E.I.F.S. 4" REINFORCED CONCRETE SLAB ON — GRADE OVER 10 MIL POLY VAPOR BARRIER AND COMPACTED GRANULAR FILL (TO MATCH EXISTING ADJACENT CONCRETE SLAB) T.O. FLOOR SLAB EL. 95'-2 1/4"± EMBED 6" MIN. INTO EXISTING (FULLY GROUTED W/ "HIT-HY 150 MAX" ADHESIVE BY HILTI OR APPROVED EQUAL) 4'-0" (LANDING) 5'-6" (6 EQ. TREADS @ 11") VERIFY IN FIELD 4 STAIR AND WALL SECTION NOT USED
A5

finn daniels ARCHITECTS 2145 Ford Parkway, Suite 301 Saint Paul, Minnesota 55116 651.690.5525 Fax 690.5545 www.finn-daniels.com CONSULTANT: hereby certify that this plan, specification, or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect in the State of Minnesots. REBECCA L. OLSON
Typed Name Typed Name

Sudey Olson

49243

08.20.2015

License Number

Date PROJECT: **MERIDIAN BEHAVIORAL** HEALTH TENANT IMPROVEMENT 2446 UNIVERSITY AVE. W SUITE 104 ST. PAUL, MINNESOTA 55114 15044 PROJECT NO.: DRAWN BY: CHECKED BY: ISSUES AND REVISIONS: PERMIT ISSUE 08.20.2015 2 REVISION #2 03.11.2016

SHEET TITUE:

-- LINE OF EXISTING WALL BEYOND

HANDRAIL EXTENSION

— EXISTING CONCRETE SLAB

- EMBED 6" MIN, INTO EXISTING (FULLY GROUTED W/ "HIT-HY 150 MAX" ADHESIVE BY HILTI OR APPROVED EQUAL)

STAIR & WALL SECTION

Steven Thorson

Subject:

FW: 2446 University, Suite 104 / Meridian

From: Pat Pollard [mailto:pat@kcibuilds.com]
Sent: Tuesday, March 15, 2016 1:07 PM

To: <u>jordanrealtymn@gmail.com</u>; Steven Thorson **Subject:** RE: 2446 University, Suite 104 / Meridian

This project would cost around \$25,000 and it would take approximately 3 weeks from start to finish. Temporary enclosures would be required to partition off the work space from the tenant space.

Thanks



PAT POLLARD
KIEHM CONSTRUCTION INC.
8415 220TH ST WEST
LAKEVILLE, MN 55044
952-469-5600 / FAX 952-469-1240
PAT@KCIBUILDS.COM

From: Nathan Voth [mailto:nathan@kcibuilds.com]

Sent: Tuesday, March 15, 2016 12:28 PM **To:** Pat Pollard <pat@kcibuilds.com>

Subject: FW: 2446 University, Suite 104 / Meridian



NATHAN VOTH Kiehm Construction Inc. 8415 220th St West Lakeville, MN 55044 952-469-5600/Fax 952-469-1240 nathan@kcibuilds.com

