

We need the following to process your appeal:

APPLICATION FOR APPEAL

Saint Paul City Council - Legislative Hearings

RECEIVED

DEC 12 2017

CITY CLERK

\$25 filing fee (non-refundable) (payable to the City of Saint Paul) HEARING DATE & TIME

310 City Hall, 15 W. Kellogg Blvd. Saint Paul, Minnesota 55102 Telephone: (651) 266-8585

(if cash: receipt number)	(provided by Legislative Hearing Office)
Copy of the City-issued orders/letter being appealed	Tuesday, Dec. 19,2011
Attachments you may wish to include	Time
This appeal form completed	
✓ Walk-In OR □ Mail-In	Location of Hearing: Room 330 City Hall/Courthouse
for abatement orders only: Email OR Fax	Room 550 City Huil Courthouse
for woment officers only. I find the first	
Address Being Appealed:	
Number & Street: 214 W. George St City: St. PAUl State: MN Zip: 55107	
Appellant/Applicant: HANDIN BrAdy Email HARRYEBRADY@ YAHOO. COM	
Phone Numbers: Business Residence 651-228-9828 Cell 651-468-9028	
	Date: Dec. 12, 2017
Name of Owner (if other than Appellant): Arthur Brady	
Mailing Address if Not Appellant's: 1040 Chippewa Ave. Mendota Hgts MN 55118-1817	
Phone Numbers: Business Residence	
What Is Being Appealed and Why? Attachments Are Acceptable Vacate Order/Condemnation/ Revocation of Fire C of O Commercial equipment storage in yard.	
Summary/Vehicle Abatement	
Fire C of O Deficiency List/Correction (See attachment)	
Code Enforcement Correction Notice	
□ Vacant Building Registration	
Ofher (Fence Variance Code Compliance etc.)	

Subject: File # 17-218848

1. COMMERCIAL EQUIPMENT STORAGE IN YARD.

Dear Sir or Madam;

I do not consider my cherry picker to be commercial equipment. I do not rent, lease or loan the unit to anyone and it never leaves my property, except for repairs.

I'm too old to put up scaffolding and heavy extension ladders for painting and maintenance on my house. My Victorian house is one hundred thirty years old and I love keeping it in good condition. I feel very safe and comfortable when using the cherry picker the last two years, having painted the south and west sides of the house. The house has four floors, not counting the basement, and forty-foot peaks on all four sides.

I park the cherry picker at the rear of my house where it cannot be seen during the winter months. I would appreciate keeping the same spot for parking the unit. Please consider my request.

Thank you.

Harold Brady

Harold Brady



CITY OF SAINT PAUL

Christopher B. Coleman, Mayor

375 Jackson Street., Suite 220 Saint Paul. MN 55101-1806 Telephone: 651-266-8989 Facsimile: 651-266-1919 Web: www.stpaul.gov/dsi

- Yog hais tias koj hais tsis to taub tsab ntawv no, hu rau tus txhais lus ntawm (651) 266-8989. Nws yog pab dawb zwb.
- Si necessita un traductor, por favor llamanos al (651)266-8989. No costo.

33

December 04, 2017

Arthur H Brady 1040 Chippewa Ave Mendota Heights MN 55118-1817

CORRECTION NOTICE

RE: 214 GEORGE ST W

File #: 17-218848

Dear Sir or Madam:

The City of Saint Paul, Department of Safety and Inspections has inspected the above referenced property on **December 04, 2017** and has determined that the following deficiencies exist in violation of the Saint Paul Legislative Code¹ (see footnote 1, below).

1. COMMERCIAL EQUIPMENT STORAGE IN YARD.

You are hereby notified to correct these deficiencies in accordance with the appropriate codes. The Enforcement Officer will reinspect these premises on or after **December 13, 2017**, by which date the violations noted must be corrected. **Failure to correct these deficiencies may result in the issuance of criminal charges**² and/or a civil lawsuit, and possible abatement/assessment by the City. All repairs and new installations must be made in accordance with the appropriate codes. Permits may be obtained by calling 651-266-8989.

You may file an appeal to this notice by contacting the City Clerk at 651-266-8585. Any appeal must be made in writing within 10 days of this notice. (You must submit a copy of this Notice when you appeal, and pay a filing fee.)

If you have any questions or request additional information, please contact me. To arrange an appointment or request an extension of time to complete repairs, you will need to speak directly to me at 651-266-1908.

Sincerely,

Mark Kaisersatt Badge # 334

CODE ENFORCEMENT OFFICER

December 04, 2017 214 GEORGE ST W Page 2 of 2

Footnotes:

To see the Legislative Code go to www.stpaul.gov on the internet, click on "Departments", then click on "Department of Safety and Inspections", scroll down the page for the "Codes". Most Correction Notices derive from Chapter 34.

Criminal charges can be brought on the day the violation is observed, but generally we allow time to correct

unless this is a repeat violation.

mk

WARNING Code inspection and enforcement trips cost the taxpayers money. If the violations are not corrected within the time period required in this notice, the city's costs in conducting a reinspection after the due date for compliance will be collected from the owner rather than being paid by the taxpayers of the city. If additional new violations are discovered within the next following 12 months, the city's costs in conducting additional inspections at this same location within such 12 months will be collected from the owner rather than being paid by the taxpayers of the city. Any such future costs will be collected by assessment against the real property and are in addition to any other fines or assessments which may be levied against you and your property.

cn60100 4/13