



361

CITY OF SAINT PAUL
DEPARTMENT OF SAFETY AND INSPECTIONS
DIVISION OF CODE ENFORCEMENT
375 Jackson Street, Suite 220
Saint Paul, MN 55101-1806
SUMMARY ABATEMENT ORDER

May 15, 2018

18 - 048794

Yog hais tias koj hais tsis to taub tsab ntawv no, hu rau tus txhais lus ntawm (651) 266-8989. Nws yog pab dawb xwb. Si necessita un traductor, por favor llamanos al (651)266-8989. No costo.

VIRGINIA G YANEZ TRUSTEE
7565 HOMESTEAD AVE S
COTTAGE GROVE MN 55016-1988

As owner or person(s) responsible for : 740 WASECA ST you are hereby ordered to eliminate all nuisance conditions which are in violation of Chapter 45 of Saint Paul Legislative Code.

- 1. If the dwelling is found to be illegally occupied outside the timeframe of 8am to 8pm it will be subject to being vacated and secured. Comply before May 21, 2018

If you do not correct the nuisance or file an appeal before May 21, 2018 , the City will correct the nuisance and charge all costs, including boarding costs, against the property as a special assessment to be collected in the same way as property taxes.

Charges: If the City corrects the nuisance, the charges will include the cost of correction, inspection, travel time, equipments, etc. The rate will be approximately \$260 per hour plus expensed for abatement.

You must maintain the premises in a clean condition and provide proper and adequate refuse storage at all times
FAILURE TO COMPLY MAY RESULT IN A CRIMINAL CITATION

Issued by: Matt Dornfeld Badge: 361 Phone Number: 651-266-1902
If you have any questions about this order, the requirements or the deadline, you should contact the Inspector listed above, Monday through Friday.

Also Sent To:

Virginia Yanez 7565 Homestead Ave S Cottage Grove MN 55016-1988

APPEALS: You may appeal this order and obtain a hearing before the City Council by completing an appeal application with the City Clerk before the appeal deadline noted above or seven (7) days after the date mailed, which ever comes first. No appeals may be filed after that date. You may obtain an appeal application from the City Clerk's Office, Room 310 in City Hall, 15 W Kellogg Blvd., St. Paul, MN 55102. The telephone number is (651) 266-8688. You must submit a copy of this Summary Abatement Notice with your appeal application.

*WARNING Code inspection and enforcement trips cost the taxpayers money. If the violations are not corrected within the time period required in this notice, the city's costs in conducting a reinspection after the due date for compliance will be collected from the owner rather than being paid by the taxpayers of the city. If additional new violations are discovered within the next following 12 months, the city's costs in conducting additional inspections at this same location within said 12 months will be collected from the owner rather than being paid by the taxpayers of the city. Any such future costs will be collected by assessment against the real property and are in addition to any other fines or assessments which may be levied against you and your property.

sa.rpt 9/15



361

CITY OF SAINT PAUL
 DEPARTMENT OF SAFETY AND INSPECTIONS
 DIVISION OF CODE ENFORCEMENT
 375 Jackson Street, Suite 220
 Saint Paul, MN 55101-1806
SUMMARY ABATEMENT ORDER

May 15, 2018

18 - 048794

Yog hais tias koj hais tsis to taub tsab ntawv no, hu rau tus txhais lus ntawm (651) 266-8989. Nws yog pab dawb xwb. Si necessita un traductor, por favor llamanos al (651)266-8989. No costo.

VIRGINIA YANEZ
7565 HOMESTEAD AVE S
COTTAGE GROVE MN 55016-1988

As owner or person(s) responsible for : 740 WASECA ST you are hereby ordered to eliminate all nuisance conditions which are in violation of Chapter 45 of Saint Paul Legislative Code.

1. If the dwelling is found to be illegally occupied outside the timeframe of 8am to 8pm it will be subject to being vacated and secured. Comply before May 21, 2018

If you do not correct the nuisance or file an appeal before May 21, 2018 , the City will correct the nuisance and charge all costs, including boarding costs, against the property as a special assessment to be collected in the same way as property taxes.

Charges: If the City corrects the nuisance, the charges will include the cost of correction, inspection, travel time, equipments, etc. The rate will be approximately \$260 per hour plus expensed for abatement.

You must maintain the premises in a clean condition and
 provide proper and adequate refuse storage at all times
FAILURE TO COMPLY MAY RESULT IN A CRIMINAL CITATION

Issued by: Matt Dornfeld Badge: 361 Phone Number: 651-266-1902
 If you have any questions about this order, the requirements or the deadline, you should
 contact the Inspector listed above, Monday through Friday.

Also Sent To:

Virginia G Yanez Trustee 7565 Homestead Ave S Cottage Grove MN 55016-1988

APPEALS: You may appeal this order and obtain a hearing before the City Council by completing an appeal application with the City Clerk before the appeal deadline noted above or seven (7) days after the date mailed, which ever comes first. No appeals may be filed after that date. You may obtain an appeal application from the City Clerk's Office, Room 310 in City Hall, 15 W Kellogg Blvd., St. Paul, MN 55102. The telephone number is (651) 266-8688. You must submit a copy of this Summary Abatement Notice with your appeal application.

*WARNING Code inspection and enforcement trips cost the taxpayers money. If the violations are not corrected within the time period required in this notice, the city's costs in conducting a reinspection after the due date for compliance will be collected from the owner rather than being paid by the taxpayers of the city. If additional new violations are discovered within the next following 12 months, the city's costs in conducting additional inspections at this same location within said 12 months will be collected from the owner rather than being paid by the taxpayers of the city. Any such future costs will be collected by assessment against the real property and are in addition to any other fines or assessments which may be levied against you and your property.

sa.rpt 9/15