

CLAIMS REPORT
January - December 2018

<u>Claim No</u>	<u>Claimant</u>	<u>Description</u>	<u>Amount</u>
C-150051 (related to property insurance claim No. C-140436 and bodily injury claim C-170126)	Attn: Robert Giuliani Hartford Insurance Company. PO Box 14272 Lexington, KY 40512	On 06/21/2014, a vehicle driven by a SPRWS worker rear-ended a vehicle driven by Robert Sweeney, who was insured by Hartford. This payment resolves the PIP/No-fault subrogation claim brought by Hartford. Under state law, insurance carriers are allowed to pursue subrogation of no-fault/PIP benefits claims from any commercial vehicle responsible for damages paid, which we were. This settlement resolves all claims with Hartford.	\$9,884.44
C-160098	Lowertown Acquisition Company, LLC, 366 Jackson St. #100, St Paul, MN 55101	On 6/13/2016, there was a main break on 5th St. E. between Jackson and Sibley St. SPRWS crews responded and shut off water flow within minutes of arrival. The main break was repaired that same day and water restored. Claimant filed for water damages to the basement and property stored there. SPRWS recommended denial of the claim. A lawsuit was then filed, and the parties were directed to mediation. After mediation on 01/11/2018, a settlement was reached.	\$40,000.00
C-170156	DoubleTree by Hilton, 411 Minnesota St, St Paul MN	Settlement to DoubleTree Hotel for claim of damages including property damage, damage to and /or loss of equipment, guest hardship, incidental damage, relocation fees, loss of profits and any other compensation sustained from incident on 8/4/2017 at 411 Minnesota St, St Paul MN.	\$53,000.00
C-170180	Hannover Insurance Company, 440 Lincoln St. Worcester, MN 01653 as subrogee of Saint Paul Conservatory for the Performing Arts, 16 W 5th Street.	On 09/18/2017, SPRWS replaced a 4-inch valve to 350 SC1 St. Peter St. in the tunnels. Afterward, water was restored to this service. However, the service had been improperly cut off and had no plug or cap. Flooding of the basement ensued. SPRWS GIS records in relation to this service were incorrect. We had actually replaced a valve on an old 4-inch service at 221/2 AF W. 5th St. SPRWS was partially responsible for the incorrect work and not checking with the property owner before turning on the water. However, the flooding would not have occurred had the cut-off service been capped.	\$24,230.34

CLAIMS REPORT
January - December 2018

C-170187	Brimhall Como Investments, LLC. for Skally Management, LLC. 2124 Como Ave. St. Paul, MN	On 10/17/2017, SPRWS received a claim for repairs at 2124 Como. SPRWS forwarded claim to public works. On 2/5/2018, SPRWS again received this claim, with PW stating SPRWS was responsible. On 5/30/2017, SPRWS replaced a valve on the main at the intersection of Raymond Ave. at Como Ave. A temporary main was installed to do this work. On 7/17/2018, SPRWS replaced a 2-inch cast iron water service at 2124 Como with a 2-inch copper service, extending from the main to the property line. Midwest Construction did the excavation and in the process, drove steel sheet pilings into the ground. SPRWS believes this to be the cause of the damage to the sewer. SPRWS recommends PW present the claim to Midwest Construction. A lawsuit by the claimant (Skally Management vs City) ensued against the city, Midwest Construction, and SPRWS. The amount noted is the SPRWS portion of the settlement.	\$7,000.00
C-180005	Century Link PO Box 2348 Seattle, WA 98111	On 11/14/2017, SPRWS crews was working on a lead service line replacement at 664 Fairview Ave. N. No paint markings for Century Link were visible to the crew. On 11/21/2017, Century Link re-opened the excavation hole, SPRWS had put a copper water service through a Century Link conduit. SPRWS recommends payment.	\$8,986.89
C-180006	JLL, as managing agent for CIG-UBS, LLC, 444 Cedar St, Suite 900, St. Paul, MN 55101	On 11/29/2017, SPRWS responded to a main break near the intersection of Cedar St. and 7th St. Upon excavation, SPRWS found improper workmanship to a mechanical joint with loose bolts that caused the water service to leak, allowing water into the building through the wall where the 6-inch service line came in. This caused an elevator to flood, and required extensive water clean up. SPRWS recommends payment.	\$5,494.21
C-180012	Sentinel Property Management Corp. 1251 Avenue of the Americas, 35th floor, New York NY, 10020	On 11/29/2017, SPRWS responded to a main break near the intersection of Cedar St. and 7th St. Upon excavation, SPRWS found improper workmanship to a mechanical joint with loose bolts that caused the water service to leak, allowing water into the building through the wall where the 6-inch service line came in. This required extensive water clean up. SPRWS recommends resolution with appropriate documentation of expenses.	\$40,840.88

CLAIMS REPORT
January - December 2018

C-180014	Thomas B. Tichawa, 5 Langer Circle, West Saint Paul, MN 55118	On 1/12/2018, a main break was reported at 5 Langer Circle. On 1/13/2018, SPRWS repaired the break. On 1/22/2018, claimant reported his sewer was broken. When SPRWS repaired the sewer, it was clear it had been broken with our excavation hole. SPRWS recommends payment.	\$545.00
C-180019	ROTO-ROOTER, Attn. Troy E. Willey, 14530 27th Ave. N, Plymouth, MN 55447	On 12/28/2017, Roto-Rooter contacted SPRWS regarding sewer work they were hired to perform at 555 Asbury St. Upon excavation, they determined that the sewer line had been damaged by a 2-inch water main was installed directly through the sewer line. SPRWS verified the incident and repaired the sanitary sewer line. SPRWS recommends payment.	\$4,450.00
C-180037	Marlene Overton, 409 View St., St. Paul, MN 55102	On 11/22/2017, SPRWS was notified by Benjamin Franklin Plumbing of damage to the sewer line riser at 409 View St. SPRWS verified that SPRWS had replaced a lead water service line at that location on 8/1/2012 and had damaged the sewer line at that time. Payment is recommended.	\$5,357.00
C-180049	State Farm Insurance Company, PO Box 106172, Atlanta, GA 30348	On 1/16/2018, a SPRWS employee was driving a pickup truck north on Hiawatha Ave. in the far east lane. Driver 2, also in a pickup truck, was traveling north on Hiawatha Ave. in one of two lanes to the west of SPRWS. Driver 3 was behind Driver 2. The SPRWS truck hit an icy patch in the road and spun out westbound, crossing three lanes, bouncing off a concrete wall, hitting the right side of Driver 1's truck along the way. Driver 3 then hit the right side of the rear end and side doors of Driver 2's truck with the front corner of Driver 3's car. Police reports indicate SPRWS driver was at fault, and SPRWS recommends settlement of the claim for Driver 2.	\$21,058.31

CLAIMS REPORT
January - December 2018

C-180050	State Farm Insurance Company, PO Box 106172, Atlanta, GA 30348	On 1/16/2018, a SPRWS employee was driving a pickup truck north on Hiawatha Ave. in the far east lane. Driver 2, also in a pickup truck, was traveling north on Hiawatha Ave. in one of two lanes to the west of SPRWS. Driver 3 was behind Driver 2. The SPRWS truck hit an icy patch in the road and spun out westbound, crossing three lanes, bouncing off a concrete wall, hitting the right side of Driver 1's truck along the way. Driver 3 then hit the right side of the rear end and side doors of Driver 2's truck with the front corner of Driver 3's car. Police reports indicate SPRWS driver was at fault, and SPRWS recommends settlement of the claim for Driver 3.	\$7,579.21
C-180089	David A. Berg, 491 Belvedere, St. Paul, MN 55017	On 2/6/2018, a SPRWS driver in a truck was westbound on Lawson Ave. with the claimant behind that truck in their vehicle. When the SPRWS turned around in the middle of Lawson Ave., the truck backed into the claimant's driver side door, hitting it with the trailer hitch which extends beyond the truck's back bumper. SPRWS recommends resolution satisfactory to SPRWS.	\$2,906.25
C-180154	Country Financial, Attn. Katherine Owen, PO Box 2100, Bloomington, MN 61702	On 1/4/2018, a SPRWS employee was driving a pickup truck north on HWY. 52 behind claimants vehicle. SPRWS driver's foot clipped off brake and the truck hit the claimant's vehicle. SPRWS recommends resolution satisfactory to SPRWS.	\$2,409.82
C-180216	The American Dream Builders, Inc. D/B/A Christine Liquors. Attn. Michael Vander Heyden, 694 Winslow, St. Paul, MN 55107	On 1/16/2018, SPRWS received a report of water coming in through the basement of Christine Liquors. SPRWS leak detection determined the leak originated from the water service at 111 Cesar Chavez St. (the address of Christine Liquors). On 3/1/2018, Vito Mechanical, Inc. repaired the water service line and no leak was found. On 3/3/2018, SPRWS found two old services on a Winifred water main to be leaking, which were the cause of the leak at 111 Cesar Chavez. SPRWS cut off those services about 30 feet west of 111 Cesar Chavez. SPRWS recommends payment.	\$3,600.00


CLAIMS REPORT
January - December 2018

C-180247	Illinois Farmer's Insurance Company, Attn: Tonya Deboer, PO Box 268992, Oklahoma City, OK 73126	On 6/11/2018, SPRWS replaced water main on Suburban Ave. between Burns Ave. and Ruth St., closing part of the street with a detour for westbound traffic and keeping one lane open for east bound traffic. SPRWS reports that the SPRWS skid steer was hit by the claimant's driver's side front tire. SPRWS denied the claim based on their report that the claimant hit the skid steer when driving faster than the 20 MPH speed limit SPRWS had posted in the construction area. Insurance company claim states that the claimant was in a parking lot when the SPRWS skid steer rotated and struck the claimant's vehicle.	\$3,625.04
C-180253	Century Link PO Box 27070, Attn. Accounts Payable, Minneapolis, MN 55427	On 6/12/2018, SPRWS was replacing water main on Suburban Ave. between Burns Ave. and Ruth St. near the driveway of 1930 Suburban Ave., SPRWS hit a Century Link cable. SPRWS recommends payment.	\$1,118.06
C-180255	Stephanie H Horton	On 6/14/18 a lawn sprinkler from SPRWS storage facilities located next door to 2106 Cottage Ave was left on causing damage to the home.	\$1,622.18
C-180267	American Blue Ribbon Holdings, LLC., OBO Baker's Square Restaurant., Attn. Finance Dept. 3038 Sidco Drive, Nashville, TN 37204	On 8/22/2018, sewage backed up into Baker's Square, who then hired ROTO-ROOTER to make repairs. The excavation revealed damage to the sewer line, which claimant states was due to work performed by a SPRWS hired construction firm doing pipe bursting on Ford Parkway a year prior. Claim is for repairs and service calls and lost income for the days the business was closed.	\$35,852.20
C-180270	Meyer Companies, Inc. DBA Pete's Water & Sewer. 8601-73rd Ave. N, Suite 21, Brooklyn Park, MN 55428	On 6/6/2018, owner's of 1166 S. Robert St. hired Pete's Water & Sewer to install a new 6-inch auto fire service into the building. However, in replacing water main at that location in 2015, SPRWS had replaced a 3-inch cast iron pipe with a 6-inch ductile iron pipe, which then reduced to 3-inch in the ROW for the domestic water supply. The 6-inch stub put in by SPRWS did not extend to the private property line, causing Pete's Water & Sewer to have to excavate the sidewalk to access the stub. SPRWS recommends payment.	\$2,758.41

CLAIMS REPORT
January - December 2018

C-180291	ASAP Underground, LLC. 2355 Fairview Ave. Suite 371, Roseville, MN 55113	On 10/03/2018, ASAP Underground LLC discovered that a sewer line at 1378 Lincoln Ave. that they had been hired by Mary Callendar to repair had been damaged by a SPRWS 1-inch water service line that was installed through the sanitary sewer line. SPRWS had done a lead replacement in the ROW at that location on 6/22/1999. SPRWS recommends payment.	\$7,950.00
No claim number.	City of Mendota Heights, 1101 Victoria Curve, Mendota Heights, MN 55118	On 8/22/2016, repairs to a damaged street light began. The street light was damaged by SPRWS during a previous installation of a fire hydrant at 1355 Mendota Heights Rd. No claim was filed. The payment was charged to 2018 settlements after SPRWS determined SPRWS was at fault.	\$7,052.58
No claim number.	Penn Contracting, Inc. 13025 Central Ave NE, Blaine, MN 55434	Court judgement dated 8/9/2018 for Notice and Application for Taxation of Costs and Disbursement incurred for Court File No. 62-CV-17-7020	\$12,908.08
		Total	\$310,228.90

Damage Claims 2008 - 2018



Claim Summary January - December 2018

