



# BUILDING PERMIT

PERMIT#: 20 18 087007  
Issued Date: July 25, 2018

**CITY OF SAINT PAUL**  
Department of Safety & Inspections  
375 Jackson Street, Suite 220  
Saint Paul, MN 55101- 1806  
www.stpaul.gov/dsi  
Phone: 651- 266- 8989  
Fax: 651- 266- 9124

**CONTRACTOR:****OWNER:**

HISTORIC SAINT PAUL CORPORATION  
75 5TH ST W STE 400  
ST PAUL MN 55102- 1431

HISTORIC SAINT PAUL CORPORATION  
75 5TH ST W STE 400  
ST PAUL MN 55102- 1431

**PERMIT ADDRESS:**

412 GOODRICH AVE  
ST PAUL MN 55102- 2909

Inspector: Jim S.

Phone: 651- 266- 9046

Schedule Inspection:

7:30- 9:00 AM Monday - Friday

SUB TYPE: Single Family Dwelling

WORK TYPE: Remodel

**DECONSTRUCT PORTION OF REAR OF BUILDING**

Contractor Name	Historic Saint Paul Corporation	Application Method	Walk-in
Date Received	Jul 17, 2018	# of Existing Dwelling Units	1
	Category 3	Final # of Dwelling Units	1
	Single Family Dwelling	Proposed Primary Use (Single Family)	R- Single Family Dwelling
	Minor Structural Work	State Valuation	\$1,000.00
	Interior Demo Only	Interior/Exterior?	Both Int. and Ext.
	1	Exterior Repair Work (R)	Other- See Comments
	Interior Demo per attached scope of work	Primary Construction Type	V- B
		Plan Number	None

DSI  
375 JACKSON ST STE 220  
SAINT PAUL, MN. 55101-1806  
651-266-8813

**Sale**

XXXXXXXXXXXX6114  
VISA

Entry Method: Chip

Amount: \$ 51.70

Tax: \$ 0.00

Total: \$ 51.70

07/25/18

09:25:48

Inv #: 000000001

Appr Code: 094518

Apprvd: Online

CAPITAL ONE VISA

AID: A0000000031010

TVR: 00 00 00 00 00

TS1: F8 00

Customer Copy  
THANK YOU!

**FEEES**

Permit Fee 51.20

Surcharge B 0.50

**TOTAL \$51.70**

DECONSTRUCT REAR PORTION OF STRUCTURE. SEE ATTACHED DOCUMENT FOR APPROVED  
Smoke Alarms are required in all sleeping rooms and outside of each sleeping area in the  
dwelling. In multi-story or multi-level homes, a smoke alarm is required on each story and in  
all sleeping rooms. Smoke alarms to be inter-connected and hard wired as per new dwellings unless the  
alterations or repairs do not result in the removal of the interior wall or ceiling or unless there is a crawlspace, attic or basement available which could provide access for  
the removal of interior finishes. Exception2: Work on the exterior which does not require  
interior access. Note, however, that the St. Paul Legislative Code requires at least one (1) "hard-  
wired" bedroom must have electrical outlets with Arc-Fault Circuit Interrupter Protection

SE  
DE  
im  
ba  
ex  
ce  
ha  
re  
wi  
de  
(A)