



DSI RECEIPT

CITY OF SAINT PAUL
Department of Safety and Inspections
375 Jackson Street Suite 220
Saint Paul, Minnesota 55101-1806
Phone: (651) 266-8989 Fax: (651) 266-9124
www.stpaul.gov/dsi

Date: 05/30/2019

Received From: BIG RIVER PIZZA INC
307 SIDNEY ST W ST PAUL MN 55107

Description:

Invoice Details

1055546

Noise Variance

Invoice Amount

\$172.00

Amount Paid

\$172.00

TOTAL AMOUNT PAID:

\$172.00

Paid By:

Payment Type	Check #	Received Date	Amount
Check	4813	05/30/2019	\$172.00



CITY OF SAINT PAUL

Business Licensing
375 Jackson Street, Suite 220
Saint Paul, Minnesota 55101-1806

Telephone: 651-2668989
Facsimile: 651-266-9124
Web: www.stpaul.gov/dsi

Sound Level Variance Application

Legislative Code Chapter 293. - Noise Regulations

Application and \$172 fee payment should be submitted a minimum of sixty (60) days prior to the scheduled event start date. A public notification period is required prior to scheduling the application's Public Hearing before the Saint Paul City Council. Applications received fewer than sixty (60) days prior to the event may not satisfy the ordinance's processing timelines for placement on the Council's agenda.

1. Organization/person seeking variance: Big River Pizza, Steve Lott (owner)
2. Event Name: Big River Summer Concert Series
3. Address and physical description of noise source location (Event, Worksite):
P.A. System Located @ BHP 280 Stn Street (between 1st & 2nd St)
4. Responsible person: Steve Lott Title: Owner
5. Telephone: 651-683 2186 E-Mail: bigriverrestaurant@gmail.com
6. Date(s) variance requested: 6-28-19, 8-3-19, 8-16-19, & 9-13-19
7. Noise source - Time(s) of operation: 10pm - 10pm
- Time(s) of pre-event sound check: 3pm
8. Sound level requested (dBA/Decibels): 100 db 90 db @ 50ft ft
9. Mailing address w/zip code: 307 Sibley St W St Paul, MN 55107
10. Briefly describe the noise source and equipment involved: We are using a professional P.A. Sound System for outdoor Live Music Use only
11. Describe the steps that will be taken to minimize the noise levels: We will be monitoring sound levels through out Sound Check
12. State reason for seeking variance (example - music, announcements, construction, etc.):
Live Music
13. A site diagram & map must be attached showing location of noise source(s), streets, stages, tents, etc. (If there will be amplified sound, indicate location and direction that all speakers will be facing).

Multiple locations may require more than one application.

14. Submit completed application, site diagram/map, and \$172.00 fee to:

CITY OF SAINT PAUL
DEPARTMENT OF SAFETY AND INSPECTIONS
375 JACKSON STREET, SUITE 220
SAINT PAUL, MN 55101-1806

RECEIVED IN D.S.I.

MAY 30 2019

Signature of responsible person: _____

Steve Lott

Date: _____

5-29-19

AA-ADA-EEO Employer



