DEPARTMENT OF SAFETY AND INSPECTIONS
Ricardo X. Cervantes, Director

CITY OF SAINT PAUL

375 Jackson Street, Suite 220
Saint Paul, Minnesota 55101-1806

Telephone: *651-266-8989*
Facsimile: *651-266-9124*
Web: *www.stpaul.gov/dsi*

August 20, 2019

Jennifer Williams
Anderson Race Management
4047 Camberwell Drive N
Eagan MN 55123

Dear Ms. Williams:

This is to confirm that our office has received your Running Home for Jacob application for a variance from the city's noise ordinance and that it is being processed. The Department of Safety and Inspections will be recommending that a variance be issued to you with conditions.

A public hearing on your request for a variance has been scheduled for **Wednesday, September 4, 2019, at 3:30 p.m.**, Third Floor, City Council Chambers, at the Saint Paul City Hall/Ramsey County Courthouse, 15 Kellogg Boulevard W., Saint Paul, Minnesota.

You may wish to be present at this hearing to answer any questions that the City Council might have. After the public hearing, the Council may grant, deny, or modify the variance request.
If you have any questions, please contact:

Barb McMonigal-St.Dennis, Environmental Health Specialist
651-266-9137
barb.mcmonigal-st.dennis@ci.stpaul.mn.us

Enclosure

DEPARTMENT OF SAFETY AND INSPECTIONS
Ricardo X. Cervantes, Director

CITY OF SAINT PAUL

375 Jackson Street, Suite 220
Saint Paul, Minnesota 55101-1806

Telephone: *651-266-8989*
Facsimile: *651-266-9124*
Web: *www.stpaul.gov/dsi*

August 20, 2019

Jennifer Williams
Anderson Race Management
4047 Camberwell Drive N
Eagan MN 55123

Dear Ms. Williams:

This is to confirm that our office has received your Running Home for Jacob application for a variance from the city's noise ordinance and that it is being processed. The Department of Safety and Inspections will be recommending that a variance be issued to you with conditions.

A public hearing on your request for a variance has been scheduled for **Wednesday, September 4, 2019, at 3:30 p.m.**, Third Floor, City Council Chambers, at the Saint Paul City Hall/Ramsey County Courthouse, 15 Kellogg Boulevard W., Saint Paul, Minnesota.

You may wish to be present at this hearing to answer any questions that the City Council might have. After the public hearing, the Council may grant, deny, or modify the variance request.
If you have any questions, please contact:

Barb McMonigal-St.Dennis, Environmental Health Specialist
651-266-9137
barb.mcmonigal-st.dennis@ci.stpaul.mn.us

Enclosure