



# DSI RECEIPT

CITY OF SAINT PAUL  
Department of Safety and Inspections  
375 Jackson Street Suite 220  
Saint Paul, Minnesota 55101-1806  
Phone: (651) 266-8989 Fax: (651) 266-9124  
www.stpaul.gov/dsi

Date: 01/22/2020

Received From: PLANNED PARENTHOOD OF MN, NO DAK, SO DAK  
671 VANDALIA ST ST PAUL MN 55114

Description:

Invoice Details

1077100

Noise Variance

Invoice Amount

\$172.00

Amount Paid

\$172.00

**TOTAL AMOUNT PAID:**

**\$172.00**

Paid By:

Payment Type	Check #	Received Date	Amount
Check	164516	01/22/2020	\$172.00

RECEIVED IN D.S.I.

DEPARTMENT OF SAFETY AND INSPECTIONS  
Ricardo X. Cervantes, Director

JAN 13 2020



CITY OF SAINT PAUL

Business Licensing  
375 Jackson Street, Suite 220  
Saint Paul, Minnesota 55101-1806

Telephone: 651-2668989  
Facsimile: 651-266-9124  
Web: www.stpaul.gov/dsi

### Sound Level Variance Application Legislative Code Chapter 293. - Noise Regulations

Application and \$172 fee payment should be submitted a minimum of sixty (60) days prior to the scheduled event start date. A public notification period is required prior to scheduling the application's Public Hearing before the Saint Paul City Council. Applications received fewer than sixty (60) days prior to the event may not satisfy the ordinance's processing timelines for placement on the Council's agenda.

1. Organization/person seeking variance: Planned Parenthood MN, ND, SD
2. Event Name: Solidarity Day 2020
3. Address and physical description of noise source location (Event, Worksite): 671 Vandavia Street. We will be playing music and making announcements on Charles Ave.
4. Responsible person: Chrissy Anderson Title: Regional Sr. Dir. of operations
5. Telephone: 651-796-8798 E-Mail: canderson@ppnacs.org
6. Date(s) variance requested: Friday April 10th 2020
7. Noise source - Time(s) of operation: 10:00 am - 3:00 pm  
- Time(s) of pre-event sound check: 9:00 am
8. Sound level requested (dBA/Decibels): 85 dB
9. Mailing address w/zip code: 671 Vandavia Street St. Paul MN 55114
10. Briefly describe the noise source and equipment involved: We will have a small sound system for music and announcements
11. Describe the steps that will be taken to minimize the noise levels: We will have a decibel reader on site and will monitor sound levels throughout the event
12. State reason for seeking variance (example - music, announcements, construction, etc.): We will be playing music and making announcements.
13. A site diagram & map must be attached showing location of noise source(s), streets, stages, tents, etc. (If there will be amplified sound, indicate location and direction that all speakers will be facing).  
Multiple locations may require more than one application.
14. Submit completed application, site diagram/map, and \$172.00 fee to:

CITY OF SAINT PAUL  
DEPARTMENT OF SAFETY AND INSPECTIONS  
375 JACKSON STREET, SUITE 220  
SAINT PAUL, MN 55101-1806

Signature of responsible person: [Handwritten Signature]

Date: 1-9-20

AA-ADA-EEO Employer

Speakers

Planned Parenthood Parade Area

STAGE

Buffer Zone

Charles

PLAM/Other Parade Area

P  
i  
l  
l  
s  
b  
u  
r  
y

P  
P  
M  
N  
S

Planned  
Parenthood of  
MN, ND, SD  
Parking Ramp


Planned Parenthood of MN, ND, SD  
671 Vandalia Street  
Building

P  
L  
A  
M

P  
u  
b  
l  
i  
c

PPMNS will  
allow 2  
sidewalk  
counselors

PPMNS will  
have 2  
Security  
Volunteers



V  
a  
n  
d  
a  
l  
i  
a

P  
u  
b  
l  
i  
c

P  
u  
b  
l  
i  
c