

## Vang, Mai (CI-StPaul)

---

**From:** Weinhandl, Marie (CI-StPaul)  
**Sent:** Wednesday, March 11, 2020 2:38 PM  
**To:** Vang, Mai (CI-StPaul)  
**Subject:** RE: 1860 Hawthorne Ave E  
**Attachments:** 1860.xlsx

Here is the history of usage. Yes he has been shut off in August and just this month on the 4<sup>th</sup>. We turned him back on 3/9 and gave him until 3/13 to pay at least 123.00. He owes 279.05.



Marie Weinhandl  
*Customer Service/Billing  
Supervisor*

1900 Rice Street  
Saint Paul, MN 55113  
Ph: 651-266-6351  
Fax: 651-266-1657  
[marie.weinhandl@ci.stpaul.mn.us](mailto:marie.weinhandl@ci.stpaul.mn.us)

---

**From:** Vang, Mai (CI-StPaul)  
**Sent:** Wednesday, March 11, 2020 1:19 PM  
**To:** Ludden, Dolly (CI-StPaul) <dolly.ludden@ci.stpaul.mn.us>; Olson, Derek (CI-StPaul) <derek.olson@ci.stpaul.mn.us>; Schneider, Steve (CI-StPaul) <steve.schneider@ci.stpaul.mn.us>; Shea, Patrick (CI-StPaul) <Patrick.Shea@ci.stpaul.mn.us>; Weinhandl, Marie (CI-StPaul) <marie.weinhandl@ci.stpaul.mn.us>  
**Subject:** 1860 Hawthorne Ave E

Can one of you check to see what is the water usage at this property. Looks like there have been couple water shut off 2x.



Mai X. Vang  
*Legislative Hearing Coordinator*  
Saint Paul City Council  
15 W Kellogg Bvd, Ste. 310  
Saint Paul, MN 55102  
P: 651-266-8563  
F: 651-266-8574  
[mai.vang@ci.stpaul.mn.us](mailto:mai.vang@ci.stpaul.mn.us)

Making Saint Paul the Most Livable City in America

Created D 3/11/2020 2:34:39 PM  
 Customer 004819  
 Account N 0225141  
 Service Ac 1860 HAWTHORNE AVE E  
 Mailing Address:  
 MARK THOMPSON  
 1860 HAWTHORNE AVE E  
 SAINT PAUL MN 55119-4527

Service	Read Date	Meter	Read Type	Read Status	Previous Reading	Current Reading	Days	Consumption	Average	Bill Date
Water	12/16/2019	91134839	Water	Actual Read	50.00	72.00	95	22.00	0.23	12/20/2019
Water	9/12/2019	91134839	Water	Actual Read	28.00	50.00	90	22.00	0.24	9/23/2019
Water	6/14/2019	91134839	Water	Actual Read	12.00	28.00	92	16.00	0.17	6/21/2019
Water	3/14/2019	91134839	Water	Actual Read	4.00	12.00	91	8.00	0.09	3/21/2019
Water	12/13/2018	91134839	Water	Actual Read	0.00	4.00	42	4.00	0.10	12/21/2018
Water	11/1/2018	91134839	Water	Actual Read	433.00	435.00	48	2.00	0.04	12/21/2018
Water	9/14/2018	91134839	Water	In-House Estimate	407.00	433.00	92	26.00	0.28	9/24/2018
Water	6/14/2018	91134839	Water	Actual Read	386.00	407.00	92	21.00	0.23	6/21/2018
Water	3/14/2018	91134839	Water	Actual Read	371.00	386.00	90	15.00	0.17	3/21/2018
Water	12/14/2017	91134839	Water	Actual Read	357.00	371.00	90	14.00	0.16	12/21/2017
Water	9/15/2017	91134839	Water	Actual Read	331.00	357.00	93	26.00	0.28	9/22/2017
Water	6/14/2017	91134839	Water	Actual Read	304.00	331.00	91	27.00	0.30	6/21/2017
Water	3/15/2017	91134839	Water	Actual Read	281.00	304.00	90	23.00	0.26	3/21/2017
Water	12/15/2016	91134839	Water	Actual Read	259.00	281.00	92	22.00	0.24	12/21/2016
Water	9/14/2016	91134839	Water	Actual Read	235.00	259.00	92	24.00	0.26	9/22/2016
Water	6/14/2016	91134839	Water	Actual Read	222.00	235.00	92	13.00	0.14	6/21/2016
Water	3/14/2016	91134839	Water	Actual Read	207.00	222.00	95	15.00	0.16	3/21/2016
Water	12/10/2015	91134839	Water	Actual Read	195.00	207.00	87	12.00	0.14	12/22/2015
Water	9/14/2015	91134839	Water	Actual Read	183.00	195.00	91	12.00	0.13	9/22/2015
Water	6/15/2015	91134839	Water	Actual Read	175.00	183.00	95	8.00	0.08	6/19/2015
Water	3/12/2015	91134839	Water	Actual Read	166.00	175.00	87	9.00	0.10	3/20/2015
Water	12/15/2014	91134839	Water	Actual Read	159.00	166.00	94	7.00	0.07	12/22/2014
Water	9/12/2014	91134839	Water	Actual Read	147.00	159.00	92	12.00	0.13	9/22/2014
Water	6/12/2014	91134839	Water	Actual Read	137.00	147.00	91	10.00	0.11	6/20/2014
Water	3/13/2014	91134839	Water	Actual Read	126.00	137.00	90	11.00	0.12	3/21/2014
Water	12/13/2013	91134839	Water	Actual Read	118.00	126.00	88	8.00	0.09	12/20/2013
Water	9/16/2013	91134839	Water	Actual Read	100.00	118.00	95	18.00	0.19	9/23/2013
Water	6/13/2013	91134839	Water	Actual Read	89.00	100.00	91	11.00	0.12	6/21/2013
Water	3/14/2013	91134839	Water	Actual Read	75.00	89.00	90	14.00	0.16	3/21/2013
Water	12/14/2012	91134839	Water	Actual Read	56.00	75.00	92	19.00	0.21	12/21/2012
Water	9/13/2012	91134839	Water	Actual Read	40.00	56.00	92	16.00	0.17	9/24/2012
Water	6/13/2012	91134839	Water	Actual Read	20.00	40.00	92	20.00	0.22	6/21/2012
Water	3/13/2012	91134839	Water	Actual Read	0.00	20.00	84	20.00	0.24	3/21/2012
Water	12/20/2011	32187129	Water	Actual Read	994.00	1025.00	11	31.00	2.82	3/21/2012
Water	12/9/2011	32187129	Water	In-House Estimate	978.00	994.00	86	16.00	0.19	12/21/2011
Water	9/14/2011	32187129	Water	In-House Estimate	958.00	978.00	91	20.00	0.22	9/22/2011
Water	6/15/2011	32187129	Water	In-House Estimate	943.00	958.00	90	15.00	0.17	6/21/2011
Water	3/17/2011	32187129	Water	In-House Estimate	924.00	943.00	93	19.00	0.20	3/21/2011
Water	12/14/2010	32187129	Water	Actual Read	907.00	924.00	91	17.00	0.19	12/22/2010
Water	9/14/2010	32187129	Water	Actual Read	887.00	907.00	92	20.00	0.22	9/22/2010
Water	6/14/2010	32187129	Water	Actual Read	871.00	887.00	98	16.00	0.16	6/23/2010

Water	3/8/2010	32187129	Water	Actual Read	854.00	871.00	84	17.00	0.20	3/15/2010
Water	12/14/2009	32187129	Water	Actual Read	832.00	854.00	91	22.00	0.24	12/22/2009
Water	9/14/2009	32187129	Water	Actual Read	810.00	832.00	90	22.00	0.24	
Water	6/16/2009	32187129	Water	In-House Estimate	783.00	810.00	96	27.00	0.28	
Water	3/12/2009	32187129	Water	In-House Estimate	769.00	783.00	87	14.00	0.16	
Water	12/15/2008	32187129	Water	In-House Estimate	746.00	756.00	89	10.00	0.11	
Water	9/17/2008	32187129	Water	In-House Estimate	723.00	746.00	99	23.00	0.23	
Water	6/10/2008	32187129	Water	In-House Estimate	707.00	723.00	89	16.00	0.18	
Water	3/13/2008	32187129	Water	Actual Read	692.00	707.00	90	15.00	0.17	
Water	12/14/2007	32187129	Water	Actual Read	681.00	692.00	91	11.00	0.12	
Water	9/14/2007	32187129	Water	Actual Read	660.00	681.00	87	21.00	0.24	
Water	6/19/2007	32187129	Water	Actual Read	643.00	660.00	92	17.00	0.18	
Water	3/19/2007	32187129	Water	Actual Read	622.00	643.00	94	21.00	0.22	
Water	12/15/2006	32187129	Water	Actual Read	601.00	622.00	94	21.00	0.22	
Water	9/12/2006	32187129	Water	Actual Read	513.00	601.00	95	88.00	0.93	
Water	6/9/2006	32187129	Water	Actual Read	497.00	513.00	92	16.00	0.17	
Water	3/9/2006	32187129	Water	Actual Read	476.00	497.00	86	21.00	0.24	
Water	12/13/2005	32187129	Water	Actual Read	438.00	476.00	89	38.00	0.43	
Water	9/15/2005	32187129	Water	In-House Estimate	408.00	438.00	97	30.00	0.31	
Water	6/10/2005	32187129	Water	Actual Read	379.00	408.00	98	29.00	0.30	
Water	3/4/2005	32187129	Water	Actual Read	357.00	379.00	81	22.00	0.27	
Water	12/13/2004	32187129	Water	Actual Read	336.00	357.00	90	21.00	0.23	
Water	9/14/2004	32187129	Water	Actual Read	262.00	336.00	98	74.00	0.76	