



CITY OF SAINT PAUL

375 Jackson Street, Suite 220
St Paul, Minnesota 55101-1806

Telephone: 651-266-8989
Facsimile: 651-266-9124
Web: www.stpaul.gov/dsi

345

October 22, 2019

Sandra M Nute Nelson
2085 Lacrosse Ave
St Paul MN 55119-3349

Dear Sandra M Nute Nelson and others, if listed:

On October 21, 2019, this department conducted an inspection of your property at **2085 LACROSSE AVE** and because **you were not compliant with a previous order**.

Deficiency: "DARK/DIRTY STAGNANT WATER REMAINS IN POOL IN REAR YARD."

YOU ARE BEING BILLED \$122.00 for the cost of this inspection. This is in accordance with Chapter 34.24 of the Saint Paul Legislative Code. Payment is due upon receipt of this letter. Make your check payable to the "City of Saint Paul" and mail your payment to:

Department of Safety and Inspections, Code Enforcement
Excessive Consumption Unit
375 Jackson Street, Suite 220
St. Paul, MN 55101-1806

If you do not pay within 30 days, the amount of this bill, *plus administrative costs*, will be assessed to your property taxes.

NOTICE

Your property is scheduled for a REINSPECTION on **November 5, 2019**.

WARNING

IF YOU DO NOT HAVE THE VIOLATION(S) CORRECTED BY THE NEXT INSPECTION DATE, November 5, 2019, YOU WILL BE BILLED AN ADDITIONAL \$120.00. CALL THE INSPECTOR IF YOU HAVE ANY QUESTIONS: Stephan Suon, 651-331-8273

Stephan Suon
Code Enforcement Inspector

