

CITY OF SAINT PAUL

Business Licensing 375 Jackson Street, Suite 220 Saint Paul, Minnesota 55101-1806 Web: www.stpaul.gov/dsi

Telephone: 651-266-8989 Facsimile: 651-266-9124

Sound Level Variance Application Legislative Code Chapter 293. - Noise Regulations

Application and \$175 fee payment should be submitted a minimum of sixty (60) days prior to the scheduled event start date. A public notification period is required prior to scheduling the application's Public Hearing before the Saint Paul City Council. Applications received fewer than sixty (60) days prior to the event may not satisfy the ordinance's processing timelines for placement on the Council's agenda.

- 1. Organization/person seeking variance: Granite Inliner, LLC.
- 2. Event Name: City Wide Sewer Lining
- 3. Address and physical description of noise source location (Event, Worksite): On Portland Ave between Hamline and Syndicate (Plan Sheet 19)
- 4. Responsible person: Daniel Banken Title: Area Manager
- 5. Telephone: 651-347-4850 *E-Mail:* daniel.banken@gcinc.com
- 6. Date(s) variance requested: Sewer work will occur between 09/08/2020 and 10/09/2020
 - Sewer lining requires two operations. First the sewers are cleaned and inspected and then the sewers are rehabilitated by installing a cured in place pipe inside of the existing sewer.
 - Granite Inliner will spend a total of 3 nights performing cleaning and lining operations.
 - Night work is specified to minimize the impacts associates with construction activity to businesses, • property owners, residents, pedestrians, and vehicular traffic.
 - It will take 3 days to clean the sewer and 3 nights to install the liners.
 - In general, sewer lining will occur within 4 weeks after sewers are cleaned.
 - Sewer rehabilitation work will progress as follows:
 - Night work will begin at 6:00 pm and end by 7:00 am the following day
 - o Sewer cleaning and inspection will occur during daytime hours. Sewer cleaning is done under live flow conditions, so sewer use is not impacted.
 - o Sewer lining will occur over 3 consecutive night shifts. During the sewer lining process, properties can't use water or they risk a sewer back up.
 - If the sound variance is approved, Granite will notify affected property owners with 300 FT of the work location a minimum of 48 hour in advance of commencing work.
- 7. Noise source Time(s) of operation: Construction work associated with nighttime cleaning and lining of sewers

- Time(s) of pre-event sound check: No pre-event sound check will be done

- 8. Sound level requested (dBA/Decibels): 80 decibels (dba) @ fifty (50) feet during construction activities
- 9. Mailing address w/zip code: <u>16028 Forest Blvd N, #353 Hugo, MN 55038</u>
- 10. Briefly describe the noise source and equipment involved: Noise will be caused by personnel and heavy trucks used in sewer lining operations. Construction equipment will include trucks, heavy equipment, pumps, boiler units, and handheld power units.

- 11. Describe the steps that will be taken to minimize the noise levels: <u>Site set up will occur between 6:00 pm</u> and 10:00 pm. Construction activities will be scheduled to minimize noise as much as possible in the late night and early morning hours.
- 12. State reason for seeking variance (example music, announcements, construction, etc.): <u>Night work is</u> <u>specified to minimize impacts associated with construction activity to businesses, property owners,</u> <u>residents, pedestrians, and vehicular traffic.</u>
- 13. A site diagram & map must be attached showing location of noise source(s), streets, stages, tents, etc. (If

there will be amplified sound, indicate location and direction that all speakers will be facing).

Multiple locations may require more than one application.

14. Submit completed application, site diagram/map, and \$175.00 fee to:

CITY OF SAINT PAUL DEPARTMENT OF SAFETY AND INSPECTIONS 375 JACKSON STREET, SUITE 220 SAINT PAUL, MN 55101-1806

Signature of responsible person:

Date: 5/19/2020

AA-ADA-EEO Employer

February 2020

				 		┬ — — - 	T — — — I I		 				T — — — 		┯ — 	T — — — 		┯ — — - 	T — — — 				
	Note			+ — — — 		+	+ — — — — — — —		+	+ — — — — — — —		+ 	 		 								
		HEAVY CLEANING SNP-310208 REQUIRES: HEAVY CLEANING									 	 +	' 	 +	 +	 	 +	 +	 	 	 		
 _240 		SNP-328697 AND SNP-310208 TO BE LINED ON SEPARATE NIGHTS TO LIMIT OUTAGE TIME.								SNM	111894	 	 	 +	 	SNM-:	1 11776	 +	 	 	 		
		I TWO PORT A POTTY'S TO BE DELIVERED FOR I TWO PORT A POTTY'S TO BE DELIVERED FOR I RESIDENTS. ONE ON EACH SIDE OF THE STREET.								 	 	 	 	 <u> </u>	 <u> </u>	 		↓ ↓ ↓			 	SNM-	
230 	;∟	 	 +	 		 	 † — — —	┌───┘ │ │ │──── †	 +		¦ ↓ ·	' — — -	SNI	P-328697	 	' † — — —	 	' — — -	 +	SNP-31	0208 	·	
 225 -	 +		 	 		 	 	 	 		_ z			 	 ////	 	 /_/_///	 /////		 	 	1444	174
220						 <u> </u>	 		 	225.0		 <u> </u>	 <u> </u>	 	 <u> </u>	slope	= 0.1	47% 			 	·	
			 +	 		 +	 +	 +	 		 	 	 +	 	 +	 +	 	 +	 +	 	 		
210												 	 	 	 	 	 	 					
							PORTL	AND AVE.		HAMLINE AVE	(284.9') #133 A53 661 	7 #133: A706500A	* #1327 A51194 36"/X 30	(138.0') (1 * # 1323 * * * * * * * * * * * * *	AS16299A	(33.2') (33.2') (315 #1311 R111817A (111817A (111817A) (111	(290.7') X #1307	(247.9') (2 * 1305 # 1305 # 6 9 4 9 4 9 4 9 4 9 4 9 4 9 4 9 4 9 4 9	6" X',304.	2') (141.5') X 97 #1293 A64 44 94 A 0 , , , , , , , , , , , , ,	(34.	A57719A	
											40989A #46 (281.9	R186601A #13300 (243.0') (243.0')	X	X	VØ1		(267.2')	30 4 ₩ #1302	(159. (159.			A34081A #1284 \$\$4.1')	
SAINT PAUL CHEC				IV DIDECT C		N AND THAT		VAS PREPARE LY LICENSED MINNESOTA		PREPAR	RED BY TH							T OF PUBLIC W	/ORKS	PROJECT	: 19—S- : 10		STRIP CAD LOCATI
GGGG	ROVED SMO	Signed: Shaum mi. Shout									2019 SEWER LINING												DRAWN

