



 Date:
 July 28, 2020


 File #:
 16 - 081645

 Folder Name:
 857 PAYNE AVE

 PIN:
 292922420190





































































 Date:
 July 28, 2020

 File #:
 16 - 081645

 Folder Name:
 857 PAYNE AVE

 PIN:
 292922420190

















 Date:
 July 28, 2020

 File #:
 16 - 081645

 Folder Name:
 857 PAYNE AVE

 PIN:
 292922420190










 Date:
 July 28, 2020

 File #:
 16 - 081645


 Folder Name:
 857 PAYNE AVE


 PIN:
 292922420190




Date:	July 28, 2020
File #:	16 - 081645
Folder Name:	857 PAYNE AVE
PIN:	292922420190










 Date:
 July 28, 2020

 File #:
 16 - 081645


 Folder Name:
 857 PAYNE AVE

 PIN:
 292922420190















 Date:
 July 28, 2020

 File #:
 16 - 081645

 Folder Name:
 857 PAYNE AVE

 PIN:
 292922420190



To all residents of 859 Payne Ave,

July 19, 202

The City of Saint Paul has schedule an inspection of the property; the details of the inspection are listed below

In order to work with the authorities of Saint Paul, we are going to do a pre-inspection and going through each apartment check smoke detectors, Carbone monoxide <u>detectors</u>, escape routes and windows need to remain <u>unobstructed</u>, not excessive cables plug into the walls, and also appliances need to be clean; specially stoves. Tenants are responsible for keeping the home clean and sanitary and maintaining smoke alarms. Tenants must also allow access to make repairs upon receiving a notice from management of the building.

Schedule:


Monday June 20, 21, 22	Maintenance and pre-inspection of apartments Be sure to provide access to staff assigned by <u>Rico Durán</u>
July 23, starting at 9:15	Fire Department of Saint Paul and authorities will start Building inspection and/or each apartment.


We all can work to maintain this place as HOME; safety, healthy and peaceful environment should be our priority.


Sincerely,


Lagos del Este apartments, Administration (651) 395-4034

Latino Economic Development Center











 Date:
 July 28, 2020

 File #:
 16 - 081645

 Folder Name:
 857 PAYNE AVE

 PIN:
 292922420190




 Date:
 July 28, 2020

 File #:
 16 - 081645

 Folder Name:
 857 PAYNE AVE

 PIN:
 292922420190





 Date:
 July 28, 2020


 File #:
 16 - 081645


 Folder Name:
 857 PAYNE AVE

 PIN:
 292922420190















 Date:
 July 28, 2020

 File #:
 16 - 081645

 Folder Name:
 857 PAYNE AVE

 PIN:
 292922420190



 Date:
 July 28, 2020

 File #:
 16 - 081645

 Folder Name:
 857 PAYNE AVE

 PIN:
 292922420190

"I CAN'T BREATHE"

On May 25, Derek Chauvin, a white Minneapolis Police officer, knelt on George Floyd's neck for over 7 minutes as he called for help. Another officer watched as he died. The Police called his death a "medical incident". This is not a medical incident. This is murder.


BIG DAY


CALL JACOB FREY AND DEMAND ACTION 612-673-2100

DON'T forget


LETTERS: JIME 350 South 5th Street, Room 331 Minneapolis, MN 55415


























































 Date:
 July 28, 2020

 File #:
 16 - 081645

 Folder Name:
 857 PAYNE AVE


 PIN:
 292922420190























 Date:
 July 28, 2020

 File #:
 16 - 081645


 Folder Name:
 857 PAYNE AVE

 PIN:
 292922420190




















 Date:
 July 28, 2020

 File #:
 16 - 081645

 Folder Name:
 857 PAYNE AVE


 PIN:
 292922420190




















This Building Is

CONDEMNED


This Structure is Declared Unsafe or Unfit for Human Occupancy or Use. It is Unlawful for Any Person to Use, Occupy or Permit the Occupancy of This Building After July 24 2020


Address: 857 Payne Ave. Apt. 301 Fire Inspector: E. Franquiz Date: Joly 24, 2020. Code: 34 Art: 23 Sect. ______ Under Penalty of Law, this notice shall not be removed without authorization from the


Department of Safety & Inspections

y person affected by this order to Vacate may file an appeal at the Office of the City Clerk, Room 310 City Hall, 15 Kellogg Blvd. West, hin 10 days of the date of the original notice. The cost to appeal is \$25 and must include a copy of the letter of Condemnation. This letter is available at the Department of Safety & Inspections, Fire Inspection Division, 375 Jackson Street Suite 220, Saint Paul, MN 55101










 Date:
 July 28, 2020

 File #:
 16 - 081645

 Folder Name:
 857 PAYNE AVE


 PIN:
 292922420190




















 Date:
 July 28, 2020

 File #:
 16 - 081645

 Folder Name:
 857 PAYNE AVE

 PIN:
 292922420190





Date:	July 28, 2020
File #:	16 - 081645
Folder Name:	857 PAYNE AVE
PIN:	292922420190



 Date:
 July 28, 2020

 File #:
 16 - 081645

 Folder Name:
 857 PAYNE AVE

 PIN:
 292922420190



 Date:
 July 28, 2020

 File #:
 16 - 081645


 Folder Name:
 857 PAYNE AVE


 PIN:
 292922420190













 Date:
 July 28, 2020

 File #:
 16 - 081645

 Folder Name:
 857 PAYNE AVE

 PIN:
 292922420190





 Date:
 July 28, 2020

 File #:
 16 - 081645

 Folder Name:
 857 PAYNE AVE

 PIN:
 292922420190

CITY OF SAINT PAUL DEPARTMENT OF SAFETY AND INSPECTIONS

375 Jackson Street, suite 220 Saint Paul, MN 55101-1806

The operation of this Water Heater is **PROHIBITED**

For the following violation: <u>Exhaust duct is has come apart at the</u> top allowing exhaust gas to spill into basement area This tag is legal notice to stop operation of this unit until the proper corrections have been made.

Call Fire Inspector or DSI at 266 - 8989 7:30 - 9:00 A.M. for further information. Address 857 Payme Avenue ST. Paul MN Date JULY 24, 2020

DO NOT REMOVE THIS TAG

1) Shu 2) Shu 3) 24 Hi



