### 1629 Hartford Avenue

Before 1629 Hartford Avenue became a Cat 2 Vacant Building, the previous owner, 45 North Investment Properties LLC, applied for a building permit to add a full second story to the home on 8/24/2018. Their plans required BZA approval of two variances. One for maximum building height: the zoning code allows a 22 ft. limit; the plan called for a height of 24.8 ft. The second was for side-yard setback on the west side: code requires a 4 ft. minimum; their plan was for a 3.8 ft. setback (the same setback as the existing house).

An application to the BZA for those variances was made on 11/18/2018. The BZA denied the application on 12/3/2018 (see the attached resolution).

The building permit application was modified to lower the maximum building height to the allowable limit (22 ft.) and to increase the side-yard setback of the second-story addition to the required 4 ft. (see the attached, modified application). The building permit was paid for and issued on 1/2/2019 (see the attached permit).

The check that paid for the building permit, in the amount of \$2,846.58, was returned to DSI for insufficient funds. That was noted in AMANDA on 2/5/2019. Despite several notifications to the contractor and owner, another payment was never issued to DSI. It wasn't until 10/29/2019 that a stopwork order was issued by Jason Brash, a DSI Building Inspector.

Lima One Capital, the mortgage lender, foreclosed on this property on 12/26/2019 (see attached sheriff's sale documents).

On 8/31/2020 an OTA was mailed and the property was placed in Cat 3 status. On 9/3/2020 the status was taken back to Cat 2 because an intended buyer submitted an executed purchase agreement. On 10/28/2020 we were notified that the intended buyer could not produce the required funding and the purchase agreement was canceled. That same day the property was placed back in Cat 3 status. On 11/6/2020 a Notice of Public Hearings was mailed.

On 11/23/2020 Building Inspector Nathan Bruhn, in an email, wrote: "At the time of my code compliance inspection the roof had not changed. It was still at the 24' 8"." (Please see the attached Code Compliance Report, dated 5/7/2020). If that is the case, then either another application must be made to the BZA (if that is even allowable) to grant a height variance or the height of the structure must be reduced to 22 ft. Nathan didn't inform us of whether the side-yard setback requirement was met when the addition was built.

| /. ing Re  | view Workshe            |  |                           |                  |                                       |                      |          |
|--|-------------------------|--|---------------------------|------------------|---------------------------------------|----------------------|----------|
| aress:   | 629 Ha                  | athord we  | ? .                       |                  | A CONTRACTOR                          |                      |          |
| District Cou   | ncil: 15                | Zoning: PA Pro   | posed Use                 | udston           | y on with                             | Munise               |          |
| Date Subr  | nitted: \$ /            | 24/18 Date 0   | Completed: 12             | 118/18           | Revie                                 | wed By:              |          |
| ISSUE SWEETER SECTION SPA  | ANALISMAN ENTEN         | 5 1  | Hotel hist 9/26           | 118 halia        | · · · · · · · · · · · · · · · · · · · | thic 9/26/18         | -        |
|  | mber: 18 - C            | A CONTRACTOR OF THE PARTY OF TH | 11 60                     | Michie           | . Of Long                             | Mas Holaid           |          |
| Notes  | mord have               | mer for hong   | M. OM                     | mas wi           | nowwyn                                | TON YV SIC           | 70       |
| on 2   | of from                 | maybe olso   | m ist fly                 | m (3)            | Softac                                | Long 3               | .8'      |
| Nonconform   | ing Structures          | vith Conforming Uses   | s'(62.105)                | Lie No           | - staurd                              | WILMOWN              | ine      |
| No Additio   | n is on back of bu      | lding or fills in jog on sid   | e of building             | citis No         | -2000                                 |                      | 1 Deal   |
| ND Does n  | ot alter the front fa   | içadə<br>g height greater than 22°   | '-0"                      | e, bus           | ~                                     | Lived their          | vol Jok  |
| Lin Footpri  | nt or addition does     | s not exceed 250 SF<br>if building is not altered  |                           |                  |                                       | liked Tool           | C21600   |
|  |                         |  |                           | District         | 1 10 10 17                            |                      | 13       |
| Principal Str  | ucture: Height (        | 66.231)  |                           | District         | 1-13, 16-17,<br>HPC                   | 14 and 15 (*)        | Svar     |
| Height Max:  | 22'                     |  |                           | R1               | 30'                                   | 28' @ 10' SYSB       |          |
| Proposed He  | eight: 22               | Taga Tagadas   |                           | R2               | 30'                                   | 26' @ 8' SYSB        | Ber      |
| QUEST  |                         | 12 1 WESWA?  | fremery                   | R3<br>R4         | 30'                                   | 24' @ 6' SYSB        | 1        |
| with   | 0.4                     |  |                           | IN4              | 30                                    | 22' @ 4' SYSB        |          |
| (*) In District 14 a   | ind 15, 1' can be add   | ed to every foot away from SY  | /SB. Total max of 35'. (6 | 6.231)(L)        |                                       |                      |          |
| Principal Str  | ucture: Setback         | s (66.231)   |                           |                  |                                       |                      | E .      |
| Setback  | Cardinal                | Required   | Proposed                  |                  |                                       |                      | 1800     |
|  | Direction               | Minimum Setback  | . roposou                 |                  |                                       |                      |          |
| Front  | 5                       |  | 32 no cha                 | mee in           | front                                 |                      |          |
| Side 1   | W                       | 4  | 3.8                       | 0                | 1                                     |                      |          |
| Side 2   | E                       | 4  | 8.8                       |                  |                                       |                      |          |
| Rear   | N                       | 25   | 43'                       |                  |                                       |                      |          |
| 1-10   | (00,000)                |  | *                         |                  |                                       | ,                    | 1. ?     |
| Lot Coverage   | A                       | an FARO  | 0 1 00                    | CANYA            | 270 - 5                               | Amo A                |          |
| Lot Size: Dime   |                         | 0/ = 5,000s  | ws 2 any                  | 140 VO:          | 2001 2 7                              | 700                  | Υ.       |
| Principal Struc  | ture Size: 28.6         | 1488 = 1,30°   | Dhis Zalley               | (malaca          | - 1875                                | -2477                |          |
| Garage/Acces   | sory Structure Siz      | ce: 22.1 × 22.3 = 2.4  | 4931                      | Covons           | 5400                                  | -21-110              | kii.     |
|  |                         | 35% of lot in Districts 1-13, 16   |                           | ngs must not ex  | ceed 40% of lot in D                  | Districts 14 and 15. |          |
| <b>Building Widt</b>   | h (66.233)              |  |                           |                  |                                       |                      |          |
| 31)  | m of 22' x 22'          |  |                           | 2                |                                       |                      |          |
|  |                         |  |                           |                  |                                       |                      | Dans)    |
| Sidewall Artic   | ulation (Applica        | ble in Districts 14 and  | 15, R1-R4, exce           | pt HPC) (66      | .234)                                 | Hick OD              | 1 Le     |
|  | ant on Side 1           | -OBUEM. 2nd f  | lopy: Klasas to,          | Prints IV        | Monny??                               | (10)                 | MI TORRO |
| THE PARTY OF THE P | ant on Side 2 (         | -OE HOS  | chimney 2                 | X570".           | (De minin                             | ms) e                | Ariva    |
| (*) Articulations red  | quired for building fac | es greater than 35'. Articulation  | ons must be a minimum     | of 6' Length and | 1' Width.                             |                      | CA JOHA  |
| (A)  | 151                     | elor rear porch  | r is emalised             | M SIONE          | (S) Show                              | IS NG.               | Borles   |
|  | ZIN                     | floor Wisd   | i was vivis               | ed to in         | set "14" as                           | s orticulation       | •        |
|  |                         | V  |                           |                  |                                       | 15 1/11/19           |          |
|  |                         |  |                           |                  |                                       | 111/10               |          |

| Zoning Review Worksheet  Address: 1629 Hart ford av.  Address: 1629 Hart ford av.   |
|---|
|   |
| District Courier Zormig Troposed ees  |
| Parking - Front Facing Attached Garages (63.501)  |
| Driveway Maximum of 12' width (except 4' wider than garage door within 30' from garage)   |
| Total Maximum Surface Parking 15% of lot area or 1000 SF, whichever is less   |
|   |
| Stormwater/Rainwater Drainage No charge in fratpunt or grading  |
| Parking – Detached Garage (63.501)  |
| Detached garage separated a minimum of 6' from principal structure  |
| Driveway Maximum of 12' width (except 4' wider than garage door within 30' from garage) 63.316  |
| Total Maximum Surface Parking 15% of lot area or 1000 SF, whichever is less   |
| A CONTRACT OF THE CONTRACT OF |
| Detached Garage or Accessory Structures (63.501)  V. Constructed in Rear Yard Wishing 7 con gwyge on all y  Access to Alley   |
| Off Street Parking shall not be in Front Yard   |
| Garages shall be setback from the Front Lot Line at least as far as principal structure   |
| Except in Rear Yard, Garage Doors facing public street shall be no more than 9' high  |
| Except in Rear Yard, Garage Doors shall not exceed 60% of width of principal structure facing same  |
| street  |
| Corner Lots, accessory structure set back from the street a distance equal to principal structure required  |
| setback   |
| Rear Yard adjoining Side or Front Yard, set back from Interior line a distance equal to minimum side  |
| yard of principal structure   |
| yard of principal structure  OK All other lots, set back a minimum of 3' from all interior lines Existing 3.9  OK Garage set 1' from alley existing 6.3   |
|   |
| Overhangs set back at least 1/3 distance of setback of garge wall or 1', whichever is greater   |
| Setback waived when Maintenance Easement Agreement is recorded  |
| Accessory Structure/Garage Lot Coverage (63.501)  |
| Rear Yard Size: 47 × 43 sF = 1720   |
| Garage/Accessory Structure Size: 493 SF 29 % A rear york  |
| Accessory Structure less than 1000 SF   |
|   |

| Address: 1629 Hartford   |                     |                      |
|--|---------------------|----------------------|
| District Council: 16 Zoning: 24 Proposed Use: 2nd  | storm addi          | 4                    |
| And 201 9000 300 20 20 20 20 A   | 3,0                 |                      |
| Design Standards (63.110)  |                     |                      |
| Primary Entrance   |                     |                      |
| Entrance located in front third of principal structure wo  | amor                |                      |
| Delineated with roof overhangs, recessed entry, landscaping  | 8                   |                      |
| Direct pedestrian connection to street   |                     |                      |
| Y Face Improved abutting street  |                     | The second           |
| Located off a front porch, foyer, courtyard Swall por  | ch                  |                      |
| Setback at least 8' from side lot line if door facing side   |                     | A                    |
| Constitution of the second sec |                     |                      |
| In Pedestrian Oriented Commercial District   |                     |                      |
| Built up to public sidewalk  |                     |                      |
| Or new principal structures shall have a maximum front yard se   | etback of 15'       |                      |
| At intersections, hold the corner  |                     | 320                  |
| Primary entrance shall face an abutting public street  |                     |                      |
|  |                     |                      |
| Building Materials and architectural treatments used on sides fa principal façade  | acing public street | should be similar to |
| Visual impact of rooftop equipment shall be reduced  |                     | al                   |
|  |                     |                      |
| Local/National Historic District   |                     |                      |
|  |                     |                      |
| District 14 or 15  |                     |                      |
| City of Saint Paul Historic District   |                     |                      |
| NRHP District  |                     |                      |
| City of Saint Paul River Corridor Overlay  |                     |                      |
| Tree Preservation Overlay  |                     |                      |

| Zoning Review Worksheet  |     |
|--|-----|
| Address: 1620 Hart Cal Address:  | IA. |
| District Council: 15 Zoning: Pt Proposed Use: 2nd Story add N  |     |
| Window Glazing Percentages (63.110) not required for additions 120 SF and less   | >   |
| 15% of total area of building faces on public street (front and side if on contents)  10% of total area of building faces overall  Window glazing measured on all construction greater than 120 SF |     |
| Front: Cardinal Direction: Street Face: Hartfred   |     |
| Wall complicated see attached openings 6 x 3 5 = 4.38 tracing paper.   |     |
| 100 10 P   |     |
| 522.6 x.15 = 79.3 required for column [15.6 %)   |     |
| Side 1 (or Public Face 2): Cardinal Direction: Street-Face:  |     |
| wall no drawing of west House Mon 10 to wind with out Willow Wide No W Dovation of war facado, but Kame without Wide No W Dovation of war one as east facade.  (3) 3 × 3.5 = 31.5 F.               | کار |
| 939,5 \$ 0   |     |
| (7) 3×105 = 7.50<br>37.50  |     |
| Side 2: Cardinal Direction:  |     |
| Wall 42×20.5 = 861 Openings 4.25×3.5 = 4-36 14.88  |     |
| 3 x4.25= 12.75   |     |
| 2.5 × 4.5 3 11.25  |     |
| 12x4x4.25= 8.5<br>2.5 x4.5 = 11.25   |     |
| 939.5  |     |
| 3 x 126 = 3.76   |     |
| 96.11  |     |
| Rear: Cardinal Direction: Openings ( ) 45 2 27 99.1/3  |     |
| Wall also hewed out on attached tracing 3 x 3 = 40   |     |
| Harhal tracina 3 3 = +0  |     |
| 275 x7 = 22.75   |     |
| 594 A 5×6 = 30<br>128.75 A   |     |
| 348.2  |     |
| Wall Total: 3001.6 sf Opening Total: 344.7 sf opening Total: 344.7 sf opening Total: 344.7 sf opening Total: 344.7 sf  |     |

| Zoning R       | eview Worksheet   | 1                  | han a          | 10/0/10          | 4. 1. 7.         | 1 1        |
|----------------|---|--------------------|----------------|------------------|------------------|------------|
| Address:       | 1622 HONTE  | LA AVE -           | Nevision       |                  | -                |            |
| District Co    | ouncil: 15 Zoning:  | Propose            | ed Use: 2Nd    | story addin      |                  | ensed.     |
|                | Blazing Percentages (63.  |                    |                |                  | Don.             | red 18     |
| 15% of total s | rea of building faces on public stre                            | •                  |                |                  | $\cdot$ $\vee l$ | Visi       |
| door affectal  | rea of building faces overalling measured on all construction g | reater than 120 SF |                |                  |                  | N.         |
| Revi           | sed house m   | MAD                | . 6            | Street Face: Haw | thoru            | <u>d</u> . |
| Front:         |   | Cardinal Directio  |                | LEV 15           | 1216             | 0.75       |
| Wall 12        | 15 × 26 = 318.  | S                  | Openings       | 65 1 25          | = 11             | 0.25       |
| 6.             | 25 × 26 = 182   | 15                 | (27)           | 3 x 7            | 2 2              | 1          |
| V2 x 4.        | 25 × 26 2 55  | 25                 | 11.510         | 8 4 4.5          | 2 3              | 6 A        |
| 12×            | looy voof: 541  | .5                 |                |                  | 8                | 9.54       |
| LASS 1517      | × 1.75 = -24  | 1.3                | 6th regimel    | Ě                |                  | 1          |
| 30 0           | Public Face 2):   | Cardinal Direction | n: W           | Street Face:     |                  |            |
|                |   |                    |                |                  |                  |            |
| Wall :         |   |                    |                |                  |                  |            |
|                | No chang<br>939.5 A   | 0000 00            | Nie. wil       | le N             |                  |            |
|                | No chang  | e from an          | 0000           |                  |                  |            |
|                | 020 EA  | ,                  |                |                  |                  |            |
|                | ماعدا المحال  | 15                 |                |                  |                  | ¥          |
|                |   |                    |                |                  |                  | -          |
| Side 2:        |   | Cardinal Direction | 22             |                  |                  | ::         |
| Wall           |   |                    | Openings       |                  |                  | 4          |
|                | No cha  |                    |                |                  |                  | * K        |
|                | No one  | ubo                |                |                  |                  |            |
|                | TAXABLE CONCLUSION  | 0                  |                |                  |                  |            |
|                | 一口工   |                    |                |                  | 4                |            |
|                | 930).5  | *                  | ii.            |                  |                  | 91         |
|                |   |                    |                |                  |                  |            |
| Rear:          |   | Cardinal Direction |                |                  |                  |            |
| Wall           | No chan   | ree                | Openings       |                  |                  |            |
|                |   | 0                  | 1              |                  |                  | j          |
|                | 5944  |                    |                |                  |                  | 120        |
|                | 5944  |                    |                |                  |                  | 640        |
|                |   | 1                  |                |                  |                  |            |
|                |   | 11.9%              |                |                  |                  |            |
|                | 2002  |                    |                | 355.38 SF        |                  |            |
| Wall Total:    | 2990 SF   |                    | Opening Total: | SF               |                  |            |

CITY OF SAINT PAUL Deadline for Action: January 7, 2019

BOARD OF ZONING APPEALS RESOLUTION

**ZONING FILE NUMBER: 18-123560** 

DATE: December 3, 2018

WHEREAS, Suzanne Griffiths - 45 North Investment Properties LLC has applied for a variance from the strict application of the provisions of Section 66.231, 66.231(1) of the Saint Paul Legislative Code pertaining to construction of a second story addition to an existing, one- and a half- story single-family dwelling. For single-family dwellings zoned R4 and located in Planning Districts 15, a maximum building height of 22' at a 4' side yard setback is allowed. The existing side setback for this structure is 3.8' on the west side, which would allow a maximum building height of 22' and the proposed height of the structure will be 24.8', for a variance request of 2.8' for height and a variance request of .2' for the west side yard setback in the R4 zoning district at 1629 Hartford Avenue. PIN: 092823410082; and

WHEREAS, the Saint Paul Board of Zoning Appeals conducted a public hearing on December 3, 2018 pursuant to said application in accordance with the requirements of Section 61.601 of the Legislative Code; and

WHEREAS, the Saint Paul Board of Zoning Appeals based upon evidence presented at the public hearing, as substantially reflected in the minutes, made the following findings of fact:

1. The variance is in harmony with the general purposes and intent of the zoning code.

The applicant is proposing to construct a second story addition to an existing, one- and a half-story single-family dwelling. For single-family dwellings zoned R4 and located in Planning Districts 15, a maximum building height of 22' at a 4' side yard setback is allowed. The existing side setback for this structure is 3.8' on the west side, which would allow a maximum building height of 22' and the proposed height of the structure will be 24.8', for a variance request of 2.8' for height and a variance request of .2' for the west side yard setback.

The proposed height of the structure does not align with the district council's intent to maintain the height of single-family dwellings at 22' within its district. This finding is not met.

Resolution File #: 18-123560

2. The variance is consistent with the comprehensive plan.

The proposed addition is an improvement to the property that would support the rehabilitation of Saint Paul's existing housing stock. The requested variances are consistent with the Comprehensive Plan by allowing the existing property owner in an "established neighborhood" to reinvest in his property and maintain its vitality and preserve and promote the neighborhood

(Strategy 2.1 of the Housing Plan). This finding is met for both variance requests.

3. The applicant has established that there are practical difficulties in complying with the provision, that the property owner proposes to use the property in a reasonable manner not permitted by the provision. Economic considerations alone do not constitute practical difficulties.

This house was constructed in 1928 and was not built centered to the lot. As a result, the structure now has a nonconforming side yard setback of .2' from the west property line and a setback of 8' from the east side property line. Because this house was built closer to the west property line, the applicant would have to shift the addition over .2' to meet the required side setback, which would be unreasonable.

The existing rear addition was constructed prior to the zoning code change for building height for single-family dwellings in District 15. It is difficult to align the building height on rear of the house with the front without the requested variance. The new roof pitch in the front of the house will complement the south elevation and improve the aesthetics of the structure. This finding is met for both variance requests.

4. The plight of the landowner is due to circumstances unique to the property not created by the landowner.

The proposed additional height of the building is a plight created by the landowner. This finding is not met.

5. The variance will not permit any use that is not allowed in the zoning district where the affected land is located.

This property is zoned R4, single-family residential district. The proposed variances will not allow a use that is not permitted. This finding is met for both variance requests.

Resolution File #: 18-123560

6. The variance will not alter the essential character of the surrounding area.

The proposed siding would not improve the aesthetic of the house and it would alter the essential character of the surrounding area. This finding is not met.

NOW, THEREFORE, BE IT RESOLVED, by the Saint Paul Board of Zoning Appeals that the request to waive the provisions of Section 66.231, 66.231(1) to allow the height of the structure to be 24.8', for a variance request of 2.8' for height and a variance request of .2' for the west side yard setback on property located at 1629 Hartford Avenue; and legally described as Mattock Park Lot 14 Blk 5; in accordance with the application for variance and the site plan on file with the Zoning Administrator IS HEREBY DENIED.



## **BUILDING PERMIT**

PERMIT#:

20 18 098004

Issued Date: January 02, 2019

## CITY OF SAINT PAUL

Department of Safety & Inspections 375 Jackson Street, Suite 220 Saint Paul, MN 55101-1806

> www.stpaul.gov/dsi Phone: 651- 266- 8989 Fax: 651- 266- 9124

CONTRACTOR:

OWNER:

MIDWAY VO-TECH INC DBA RPZ TESTING SERVICE 1355 GENEVA AVE N OAKDALE MN 55128 45 NORTH INVESTMENT PROPERTIES LLC 11190 SANDCASTLE DR UNIT E ST PAUL MN 55129-8616

PERMIT ADDRESS: 1629 HARTFORD AVE ST PAUL MN 55116-1410

Inspector: David T.

Phone: 651-266-9020

Schedule Inspection:

7:30-9:00 AM Monday - Friday

SUB TYPE: Single Family Dwelling

WORK TYPE: Addition

WE WILL BE MAKING THE CURRENT HALF STORY TO A FULL 2ND STORY TO TIE IN WITH PREVIOUS 2 STORY ADDITION (75% OF 2ND FLOOR), OPENING 1 WALL BETWEEN KITCHEN AND DINING ROOM AND ADDING A MUD ROOM ON MAIN FLOOR. ONLY NEW SECTION OF 2ND FLOOR WILL GET NEW SIDING. The following "Trade" Permits are required for this project: Electrical, W.Air Vent, Plumbing,

| Contractor Name                         | Midway Vo- Tech Inc<br>Dba Rpz Testing Service   | Application Method   | Walk- in                     |
|---|--|--|------------------------------|
| Date Received                           | Aug 24, 2018                                     | # of Existing Dwelling Units   | 1                            |
| Change/Expansion of Use?                | No   | Final # of Dwelling Units  | 1                            |
| Valuation Override                      | No   | Design Review Require?   | Yes                          |
| Proposed Primary Use (Single<br>Family) | R- Single Family<br>Dwelling                     | Existing Primary Use (Single Family)   | R- Single Family<br>Dwelling |
| State Valuation                         | \$125,000.00                                     | <b>Estimated Start Date</b>  | Sep 01, 2018                 |
| Estimated Completion Date               | Dec 31, 2018                                     | Scope of New Work  | Full Permit                  |
| Exterior Repair Work (R)                | Misc.Minor Repairs                               | Primary Occupancy Group  | IRC- 1                       |
| Primary Construction Type               | V- B   | Addition Length (ft)   | 48                           |
| Addition Width (ft)                     | 26   | Addition Height  | 22                           |
| Addition # of Stories                   | 2  | Addition Basement?   | No                           |
| Setback- Front                          | 32'  | Setback- Rear  | 43'                          |
| Setback- Side 1                         | W 3.8' existing first<br>floor, 4' for 2nd floor | Setback- Side 2  | E 8.8'                       |
| Plan Number                             | V- 2018- 2198                                    |  |                              |
|   |  | The state of the s |                              |

 FEES
 332.00

 Design Review Fee
 332.00

 Permit Fee
 1,486.11

 Plan Check Fee
 965.97

 Surcharge B
 62.50

 TOTAL
 \$2,846.58

# SHERIFF'S CERTIFICATE OF SALE AND FORECLOSURE RECORD MORTGAGE DOCUMENT #T02617750 (T)

DRAFTED BY:

Wilford, Geske & Cook P.A. 7616 Currell Blvd; Ste 200 Woodbury, MN 55125-2296 FILE NUMBER: 042919F01

SEND TAX STATEMENTS TO: Lima One Capital LLC 201 East McBee Avenue, Suite 300 Greenville, SC 29601

Parcel Number: 092823410082

## SHERIFF'S CERTIFICATE OF SALE AND FORECLOSURE RECORD

#### SHERIFF'S CERTIFICATE OF SALE

#### STATE OF MINNESOTA

#### COUNTY OF RAMSEY

I, Bob Fletcher, Sheriff of the County of Ramsey, State of Minnesota, do hereby certify that pursuant to the printed Notice of Foreclosure sale hereto attached and the power of sale contained in the following described mortgage:

DATE OF MORTGAGE: June 15, 2018

MORTGAGOR(S): 45 North Investment Properties, LLC

MORTGAGEE: Lima One Capital, LLC

DATE AND PLACE OF REGISTERING:

Registered: July 02, 2018 Ramsey County Registrar of Titles

Document Number: T02617750

ASSIGNMENTS OF MORTGAGE:

And assigned to: Normandy Capital Trust

Dated: June 29, 2018

Registered: February 08, 2019 Ramsey County Registrar of Titles

Document Number: T02633356

And assigned to: Lima One Capital, LLC

Dated: October 10, 2019

Registered: October 14, 2019 Ramsey County Registrar of Titles

Document Number: T02650152

Transaction Agent: Not Applicable

Transaction Agent Mortgage Identification Number: Not Applicable

Lender or Broker: Lima One Capital, LLC

Residential Mortgage Servicer: Lima One Capital LLC

Mortgage Originator: Not Applicable

CERTIFICATE OF TITLE NUMBER: 623942

COUNTY IN WHICH PROPERTY IS LOCATED: Ramsey

Property Address: 1629 Hartford Ave, Saint Paul, MN 55116-1410

Tax Parcel ID Number: 092823410082

I did, at the time and place in said notice specified:

DATE AND TIME OF SALE: 12/26/2019 10:00 AM

PLACE OF SALE: Sheriff's Main Office, Lowry Building/City Hall Annex, 25 West 4th Street, Suite 150, St. Paul, Minnesota

offer for sale and sell at public auction to the highest bidder and best bidder, the tract of land described as follows, to wit:

Lot 14, Block 5, Mattock Park, Ramsey County, Minnesota

and did strike off and sell the same to: Lima One Capital, LLC

for the sum of: \$323,581.09

said purchaser being the highest bidder and said sum being the highest and best bid offered therefore and that said sale was in all respects openly, honestly, fairly, and lawfully conducted, and the time allowed for redemption by the mortgagor(s), their personal representatives or assigns is six (6) months from the date of said sale.

Interest rate on the date of sale: 15%

IN TESTIMONY WHEREOF, I have hereunto set my hand on 12/26/2019.


STATE OF MINNESOTA

Bob Fletcher

**COUNTY OF Ramsey** 

, Deput

| On 12/26/2019, bet  | fore me personally appeared marci      |                         | , known to be the          |
|---------------------|--|-------------------------|----------------------------|
| Depaty              | Sheriff of said County, and the        | person described in and | who executed the foregoing |
| instrument, and ack | tnowledged that he/she executed the sa | ame as his/her free act | and deed as such           |
| Deputy              | Sheriff.                               |                         |                            |



Steven D'Lhly