Ricardo X. Cervantes, Director

SAINT PAUL

CITY OF SAINT PAUL

375 Jackson Street, Suite 220 St Paul, Minnesota 55101-1806

 Telephone:
 651-266-8989

 Facsimile:
 651-266-9124

 Web:
 www.stpaul.gov/dsi

July 7, 2021

Leslie A Fisher Trustee 10150 City Walk Dr Apt 301 Woodbury MN 55129-9264

Revocation of Fire Certificate of Occupancy and Order to Vacate

RE: 1605 5TH ST E Ref. # 110275

Dear Property Representative:

Your building was determined to be a registered vacant building on July 7, 2021. Since certificates are for the occupancy of buildings, it has become necessary to revoke the Certificate of Occupancy. A inspection will be on July 21 2021 at 2:00P.M.

Saint Paul Legislative Code provides that no building shall be occupied without a Certificate of Occupancy. In order to re-occupy the building, the following deficiencies (if applicable) must be corrected and a complete Certificate of Occupancy inspection will be required.

DEFICIENCY LIST

- 1. SPLC 39.02(c) Complete and sign the smoke detector affidavit and return it to this office.
- 2. SPLC 34.19 Provide access to the inspector to all areas of the building.-

Saint Paul Legislative Code authorizes this inspection and collection of inspection fees. For forms, fee schedule, inspection handouts, or information on some of the violations contained in this report, please visit our web page at: http://www.stpaul.gov/cofo

You have the right to appeal these orders to the Legislative Hearing Officer. Applications for appeals may be obtained at the Office of the City Clerk, 310 City Hall, City/County Courthouse, 15 W Kellogg Blvd, Saint Paul MN 55102 Phone: (651-266-8585) and must be filed within 10 days of the date of this order.

If you have any questions, email me at: james.thomas@ci.stpaul.mn.us or call me at 651-266-8983 between 7:30 - 9:00 a.m. Please help to make Saint Paul a safer place in which to live and work.

Sincerely,

James Thomas Fire Safety Inspector

Ref. # 110275