



CITY OF SAINT PAUL

Business Licensing
375 Jackson Street, Suite 220
Saint Paul, Minnesota 55101-1806

Telephone: 651-266-8989
Facsimile: 651-266-9124
Web: www.stpaul.gov/dsi

October 4, 2021

NOTICE OF PUBLIC HEARING

Sound Level Variances

MNUFC v LAFC – Minnesota United FC/Allianz Field
MNUFC US Women's National Team v South Korea/Allianz Field

Dear St. Paul Property Owner:

This is to inform you of a request for a variance from the sound level limitations as indicated in the St. Paul Noise Ordinance (Chapter 293 of the St. Paul Legislative Code). Property owned by you and located near the noise source, may be affected by this variance request. Rental property owners must provide a copy of this notice to all renters or post a copy in a common area of the building so it can be viewed by the occupants.

Description of Variance:

Location: 400 Snelling Ave. N. – Amplified sound within the Street and the Beer Garden Area outside of Allianz Field

Noise Source: Zacharia Litzelswope, Director, Events and Guest Experience, has requested two sound level variances, for 95 dBA at no specified distance to present amplified sound with use of a sound system for the MLS Regular Season MNUFC v LAFC game on Saturday, October 23, 2021 and for the U.S. Women's National Team v South Korea game on Tuesday, October 26, 2021 at 400 Snelling Ave. N- Amplified sound within the Street and the Beer Garden Area outside of Allianz Field. The variances are requested for the hours of 4:30 p.m. to 7:00 p.m. with a pre-event sound check at 3:30 p.m. on October 23, 2021 and on October 26, 2021. The Department of Safety and Inspections will be recommending the following conditions: 1) The Variances shall be for the hours of 4:30 p.m. to 7:00 p.m. with a pre-event sound check at 3:30 p.m. on Saturday, October 23, 2021 for the MNUFC v LAFC FC game and on Tuesday, October 26, 2021 for the U.S. Women's National Team v South Korea game. 2) All electronically powered equipment used in conjunction with the events shall not exceed 90 dBA as measured at 50 feet from all sound sources on October 23, 2021 and on October 26, 2021. 3) The applicant shall provide personnel and equipment to ensure compliance with the sound level variance conditions. 4) All electronically powered equipment, PA systems, loudspeakers or similar devices shall be turned off no later than 7:00 p.m. on October 23, 2021 and on October 26, 2021.

Applicant has acknowledged that any social gathering associated with this variance must be managed in full compliance with all applicable Governor Walz and Mayor Carter COVID-19 Orders including but not limited to Orders relating to distancing, mask wearing and attendance limits

Public attendance at the City Council's regular meeting location is not feasible due to the COVID-19 health pandemic. Members of the public may view City Council meetings online at <https://stpaul.legistar.com/Calendar.aspx> or on local cable Channel 18.

Submit comments for Public Hearing electronically. The public may comment on public hearing items in writing or via voicemail. Any comments and materials submitted by 12:00 pm of the day before the meeting, Tuesday, October 19, 2021, and will be attached to the public record and available for review by the City Council. Comments may be submitted as follows: Written public comment on public hearing items can be submitted to Contact-Council@ci.stpaul.mn.us, CouncilHearing@ci.stpaul.mn.us, or by voicemail at 651-266-6805.

A public hearing before the City Council on this variance request will be held on:

Date: Wednesday, October 20, 2021

Time: 3:30 p.m.

Location: Members of the City Council will participate in City Council meetings by telephone or other electronic means.

After the public hearing, the Council may grant, deny, or modify the variance request.

If you have questions about the sound level variance, please contact: Barb McMonigal-St.Dennis, Environmental Health Specialist, 651-266-9137, barb.mcmonigal-st.dennis@ci.stpaul.mn.us