



## Legislation Details (With Text)

<b>File #:</b>	RES PH 24-106	<b>Version:</b>	2
<b>Type:</b>	Resolution-Public Hearing	<b>Status:</b>	Passed
		<b>In control:</b>	City Council
		<b>Final action:</b>	5/22/2024
<b>Title:</b>	Approving the application of Skinner's Pub for a sound level variance in order to present amplified sound on Tuesdays, June 4 - September 24, 2024 at 919 Randolph Avenue - Skinner's Pub. (Public hearing closed and laid over from May 15, 2024)		
<b>Sponsors:</b>	Rebecca Noecker		
<b>Indexes:</b>	Ward - 2		
<b>Code sections:</b>			
<b>Attachments:</b>	1. Application, 2. ENS, 3. Map, 4. Notice to Owners, 5. Owners List, 6. Letter to Applicant, 7. Matthew Hlady public comment, 8. Rebecca Ramsden public comment, 9. Chris Johnson public comment, 10. Rebecca Ramsden public comment #2		

Date	Ver.	Action By	Action	Result
5/29/2024	2	Mayor's Office	Signed	
5/22/2024	1	City Council	Adopted As Amended	Pass
5/15/2024	1	City Council	Laid Over	Pass

Approving the application of Skinner's Pub for a sound level variance in order to present amplified sound on Tuesdays, June 4 - September 24, 2024 at 919 Randolph Avenue - Skinner's Pub. (Public hearing closed and laid over from May 15, 2024)

WHEREAS, Chapter 293 of the Saint Paul Legislative Code was enacted to regulate the subject of noise in the City of Saint Paul; and

WHEREAS, §293.09 provides for the granting of variances from the sound level limitations contained in §293.07, upon a finding by the City Council that full compliance with Chapter 293 would constitute an unreasonable hardship on the applicant, other persons or on the community; and

WHEREAS, Skinner's Pub, represented by Molly Skinner, Owner, who has been designated as the responsible person on the application, has applied for a variance, at a requested sound level limit of 85 dBA at no specified distance, to present amplified sound for the Music on the Patio Series at 919 Randolph Ave - Skinner's Pub; and

WHEREAS, applicant has requested a variance for the hours from of 7:00 p.m. to 9:30 p.m. with a pre-event sound check from 6:00 p.m. - 7:00 p.m. on Tuesdays, June 4 - September 24, 2024, for a Music on the Patio Series; and

WHEREAS, if applicant is not granted a variance applicant will not be able to present amplified sound at 919 Randolph Ave - Skinner's Pub; and

WHEREAS, the Department of Safety and Inspections has reviewed the application and has made recommendations regarding conditions for the variance. Now, therefore, be it

RESOLVED, that the Council of the City of Saint Paul hereby grants a variance to Skinner's Pub, subject to the following conditions:

- 1) The Variance shall be for the hours from of 7:00 p.m. to 9:30 p.m. with a pre-event sound check from 6:00 6:45 p.m. - 7:00 p.m. on Tuesdays, June 4 - September 24, 2024, for a Music on the Patio Series.
- 2) All electronically powered equipment used in conjunction with the event shall not exceed 85 75 dBA at 50 feet from all sound sources.
- 3) The applicant shall provide personnel and equipment who shall provide continuous sound level monitoring at each sound mix during the hours of the variance.
- 4) All electronically powered equipment, PA systems, loudspeakers or similar devices shall be turned off no later than 9:30 p.m. on Tuesdays, June 4 - September 24, 2024, the event dates.
- 5) Bands and musical acts cannot include drums or horns.
- 6) Speakers must be positioned entirely below the fence and must face the street or parking lot (not the building).

FURTHER RESOLVED, that any violations of the conditions set forth above on the Tuesdays, June 4-September 24, 2024 dates may result in denial of future requests for the grant of a noise variance, in addition to any criminal citation which might issue.

Skinner's Pub, represented by owner, Molly Skinner, has requested an exemption from the sound level limitations in Chapter 293.07 in order to present amplified sound, with limitations, from 7:00 p.m. to 9:30 p.m. with a pre-event sound check from 6:00 p.m. - 7:00 p.m. on Tuesdays starting June 4 - September 24, 2024. Chapter 293.09 provides for the granting of variances from the sound level limitations contained in Chapter 293.07.

Was proper notice given? YES - See Attachments