



City of Saint Paul

City Hall and Court House
15 West Kellogg Boulevard
Phone: 651-266-8560

Legislation Text

File #: RES 24-769, **Version:** 1

Approving the City's cost of providing Removal of Diseased and/or Dangerous Tree(s) during January 2024 at 2163 Marshall Ave, and setting date of Legislative Hearing for July 30, 2024 and City Council public hearing for August 14, 2024 to consider and levy the assessments against individual properties. (File No. 2409T, Assessment No. 249011)

WHEREAS, pursuant to Saint Paul Legislative Code Chapter 175: Diseased or Dangerous Trees, the Office of Financial Services Assessment Section has prepared the attached Report of Completion of Assessment for Removal of Diseased and/or Dangerous Tree(s) on Private Property during the month of January 2024 at 2163 Marshall Ave under Assessment No. 249010 (File No. 2408T); and

WHEREAS, the Office of Financial Services Assessment Section has prepared for City Council consideration the attached Assessment Roll listing the benefited property, the property owner, the service provided and the charges for the service as reported by the department providing the service; and hereby submits said Assessment Roll for City Council consideration to adopt and levy said charges as an assessment against the benefited property; and

WHEREAS, a legislative hearing on said assessment is scheduled on the 30th day of July 2024 at the hour of 10:00 a.m. in Room 330, Third Floor, City Hall Court House, in the City of Saint Paul; now, therefore be it

RESOLVED, that the Council of the City of Saint Paul hereby accepts and approves said Report of Completion of Assessment and Assessment Roll; and be it further

RESOLVED, that a public hearing be had on said assessment on the 14th day of August 2024 at the hour of 3:30 p.m. in the Council Chambers of the Court House and City Hall Building, in the City of Saint Paul; and that the Office of Financial Services Assessment Section provide mailed and published notice of the same as required by law.