



Legislation Text

File #: RES PH 22-269, **Version:** 1

Approving the application of Allianz Field for a sound level variance in order to present live amplified sound for the Smoke Out at Allianz Field Event on October 2, 2022 on Spruce Tree Drive by Allianz Field - 400 Snelling Ave. N.

WHEREAS, Chapter 293 of the Saint Paul Legislative Code was enacted to regulate the subject of noise in the City of Saint Paul; and

WHEREAS, §293.09 provides for the granting of variances from the sound level limitations contained in §293.07, upon a finding by the City Council that full compliance with Chapter 293 would constitute an unreasonable hardship on the applicant, other persons or on the community; and

WHEREAS, Allianz Field, represented by Zacharia Litzelswope, Director, Events and Guest Experience, who has been designated as the responsible person on the application, has applied for a variance, for a requested sound level limit of 95 dBA at no specified distance, to present amplified sound on Spruce Tree Drive facing South towards the Stadium at 400 Snelling Ave N. - Allianz Field; and

WHEREAS, applicant has requested a variance for the hours of 12:00 p.m. to 6:00 p.m. on October 2, 2022 with a pre-event sound check at 5:00 p.m. on Saturday, October 1, 2022 for the Smoke Out Event; and

WHEREAS, if applicant is not granted a variance applicant will not be able to present amplified sound on Spruce Tree Drive facing South by 400 Snelling Ave N. - Allianz Field; and

WHEREAS, the Department of Safety and Inspections has reviewed the application and has made recommendations regarding conditions for the variance. Now, therefore, be it

RESOLVED, that the Council of the City of Saint Paul hereby grants a variance to Allianz Field, subject to the following conditions:

- 1) The Variance shall be for the hours of 12:00 p.m. to 6:00 p.m. on Sunday, October 2, 2022 with a pre-event sound check at 5:00 p.m. on Saturday, October 1, 2022
- 2) All electronically powered equipment used in conjunction with the event shall not exceed 85 dBA as measured at 50 feet from all sound sources.
- 3) The applicant shall provide personnel and equipment who shall provide continuous sound level monitoring at each sound source during the hours of the variance.
- 4) All electronically powered equipment, PA systems, loudspeakers or similar devices shall be turned off no later than 6:00 p.m. October 2, 2022, the event date.

FURTHER RESOLVED, that any violations of the conditions set forth above on the October 2, 2022 date may result in denial of future requests for the grant of a noise variance, in addition to any criminal citation which might issue.

Allianz Field, represented by Zacharia Litzelswope, Director, Events and Guest Experience has requested an exemption from the sound level limitations in Chapter 293.07 in order to present amplified sound, with limitations, from 12:00 p.m. to 6:00 p.m. on Sunday, October 2, 2022 with a pre-event sound check at 5:00 p.m. on Saturday, October 1, 2022. Chapter 293.09 provides for the granting of variances from the sound level limitations contained in Chapter 293.07.

Was proper notice given? YES - See Attachments