Legislation Details (With Text)

File #:	RES PH 22-106 **Version:** 2		
Type:	Resolution-Public Hearing	**Status:**	Passed
		In control:	City Council
		Final action:	5/4/2022
Title:	Approving the application of Jan Hohn for a sound level variance in order to present amplified sound on June 25, 2022 at 1190 Summit Ave - Back/Side yard		
Sponsors:	Rebecca Noecker		
Indexes:	Ward - 2		
Code sections:			
Attachments:	1. Application, 2. ENS, 3. Map, 4. Owner list, 5. Notice to Owners, 6. Letter to Applicant		

Date	Ver.	Action By	Action	Result
5/10/2022	2	Mayor's Office	Signed	
5/4/2022	1	City Council	Adopted As Amended	Pass

Approving the application of Jan Hohn for a sound level variance in order to present amplified sound on June 25, 2022 at 1190 Summit Ave - Back/Side yard

WHEREAS, Chapter 293 of the Saint Paul Legislative Code was enacted to regulate the subject of noise in the City of Saint Paul; and

WHEREAS, §293.09 provides for the granting of variances from the sound level limitations contained in §293.07, upon a finding by the City Council that full compliance with Chapter 293 would constitute an unreasonable hardship on the applicant, other persons or on the community; and

WHEREAS, Jan Hohn, homeowner, who has been designated as the responsible person on the application, has applied for a variance, for 95 dBA at no specified distance, to present amplified sound for the Wedding Reception at 1190 Summit Ave - Back/Side yard; and

WHEREAS, applicant has requested a variance for the hours of 7:30 p.m. to 11:30 p.m. for a Wedding Reception; and

WHEREAS, if applicant is not granted a variance applicant will not be able to present amplified sound at 1190 Summit Ave - Back/Side yard; and

WHEREAS, the Department of Safety and Inspections has reviewed the application and has made recommendations regarding conditions for the variance. Now, therefore, be it

RESOLVED, that the Council of the City of Saint Paul hereby grants a variance to Jan Hohn, subject to the following conditions:

1) The Variance shall be for the hours from of 7:30 p.m. to ~~10:00~~ 11:30 p.m. for the Wedding Reception.

2) All electronically powered equipment used in conjunction with the event shall not exceed 85 dBA at 50 feet from all sound sources

powered by Legistar™

3) The applicant shall provide personnel and equipment who shall provide continuous sound level monitoring at each sound mix during the hours of the variance.

4) All electronically powered equipment, PA systems, loudspeakers or similar devices shall be turned off no later than ~~10:00~~ 11:30 p.m. on Saturday, June 25, 2022, the event date.

FURTHER RESOLVED, that any violations of the conditions set forth above on the June 25, 2022 date may result in denial of future requests for the grant of a noise variance, in addition to any criminal citation which might issue.

Jan Hohn, has requested an exemption from the sound level limitations in Chapter 293.07 in order to present amplified sound, with limitations, from 7:30 p.m. to 11:30 p.m. on Saturday, June 25, 2022. Chapter 293.09 provides for the granting of variances from the sound level limitations contained in Chapter 293.07.

Was proper notice given? YES - See Attachments

powered by Legistar™